

## MULTI-POINT SURFACE USE AND OPERATION PLAN

#1, Indian "A", 9201 JV-P

Page 3

- D. Oil produced during testing will be stored in test tanks until sold.
- E. Current laws and regulations pertaining to the disposal of human waste will be complied with.
- F. Trash, waste paper and garbage will be disposed of by hauling to an available disposal. All waste material will be contained in a totally enclosed trash basket with a fine wire mesh, to prevent wind scattering during collection. The road and pad will be kept litter free.

### 8. Ancillary Facilities

- A. It is possible that a mobile home will be used at the well site during drilling operations.

### 9. Wellsite Layout

- A. Exhibit -E- shows the rig layout and reserve pit.
- B. Site will require clearing and leveling.
- C. The reserve pits will be fenced.

### 10. Plans for Restoration of Surface

- A. Following drilling and/or completion operations, all equipment and material not needed for further operations will be removed. The location will be cleaned of all trash and junk to leave the well site as clean as possible.
- B. Any unguarded pits containing fluids will be fenced until they are filled. Oil in the mud pit will necessitate either removal or installation of overhead flagging. The pit will be allowed to dry prior to the commencement of backfilling operations. Fill material will be pushed back into the cuts and up over the backslope, recontouring the area so that there are no large depressions that will trap water or form ponds. Topsoil will be evenly distributed over the entire location. The seedbed will be prepared by disking to a depth of four to six inches following the contour.