Revised 1-1-65

at a pressure base of 15,025 psia and a temperature of 60° or any well producing through casing.	No well will be assigned an allowable greater that During gas-oil ratio test, each well shall be pre-located by more than 25 percent. Operator is encouraged increased allowables when authorized by the Commission. Gas volumes must be reported in MCF measured:		Newman Com	L EASE NAME	Box 1737, Roswell, New Mexico	Operator Hanagan Petroleum Corporation
	No well will be assigned an allowable greater than the amount of oil produced on the official test. During gas-oil ratio test, each well shall be produced at a rate not exceeding the top unit allowable for the pool in which well is located by more than 25 percent. Operator is encouraged to take advantage of this 25 percent tolerance in order that well can be assigned increased allowables when authorized by the Commission. Gas volumes must be reported in MCF measured at a pressure base of 15,025 psia and a temperature of 60° F. Specific gravity base		_	WELL NO.	exico	
			0	С		
			7	s Loc.		
			23	OCATION		
			26	æ		Wildcat Delaware Pool
			12/4/75	DATE OF TEST	—i → m l	
			•0	STATUS		
			2" x .375	CHOKE	(X)	01
			t 1 1	TBG.	Sch	County
			1 1 1	DAILY ALLOW-	Scheduled X	
with	II in		24	LENGTH OF TEST HOURS		inty
High E. Handson (Signature) Vice-President (Title)	I hereby certify that the above information is true and complete to the best of my knowledge and belief.		! ! !	WATER BBLS.	Comp	Eddy
			42	GRAV.	Completion	
		DEC D	12	PROD. DURING R GRAV. OIL BBLS.		
		29 m 4	58.6	GAS M.C.F.	pody	
			4883	GAS - OIL RATIO CU.FT/BBL	Special []	

(Date)