

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

C/SI-

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

Oil Con

N.M. DIV-Dist

1301 W. Grand Avenue
Artesia, NM 88210

Lease Serial No.

0415688-A

Indian Allotment or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on reverse side

7. If Unit or CA/Agreement, Name and/or No.

Old Indian Draw Unit

8. Well Name and No.

Old Indian Draw #1

9. API Well No.

30-015-21765

10. Field and Pool, or Exploratory Area

Indian Draw Delaware

11. County or Parish, State

Eddy Co., NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

☒ Notice of Intent

☐ Acidize

☐ Deepen

☒ Production (Start/Resume)

☐ Water Shut-Off

☐ Subsequent Report

☐ Alter Casing

☐ Fracture Treat

☐ Reclamation

☐ Well Integrity

☐ Final Abandonment Notice

☐ Casing Repair

☐ New Construction

☐ Recomplete

☐ Other

☐ Change Plans

☐ Plug and Abandon

☐ Temporarily Abandon

☐ Convert to Injection

☐ Plug Back

☐ Water Disposal

3. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompletes horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Scope of Work: Suspend temporary abandonment operations (see Sunday notice approved 12-28-01) and return well to producing status by installing a pumping unit.

1. RU PU. ND wellhead. NU BOP. TOOH with tubing.

2. RIH with MA, SSN, 3 jts tbg, TAC and remainder tubing. Set TAC @ 2976' with bottom of MA @ 3100'.

3. RIH with 1 1/4" rod pump on 3/4" Class "D" rods & hang off.

4. Load tubing with H₂O. Turn on pumping unit. RD & mo. PU *

4. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

PAUL E. LEGG

Title

Engineer

Signature

Paul E. Legg

Date

1-25-02

APPROVED

FEB 13 2002

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

LEO BABYAK
PETROLEUM ENGINEER

Approved by

Title


Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

* See attached for current wellbore diagram.



RICKS EXPLORATION INC.

OLD INDIAN DRAW #7

SECTION 18-22S-28E

EDDY COUNTY, NM

GL: 3077'

DF:

KB:

SURFACE CASING:

10-3/4" 40.4# Line pipe ST&C

SET @ 420'

CMT w/ 500 sx

TUBING:

2-7/8" 6.5# J-55 EUE 8rd @ 3148'

2-7/8" SN

TOC unknown
(Possibly near surf)

Horizontal drilled 2/98

Window @ 3143'-3150'

MD 4218' 89.6 Degrees @ 270 Degree Azimuth

TVD 3247'

N_S -1.0'

E_W -897.0'

Open hole completion

DELAWARE PERFS

3123'-3142'

Squeezed 2/98

CIBP @ 3175 (10-25-96)

DELAWARE PERFORATIONS

3188' - 3208' 4/spf

3240' - 3266' 2/spf

3280' - 3290' 2/spf (Squeezed)

PRODUCTION CASING:

5-1/2" 15.5# 17# J-55 K-55 ST&C

SET @ 3457'

CMT w/ 950 sx

PBTD: 3065'

TD: 3457'

10/19/01 BJR

