

01/05/01

- 1) No tubing pressure noted
- 2) Began swabbing--beginning fluid level 4,800'
- 3) Made 16 runs, daily fluid recovery—101 bbls, ending fluid level—10,000'
- 4) Flaring gas—flare approx. 6'-8'
- 5) Caught water sample
- 6) SION. MY

01/06/01

- 1) 1,900 psi tubing pressure noted
- 2) Placed on 8/64 choke, took 1 hr. 15 min to blow down to swab
- 3) Started swabbing—fluid level 6,000' and scattered throughout
- 4) Made 10 runs, daily fluid recovered 32 bbls, ending fluid level—10,000'
- 5) Total estimated fluid recovered-- 183 bbls
- 6) Caught water sample
- 7) SION. MY

01/07/01

- 1) 2,000 psi tubing pressure noted
- 2) Placed on 8/64 choke, blew down to 500 psi in 2 hours
- 3) Adjusted choke to 12/64 blew down to 80 psi in 45 minutes
- 4) Began swabbing—fluid level @ 9,000' and scattered throughout
- 5) Made 5 runs, daily fluid recovered, 11 bbls, last 3 swab runs recovered total of 3.5 bbls
- 6) Total estimated fluid recovered – 194 bbls
- 7) Caught water sample
- 8) Conducted 1 hr SI---450 psi
- 9) Placed on 8/64 choke—took 1 hour 45 minutes to bleed down to 80 psi
- 10) Called report to Bret Cook and Bill Lee
- 11) SION. MY

01/07/01

- 1) 2,050 psi tubing pressure noted
- 2) Blew down to 70 psi on 8/64 choke in 2 hours
- 3) Made 2 swab runs, fluid level 7,000' and scattered, recovered 1 bbl fluid per run for total of 2 bbls recovered
- 4) Total estimated fluid recovered---196 bbls
- 5) RIH w/72 hr BHPB tool. MY

01/08/01

- 1) Conducting 72 hr BHPB. MY

01/09/01

- 1) Conducting 72 hr EHPB. MY