

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM-22064

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Last Chance

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Wildcat

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 28, T23S, R24E

12. COUNTY OR PARISH

Eddy

13. STATE
N.M.

1. OIL WELL ☐ GAS WELL ☒ OTHER

2. NAME OF OPERATOR

Harvey E. Yates Company

3. ADDRESS OF OPERATOR

P. O. Box 1933, Roswell, New Mexico 88201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*

See also space 17 below.)

At surface

2280' FSL & 660' FWL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GL, etc.)

3929.66' GL

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

☐

PULL OR ALTER CASING

☐

FRACTURE TREAT

☐

MULTIPLE COMPLETE

☐

SHOOT OR ACIDIZE

☐

ABANDON*

☐

REPAIR WELL

☒

CHANGE PLANS

☐

(Other)

☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

☐

REPAIRING WELL

☐

FRACTURE TREATMENT

☐

ALTERING CASING

☐

SHOOTING OR ACIDIZING

☐

ABANDONMENT*

☐

(Other)

☐

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

1. RU well service unit. Blow well down. Load tubing w/3% KCl water.
2. POH w/tbg and packer
3. Plugback lower Morrow Zone, 10,218' to 10,228' w/a CIBP set @ 10,210' KB. Pump 250 gals - 10% acetic acid across interval to be perforated.
4. Perf Upper Morrow from 10,148' to 10,192' w/2 jspf.
5. Run tubing w/LOK Set packer, on-off tool w/1.81" profile and, packer actuated vent assembly w/ejection plug.
6. Set packer @ 10,100', ND BOP & NU Tree.
7. Drop bar and knock out ejection plug...
8. Flow and/or swab test.
9. Acidize, if necessary.

RECEIVED

JUN 25 1980

U.S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

Clark T. Hardie

TITLE Engineer

DATE June 24, 1980

(This space for Federal or State office use)

APPROVED BY

Robert H. Carter

TITLE

DATE JUN 26 1980

CONDITIONS OF APPROVAL, IF ANY: