

UNIT STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

ANAL. U.C.D. COPY

SUBMIT IN TRIPLI
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM-36610

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

JUL 15 1981

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Azotea Mesa Federal

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT Undesignate
Robinia Draw Morrow Gas11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREAUt-H
Sec. 6, T-23-S, R-24-E

12. COUNTY OR PARISH

Eddy

13. STATE

New Mexico

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>	2. NAME OF OPERATOR InterNorth, Inc. ✓
3. ADDRESS OF OPERATOR 403 Wall Towers West, Midland TX 79701	4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 1570' FNL & 480' FEL of Section 6
14. PERMIT NO. -	15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4243.2 GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON* ☐CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☒(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☐(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

- 1-13-81 R.U. C.U. SD for rain & snow.
- 1-14-81 P.U. 2 7/8" tbg & power swivel. Went in liner & cleaned cement to 10,515'.
- 1-16-20-81 GIH w/Peabody-Vann Gun & tbg, testing tbg to 8000 psi.
- 1-21-81 Perforated 10,438-10,458;10,468-10,470;10,477-10,483 w/2 SPF (total 28'-56 shots). Hole size 0.50".
- 1-22-81 Acidized w/2500 gals 7½% MS acid. Recovered load. GTSTM.
- 1-23-81 Set CIBP @ 10,430' & dump-bailed 25' cement on top.
- 1-26-81 Perforated 10,160-10,164; 10,167-10,168;10,182-10,192; 10,214-10,217;10,247-10,249; 10,258-10,268; 10,297-10,299; 10,303-10,305; 10,307-10,311; 10,314-10,316; 10,319-10,322 w/2 SPF w/0.5" holes. (Total 86 shots).
- 1-27-81 Acidized w/2500 gals 7½% MS acid.
- 1-29-81 Fraced w/30,000 gals 5% MS Frac + 15,000 gals CO₂ + 45,000 # 20/40 sd.
- 1-30 to 2-14-81 Swabbing load & testing.

18. I hereby certify that the foregoing is true and correct

SIGNED Ruby HudsonTITLE Production ClerkDATE 7-9-81

(This space for Federal or State office use)

APPROVED BY ROGER A. CHAPMAN

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

JUL 13 1981

U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

*See Instructions on Reverse Side