

MEASURED DEPTH FEET	DRIFT ANGLE D M	DRIFT DIRECTION D	COURSE LENGTH FEET	TRUE VERTICAL DEPTH FEET	RECTANGULAR COORDINATES FEET	DOGLEG SEVERITY DG/100FT
6400.	0 45	S 76 W	100.	6399.02	43.54 S 46.62 E	0.10
6500.	0 45	S 45 W	100.	6499.01	44.18 S 45.50 E	0.40
6600.	1 0	S 50 W	100.	6599.00	45.21 S 44.37 E	0.26
6700.	1 0	S 41 W	100.	6698.98	46.43 S 43.13 E	0.16
6800.	1 0	S 46 W	100.	6798.97	47.70 S 41.93 E	0.09
6900.	1 15	S 70 W	100.	6898.95	48.73 S 40.27 E	0.53
7000.	1 15	S 70 W	100.	6998.92	49.48 S 38.22 E	0.00
7100.	1 0	S 65 W	100.	7098.91	50.23 S 36.41 E	0.27
7200.	1 0	S 73 W	100.	7198.89	50.85 S 34.78 E	0.14
7300.	0 45	S 79 W	100.	7298.88	51.22 S 33.30 E	0.27
7400.	0 45	S 81 W	100.	7398.87	51.45 S 32.01 E	0.03
7500.	0 30	S 67 W	100.	7498.86	51.75 S 30.97 E	0.29
7600.	0 30	S 87 W	100.	7598.85	51.95 S 30.12 E	0.17
7700.	0 15	S 70 W	100.	7698.84	52.08 S 29.48 E	0.27
7800.	0 30	S 15 W	100.	7798.85	52.54 S 29.05 E	0.41
7900.	0 45	S 9 W	100.	7898.85	53.61 S 28.83 E	0.26
8000.	1 0	S 20 E	100.	7998.84	55.11 S 28.97 E	0.50
8100.	1 15	S 15 E	100.	8098.82	56.98 S 29.56 E	0.27
8200.	1 15	S 5 E	100.	8198.79	59.13 S 29.94 E	0.22
8300.	1 30	S 14 E	100.	8298.76	61.49 S 30.34 E	0.33
8400.	1 45	S 3 E	100.	8398.72	64.29 S 30.76 E	0.40
8500.	2 0	S 1 E	100.	8498.67	67.56 S 30.87 E	0.26
8600.	2 15	S 2 E	100.	8598.60	71.27 S 30.97 E	0.25
8700.	2 0	S 5 W	100.	8698.53	74.97 S 30.87 E	0.36
8800.	2 0	S 3 E	100.	8798.47	78.46 S 30.81 E	0.28
8900.	2 0	S 14 W	100.	8898.41	81.92 S 30.48 E	0.59
9000.	2 15	S 12 W	100.	8998.34	85.53 S 29.64 E	0.26
9100.	1 30	S 30 W	100.	9098.29	88.58 S 28.47 E	0.94
9200.	1 30	S 39 W	100.	9198.26	90.73 S 26.99 E	0.24
9300.	1 15	S 31 W	100.	9298.23	92.69 S 25.62 E	0.31

