

N.

## NEW MEXICO OIL CONSERVATION COMMISSION


Santa Fe, New Mexico

RECEIVED  
JUL 15 1952

## WELL RECORD

Oil Cons. Comm.  
Artesia Office

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.



AREA 640 ACRES  
LOCATE WELL CORRECTLY

Wright & Davis Company or Operator Pecos Irrigation Company  
Well No. 1 in 1952 of Sec. 8, T. 25S  
R. 28E, N. M. P. M., Unna, Field, Gady County.  
Well is 980 feet south of the North line and 980 feet west of the East line of Section 8  
If State land the oil and gas lease is No. Assignment No.  
If patented land the owner is Pecos Irrigation Company, Address Carlsbad, N.M.  
If Government land the permittee is, Address  
The Lessee is J. O. Folke, Address Carlsbad, N.M.  
Drilling commenced March 30, 1952 19 Drilling was completed May 9, 1952 19  
Name of drilling contractor D. & L. Bell Service Company, Address Artesia, N.M.  
Elevation above sea level at top of casing 2900 feet.  
The information given is to be kept confidential until 19

## OIL SANDS OR ZONES

No. 1, from to No. 4, from to  
No. 2, from to No. 5, from to  
No. 3, from to No. 6, from to

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 204 to 230 feet. 6 bbls per hour  
No. 2, from 284 to 29 feet. 5 " " "  
No. 3, from to feet.  
No. 4, from to feet.

## CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM TO	PURPOSE
103/4	40	3		292	open			shut off water

## MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED

## PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set  
Adapters—Material Size

## RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHOUL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment

## RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

## TOOLS USED

Rotary tools were used from feet to feet, and from feet to feet.  
Cable tools were used from 0 feet to 355 feet, and from feet to feet.

## PRODUCTION

Put to producing 19  
The production of the first 24 hours was barrels of fluid of which % was oil; % emulsion; % water; and % sediment. Gravity, Be  
If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas  
Rock pressure, lbs. per sq. in.

## EMPLOYEES

Driller Carl Bean  
Driller George Miller

## FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Artesia, N.M. July 14, 1952  
Name J. O. Folke  
Position Owner  
Representing Wright & Davis Company or Operator.  
Address Artesia, N.M.

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	2	2	Soil
2	7	5	Caliche
7	50	43	Sand
50	65	15	Red***ate Sand
65	125	60	****" Red Shale
125	140	15	" " "
140	165	25	Blue shale
165	200	35	Red Shale
200	250	50	" " "
250	264	14	" " "
264	280	16	Sand, Water
280	285	5	Gravel
285	290	5	Sand, Water
290	295	5	Blue Shale
295	310	15	" " "
310	315	5	Sand
315	320	5	" "
320	335	15	Lime & Shale
335	345	10	Blue Shale
345	350	5	Red Shale
350	365	15	Anhydrite
365	370	5	Red Shale
370	375	5	Blue Shale
375	400	25	Anhydrite
400	425	25	Blue Shale
425	440	15	Anhydrite
440	470	30	Lime
470	490	20	Anhydrite & Sand
490	520	30	Sand & Shale
520	530	10	Dolomite
530	565	35	" " "
565	580	15	Red Rock
580	600	20	Lime
600	615	15	Dolomite, Anhydrite, Red Rock
615	640	25	Lime
640	665	25	" "
665	690	25	Lime & Sand
690	695	5	" " "
695	730	35	Shale & Sand
730	770	40	Red Rock, Sand, Anhydrite
770	795	25	Anhydrite
795	825	30	" "
825	855	30	" "
855	880	25	" "
880	890	10	" "
890	900	10	Shale & Anhydrite
900	935	35	Shale & Sand

OIL CONSERVATION COMMISSION		
ARTESIA DISTRICT OFFICE		
No. Copies Received		
DISTRIBUTION		
Operator	NO. FURNISHED	
Santa Fe		
Proration Office		
State Land Office		
U. S. G. S.		
Transporter		
File		