

AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

RECEIVED
JAN 20 1956
U. S. DEPARTMENT OF THE INTERIOR
ARTESIA, NEW MEXICO

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

J. Glenn Bennett
(Company) or Operator

Ashland, Texas 1

Well No. 1, in SW 1/4 of SW 1/4, of Sec. 6, T. 26 S., R. 29 E., NMPM.

Wildcat Pool, Eddy County.

Well is 660 feet from South line and 660 feet from West line

of Section 6. If State Land the Oil and Gas Lease No. is 10 061498-A

Drilling Commenced December 11, 1957. Drilling was Completed January 16, 1958

Name of Drilling Contractor Alfridge & Strand, Inc.

Address P. O. Box 962

Elevation above sea level at Top of Tubing Head Unknown. The information given is to be kept confidential until

, 19

OIL SANDS OR ZONES

No. 1, from NONE to No. 4, from to

No. 2, from to No. 5, from to

No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 2692 to 2800 feet. 3/4 barrels water per hr.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
10-3/4	32#	New	203	Larkin	203		

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

PLUGGING RECORD: Filled w/cement from 2800' to 2740'
Filled w/ mud to 2690'
Ran 5 sack cement plug from 2690' to 2660'
Filled w/mud to 280'
Ran 5 sack cement plug from 280' to 230'
Filled w/ mud to 35'
Ran 5 sack cement plug from 35' to top of cellar

Result of Production Stimulation

Depth Cleaned Out

E ORD OF DRILL-STEM AND SPECIAL TESTS.

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from.....feet to.....feet, and from.....feet to.....feet.
Cable tools were used from **Surface** feet to **2800 TD** feet, and from.....feet to.....feet.

PRODUCTION

Put to Producing **Dry & Abandoned 1/17**, 19**58**

OIL WELL: The production during the first 24 hours was.....barrels of liquid of which.....% was
was oil;% was emulsion;% water; and.....% was sediment. A.P.I.
Gravity.....

GAS WELL: The production during the first 24 hours was.....M.C.F. plus.....barrels of
liquid Hydrocarbon. Shut in Pressure.....lbs.
Length of Time Shut in.....

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy.....	T. Devonian.....	T. Ojo Alamo.....
T. Salt.....	T. Silurian.....	T. Kirtland-Fruitland.....
B. Salt.....	T. Montoya.....	T. Farmington.....
T. Yates.....	T. Simpson.....	T. Pictured Cliffs.....
T. 7 Rivers.....	T. McKee.....	T. Menefee.....
T. Queen.....	T. Ellenburger.....	T. Point Lookout.....
T. Grayburg.....	T. Gr. Wash.....	T. Mancos.....
T. San Andres.....	T. Granite.....	T. Dakota.....
T. Glorieta.....	T.	T. Morrison.....
T. Drinkard.....	T.	T. Penn.....
T. Tubbs.....	T.	T.
T. Abo.....	T.	T.
T. Penn.....	T.	T.
T. Miss.....	T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	5	5	Collar	790	815	25	Salt & Anhydrite
5	70	65	Red shale	815	825	10	Red Mud
70	76	6	Gravel	825	1955	1130	Anhydrite
76	90	14	Red shale	1955	2110	155	Salt
90	100	10	Lime	2110	2195	85	Anhydrite
100	275	175	Red & Blue shale	2195	2475	280	Salt
275	290	15	Anhydrite & salt	2475	2672	197	Anhydrite
290	305	15	Red rock	2672	2692	20	Black lime
305	340	35	Anhydrite & Salt	2692	2800	108	Delaware Sand
340	425	85	Salt	<div>ARTESIA DISTRICT OFFICE No. Copies Received DISTRIBUTION OPERATOR Santa Fe Proration Office State Land Office U. S. C. S. Transporter File</div>			
425	435	10	Salt & Red shale				
435	450	15	Anhydrite				
450	465	15	Salt				
465	500	35	Salt & Potash				
500	505	5	Anhydrite				
505	525	20	Salt				
525	540	15	Red shale				
540	575	35	Anhydrite				
575	625	50	Anhydrite & shale				
625	630	5	Anhydrite				
630	665	35	Red mud				
665	740	75	Anhydrite & shale				
740	782	42	Anhydrite				
782	790	8	Anhydrite				
782	790	8	Salt				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator **J. Glenn Bennett**
Name **J. Glenn Bennett**

1-21-57
(Date)
Address **305 West Illinois, Midland, Texas**
Position or Title **Owner**