OIL CONSERVATION COMMISSION

205 CARPER BUILDING

ARTESIA, NEW MEXICO

February 9,1954

Richardson & Bass
Box 1178
Monahans, Texas
Attention: Mr. S.J. Scarbrough

Dear Sir:

RE: Richardson & Bass, J.F. Harrison-Federal #1 Well NW NW 12-25S-30E, Wildcat, Eddy County, New Mexico.

we are returning herewith approved Form C-104 & C-110 for the above mentioned well, with the notion on form C-104 that the approval is for clearing storage of distillate accumulated while testing.

It will be necessary for you to write a letter to proration manager, Box 2045, Hobbs, New Mexico, setting forth the amount of such storage, so that he can issue a supplement to the proration schedule, authorizing the moving of the distillate.

Fould also like to mention that we are in need of Form C-102 setting out your projected depth for your Julia Beeman, et al. # 1 well in section 2-245-285, The original Form C-101 Notice of Intention to Drill was approved for 7,000 ft. test, and our latest scout report indicates the well drill ng at 7794 ft.

Yours truly

Oil Conservation Cossision

L.A. Hanson

011 & Gas Inspector

LAH/mg

Mr. A.L. Porter, Jr. Proration Mgr. O.C.C Well File, Santa FE.

OIL CONSERVATION COMMISSION

205 CARPER BUILDING

ARTESIA, NEW MEXICO.

Delinary 9,195.

or is comment in home, the imprison formal of the following services of the se

the early field of way assembly approximate from the electric for the place of a content and the field of the second of the field of th

్రామంలో కేంద్ర కార్స్ ప్రామంలో కారికి కారి కిందింది. ఇక్కిందిన కార్యాన్ని ప్రామంత్రికి మండుకుండి కార్స్ ప్రామం ఈ మండుకుండి కార్యానికి కేందిన మండు అయ్యాన్ని కిందింది. కిందిందిన కార్యాన్నికుండి కేందిన ప్రామంత్రికి కార్యాన్ కార్యాన్నికి కేంద్ర కార్యాన్నికి మహిందిన కార్యాన్నికి కార్యాన్నికి కార్యాన్నికి మహిందిన కార్యాన్నికి కార్యాన్న

in Note at although the computer, that we are in most of for the service of the computer of the computer and the computer and the computer and the computer and the computer of the computer o

James Eres

and the second of the second of

Control Color

e Grand Medical Colored Colore