


Form 9-331a  
(Feb. 1951)



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Las Cruces  
Lease No. 068282-B  
Unit \_\_\_\_\_

30-015-05873

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 3, 19 55

Well No. Hanson # 7 is located 1650 ft. from S line and 2310 ft. from E line of sec. 25

SE 1/4 Section 25 26 S 31 E NMPM  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
North Mason (Delaware) Eddy New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is Will furnish later ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Will drill with rotary tools to test upper Delaware Sand at approximate depth of 4200'. Will set 900' of 8 5/8" surface pipe and cement to surface. Will run 5 1/2" casing to top of pay sand, if productive, and cement with 125 sacks. If well will not make top allowable, propose to frac with 1000 gallons and 1000# sand.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Ibox Company

Address Box 752

Breckenridge, Texas

By J. H. Ransom

Title Production Superintendent

C  
O  
P  
Y

Section 25 Township 26 south Range 31 east

7 1/2 Location 2310

1650'

✓

State of New Mexico  
County of Bernalillo

Scale 1"=1000'

R. E. Booker, License State Surveyor of Texas, do hereby certify that the foregoing is a true and correct plat showing the location 1650 ft. from the south line and 2310 ft. from the east line of section 25 township 26 south range 31 east Tady Co. New Mexico.

R. E. Booker  
License State Surveyor of Texas

900917

0134

8

1020

7

*[Faint handwritten notes]*

*[Faint handwritten notes]*