Form 9-331 (May 1963) UNITED STATES SUBMIT IN TRIPT ATE* DEPARTMI OF THE INTERIOR verse side) GEOLOGICAL SURVEY			Form approved. Budget Bureau No. 42-R1424. 5. LEASE DESIGNATION AND SERIAL NO. NM-11042	
1. OIL GAS TO			7. UNIT AGREEMENT NA	ME
WELL WELL X OTHER 2. NAME OF OPERATOR			Ross Draw	
<u> </u>	Y		8. FARM OR LEASE NAM	
Penroc Oil Corporat		PARIVER.	Ross Draw	Unit
	Midland, Texas 79702	ECEIVED	9. WELL NO.	
4. LOCATION OF WELL (Report loca	ation clearly and in accordance with an	y State requirements.	10. FIELD AND POOL, OF	R WILDCAT
See also space 17 below.) MAY I 1 1977 1980' FSL & 1980' FWL D. C. C.			Wildcat	
			11. SEC., T., E., M., OR BLK. AND SURVEY OR AREA	
			Sec. 27-26S-30E	
14. PERMIT NO.	(0)	ARTESIA, OFFICE		
14. PERMIT NO.	15. ELEVATIONS (Show whether 2995.5 G	, , . ,	12. COUNTY OR PARISH	1
			Eddy	N. M.
16. Chec	k Appropriate Box To Indicate	Nature of Notice, Report, or C	Other Data	
NOTICE OF	INTENTION TO:	SUBSEQ	UENT REPORT OF:	
TEST WATER SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING W	VELL
FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CA	SING
SHOOT OR ACIDIZE	ABANDON*	SHOOTING OR ACIDIZING	ABANDONMEN	(T*
REPAIR WELL	CHANGE PLANS X	(Other)		
(Other)	ED OPERATIONS (Clearly state all pertine	Completion or Recomp	s of multiple completion of letion Report and Log for	m.)
Positive shut-off hated 3/24/77. Ins	directionally drilled, give subsurface loon as been assured in this stead of further plugging the string hole and deepen	s well. Refer to Sund	dry Notice form	9-331
Mankatina Darama				
Tentative Program a		7/77		
	ation approximately 5/1 and mill out 38-40 fee		aina annmowimat	1 77201
	plug 50' below bottom			
above top o		or reamed section and	bring cop or pi	-ug 150
4. After wait	on cement, go in hole	w/7 7/8" bit & drill c	collars & drill	to 3.
below top o				
5. Pick up and	I go in hole $w/2\frac{1}{2}^{\circ}$ Bent	Sub, 5" Dyna Drill an	nd 7 7/8" M.D. 4	13 S.T.
6. Drill appro	oximately 50' ± w/Down in the first hole & pick up 7 7/8" and lay down Reamer.	Hole Motor to sidetrac	ck well.	
7. Pull out of 8. Pull out an	. noie & pick up / //8"	BOTTOM HOLE Reamer &	/ //8" Convert	onal Bit.
9. Go in hole	& drill to approximate	ly 8900 feet to test B	Rone Spring	-LIVE
		-,	U.S. GEO.	10 1977 OGICAL SURVE NEW MEXICO
18. I hereby certify that the forego	oing is true and correct			
SIGNED	TITLE	President	DATE5/9/7	<u>'7</u>
(This space for Federal or State	te office use)	i s	, 11	
APPROVED BY	THEEL	gent to way	CC DATE PAR	ain f

TITLE President

OATE 5/9/77

(This space for Federal or State office use)

APPROVED BY CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

*See Instructions on Reverse Side