SUBMIT IN PLICATE*
(Other unstructions on reverse side)

UNITED STATES TO THE DEPARTMENT OF THE INTERIOR 83210

GEOLOGICAL SURVEY

NM_01165

		CAL SOITTE	·	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
APPLICATION	FOR PERMIT TO	DRILL, D	EEPEN, OR PLUG	BACK N/A
TYPE OF WORK DRIL	L [X]	DEEPEN [T DESCRIPTION NAME OF THE PARTY
TYPE OF WELL			SINGLE (V) MULT	TIPLE 7 190 8. FARM OR LEASE NAME
WELL X GAS			ZONE Z ZONE	IN 7 2 03
NAME OF OPERATOR	ation Comp 4			Yates Federal
ADDRESS OF OPERATOR	ction Corp.			O. C. D.
415 W. Wall	St., Suite 90	00. Midla	nd, TX 79701-4	10. FIELD AND POOL, OR WILDCAT
LOCATION OF WELL (Rep	ort location clearly and in	accordance with	any State requirements.*	X Wildcat Delaware
At surface 660'	FNL & 660' FE	EL	ut. A	11. SEC., T., B., M., OR BLK. AND SURVEY OR AREA
At proposed prod. zone			\mathcal{U}^{\prime}	Sec. 18, T-20-S, R-29
	D DIRECTION FROM NEARES	TOWN OF BUST	APPICE*	12. COUNTY OR PARISH 13. STATE
	iles NNE of C			Eddy NM
DISTANCE FROM PROPUS		ar rabad,	16. NO. OF ACRES IN LEASE	17. NO. OF ACRES ASSIGNED
LOCATION TO NEAREST PROPERTY OR LEASE LIN	(B. PT. 660' FNL		1240	TO THIS WELL
DISTANCE FROM PROPOS	BED LOCATION*	l	19. PROPOSED DEPTH	20. ROTARY OR CABLE TOOLS
TO NEAREST WELL, DRI OR APPLIED FOR, ON THIS	LEASE, PT. 122	20'	3700'	Rotary
ELEVATIONS (Show wheth				22. APPROX. DATE WORK WILL START*
3263.7				upon approval
	PR	OPOSED CASIN	G AND CEMENTING PROG	RAM
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FO	OT SETTING DEPTH	QUANTITY OF CEMENT
17 1/2"	13 3/8"	48	200'	400 sacks CIRCULAIL
12 1/4"	9 5/8"	36	1200'	400 sacks
8 3/4"	7" 4 1/2"	20 9.5	3100' 3700'	575 sacks 200 sacks
				Part ID-1 12-1-89 4/64-20:4 AFF
SHEDHAL SHIR ATTAUN ED +4	PROPOSED PROGRAM: If pricial or deepen directional	oposal is to deer y, give pertinent	en or plug back, give data on data on subsurface locations	present productive zone and proposed new productive and measured and true vertical depths. Give blowout
SIGNED -LE	el lane	ri	ce Dist Orly Supt.	DATE 11/13/89
SIGNED Le	al or State office use;	rm	ce Dist Dolg Supt.	DATE 11/13/89
	al or State office use)			DATE
(This space for Feder	al or State office use)	ri1	Dist Drlg Supt.	DATE 11/13/89

Submit to Appropriate District Office State Lease - 4 copies Fee Lease - 3 copies

State of New Mexico Energy, Minerals and Natural Resources Department

Form C-102 Revised 1-1-89

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

DISTRICT II P.O. Drawer DD, Artesia, NM 88210

DISTRICT I P.O. Box 1980, Hobbs, NM 88240

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

WELL LOCATION AND ACREAGE DEDICATION PLAT

All Distances must be from the outer boundaries of the section

Operator				Lease					Well No.	
TXC) Produc	tion Corpo	ration	Ya	ites Fede	eral			11	
Jak Letter	Section	Township		Range			Cou	oty	<u> </u>	
A	18	20	South	29	East	NI	мрм	Edd	v	
ctual Footage Loca			00000				744 114			
660	feet from the	North	line at	vd.	660	feet	from the	East	line	
round level Elev.		roducing Formation		Pool					Dedicated Acreage:	
3263.7		Delawar	e	Ur	design	ated			40 Acres	
1. Outline	the acreage of	dedicated to the subj		pencil or hachun	e marks on the	plat below.				
2. If mon	s than one lead	se is dedicated to the	: Well, Outline each	and medicina me	owneramb mea	eor (born ar to /	WORKING 1884	HER ABC	oyany).	
3. If more	than one less	se of different owner	whip is dedicated to	the well, have ti	ne interest of a	li owners been o	consolidated	by come	nunitization,	
unitiza	tion, force-poc	oling, otc.?	•					-		
,, 📙	Yes	No	If answer is "yes"			(lles mannes et	do of			
	if necessary.	e owners and tract d	secriptions which h	ave actually open	COMMUNICAL.	(Use reverse a	KORE CIE			
No allow	ble will be as	signed to the well u	ntil all interests hav	e been consolida	ted (by commu	mitization, uniti	zation, forc	ed-pooling	g, or otherwise)	
or until a	non-standard	unit, eliminating suc	h interest, has been	approved by the	Division.			-		
							. 0	PERATI	OR CERTIFICATION	N
	i				ĺ	09	1 1		certify that the inform	
	1		:		3262.9				n in true and complete i	
	1				152.5		- I	my krowi	ledge and belief.	
	1				1	660		1		
	Ì				3262.7 i	⁻ 3263.8	Signat	9, L	ν 1. \searrow	
	i				i		10	1	xem	
	i				i		T 1	Name	•	
	;				·÷				F. Scott	
	, 1				i		Position		0 □	
	1				i		l ———		ty & Envir. Coor.	
	i 1				! !		Compe	-	d	_
	!		ĺ		;			FLO	duction Corp	<u>,</u>
	1				1		Date	Wb,	1989	
	1				i					
	!				!		ST	JRVEY	OR CERTIFICATIO	N
							1			
	į				!				, that the well location . as plotted from field no	
					1				es pionies from fiels no made by me or undi	
	İ				1				d that the same is tru	
	l				1		COFFEC	t to the	best of my knowledge	e ai
	1				1		belief.			
	1				1		Date :	Surveyed		
	_ i _								er 30, 1989	
	i				Ì			ure & Se	al of	
	i				İ		Profes	stional Su	rveyor	
	i				İ			201	OFESS/OF	
					i		1	SY	NO SUS	
	1				i					1
	1				i		JHS.	137	WILLIAM	/
	1				i			SE NA	COHN W. ST	670
								^	AZO I EIDE	323
	000 1001	1600	10 2640	2000 1500	1000	500		14.	.0/2	
0 330 660	990 1320	1650 1980 231	10 2640	2000 1500	1000	300	" 		MEXICA	
-								NO.		

3160-5 Drilling Program Yates Federal #11 Section 18 T-20-S R-29-E Eddy County, New Mexico

1. SURFACE FORMATION:

Rustler

2. ESTIMATED FORMATION TOP:

	Subsurface Depth
Base Rustler	100' TVD
Top Yates	1100' TVD
Capitan	1200' TVD
Deleware	3250' TVD

3. ESTIMATED DEPTH AT WHICH OIL, GAS, WATER OR OTHER MINERAL BEARING ZONES ARE EXPECTED TO BE ENCOUNTERED:

Expected oil zones:

Yates 1100' Delaware Sand 3300'

Water may be encountered

Rustler 200' Capitan 1300'

4. CASING PROGRAM:

As per form 3160-3

5. PRESSURE CONTROL EQUIPMENT:

- A. After surface casing is set, a double ram-type blowout preventor with blind rams and pipe rams, with minimum working pressure of 3000 psi will be installed. The BOP is illustrated in Exhibit 1.
- B. A choke control, fill and kill lines with minimum working pressure of 3000 psi will be installed.
- C: The equipment in A and B will be pressure tested to 3000 psi before drilling surface pipe cement, and the BOP will be tested for operations daily and during trips.

6. MUD PROGRAM:

0-200'	Fresh Water Gel	9 1bs/g
200-1200'	Saturated Brine	10 lbs/g
1200-3700'	Fresh Water Gel System	9 lbs/g

7. CORING, LOGGING & TESTING PROGRAM

DLL, CNL, FDC logs will be run.

8. ABNORMAL CONDITIONS:

- A. The expected bottom hole pressure is 1400 psi, no abnormal temperatures are expected.
- B. 2% H2S is expected from the Delaware Sand, precautions will be taken prior to zone entry.

TXO PRODUCTION CORP. SURFACE USE PLAN

DATE:

November 6, 1989

WELL: LOCATION: Yates Federal #11 660' FNL & 660' FEL

Section 18, T-20-S, R-29-E Eddy County, New Mexico

1. EXISTING ROADS:

- A. Proposed well has been staked 660' FNL and 660' FEL of Section 18, T-20-S, R-29-E.
- B. Route and distance from nearest town or locatable reference point to where well road leaves main road: From Carlsbad, New Mexico proceed from intersection of US 285 and US 180 & 62 NE on US 180 & 62 for 8.1 miles. Turn left onto County Road 243 and proceed N for 5.8 miles. Turn right on County Road 283 and proceed £ for .9 mile. Turn left onto lease road and proceed N for .9 mile to well site. All roads used for access under the jurisdiction of the SMA shall be maintained in accordance with SMA standards.
- C. Access route to location is color coded: Refer to Exhibit 2 & 2A

2. ACCESS ROAD TO BE CONSTRUCTED AND RECONSTRUCTED:

An access road will be built from #4 location north to the #11 well pad. This route will be surveyed by the archaeologist.

3. LOCATION OF EXISTING WELLS:

Exhibit 3 is a 1-mile radius locating water, injection, disposal, producing, and drilling from the proposed location.

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES IF WELL IS PRODUCTIVE:

- A. Exhibit 4 is a drawing depicting all on well pad production facilities.
- B. Exhibit 5 is a drawing depicting remote off well pad production facilities and pipelines.

5. LOCATION AND TYPE OF WATER SUPPLY:

Water for drilling mud make-up will be trucked to the location along the existing access road used for access to the proposed location.

6. CONSTRUCTION MATERIALS:

A. The proposed location is on level ground so no additional materials for fill will be necessary. Top soil will be stocked piled for later use during rehabilitation of the disturbed areas.

B. The pad will be topped with caliche which will be obtained or purchased from the dirt contractor.

7. METHODS OF HANDLING WASTE DISPOSAL:

- A. Cuttings will be seperated by screen and gravity, contained in the reserve pit and subsequently covered when the pit is backfilled.
- B. Drilling fluids are to be contained in the reserve pit and will be allowed to evaporate or removed by vacuum truck prior to backfilling the pit.
- C. Produced fluids will be contained in the reserve pit and allowed to evaporate or removed by vacuum truck prior to backfilling the pit.
- D. Sewage: A portable chemical toilet will be on location during operations.
- E. Garbage and other trash will be placed in a trash bin and removed to sanitary landfill upon completion.
- F. Protective Devices: The flare pit (if necessary) will be fenced with woven wire and flagged to protect animals.
- G. Statement regarding proper cleanup when rig moves out: When the rig moves out, all trash and refuse will be collected and removed from the location and hauled to a sanitary landfill.

8. ANICILLARY FACILITIES:

No other anicillary facilities such as camps or airstrips will be constructed.

9. WELL SITE LAYOUT:

Exhibit 6 is a plat of the proposed drilling location.

10. PLANS FOR RESTORATION OF THE SURFACE:

- A. After completion of drilling and/or completion operations, all equipment and other material not needed for operations will be removed. Pits will be filled and the location will be cleaned of all trash and junk to leave the well sit in an as aesthetically pleasing condition as possible.
- B. Any unguarded pits containing fluids will be fenced until the pits are dry.
- C. After abandonment, all equipment, trash and junk will be removed and the well site will be cleaned. Any special rehabilitation and/or special revegetation requirements of the surface management agency will be complied with and will be accomplished as rapidly as possible.

11. SURFACE OWNERSHIP:

The surface and access roads are under the management of the U.S. Department of the Interior, Bureau of Land Management.


12. LESSEE'S OR OPERATOR'S REPRESENTATIVE:

Robert F. Scott TXO Production Corp. 415 W. Wall Street, Suite 900 Midland, Texas 79701-4468 (915) 682-7992

13. LESSEE'S CERTIFICATION:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with operations proposed herein will be performed by TXO Production Corp. and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

DATE:	Cuil Fearer	11/13/29
NAME:	Cecil Pearce	
TITLE:	District Drilling & Production Supt.	




BOP STACK

3000 PSI WORKING PRESSURE

EXHIBIT #1

BOP ARRANGEMENT





- BOP STACK


3000 PSI WORKING PRESSURE

EXHIBIT #1

BOP ARRANGEMENT













EXHIBIT #4 TXO PRODUCTION CORP. YATES FEDERAL #11

ON WELL PAD PRODUCTION EQUIPMENT





Flowline has been archaeolocially cleared from the #11 to the #3 production facility.

EXHIBIT #5

TXO PRODUCTION CORP.
YATES FEDERAL #11

OFF WELL PAD PRODUCTION FACILITY & FLOWLINE




EXHIBIT #6

TXO PRODUCTION CORP.

YATES FEDERAL #11

DRILLING RIG LAYOUT