District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

Incident ID	nCS1932436155
District RP	
Facility ID	
Application ID	

Release Notification

ACCEPTED FOR RECORD

Responsible Party

Responsible Party: DJR Operating, LLC OGRID		OGRID 37	71838			
Contact Name Dave Brown C		Contact Te	Contact Telephone 505-632-3476			
Contact email dbrown@djrllc.com Incident		Incident #	‡ (assigned by OCD) 30039229270000			
Contact mail	ing address	1 Road 3263, Azte	ec, NM 87410	'		
			т "	CD 1 C		
			Location	of Release So	ource	
Latitude 36.4	243057648_				107.251565305	
			(NAD 83 in dec	imal degrees to 5 decin	ial places)	
Site Name: Ji	carilla Apac	the Tribal 122 2		Site Type V	Well Site	
Date Release	Discovered	10/8/2019		API# (if app	licable) 30-039-22	2927
Unit Letter	Section	Township	Range	Coun	ıtv	Release not completly delineated,
P	04	25N	04W	Rio Ar	•	No Notice of Sampling Sampling Does not meet 19.15.29 NMAC
Surface Owner	r: State	☐ Federal ⊠ Tr	ibal Private (Λ	lame:)
			Nature and	Volume of I	Release	
	Mataria	l(s) Palaceed (Salact of	I that amply and attach	aalaylatiama amamaifia	instification for the	volumes arouided below)
Crude Oi		Volume Release		calculations of specific	Volume Reco	volumes provided below) vered (bbls)
Produced	oduced Water Volume Released (bbls) Unknown		Volume Recovered (bbls)			
Is the concentration of dissolved chloride in the		nloride in the	Yes No			
Condensa	ıte.	Volume Release			Volume Recovered (bbls)	
	, ,		Volume Recovered (Mcf)			
Natural Gas Volume Released (Mcf)		` '				
Other (describe) Volume/Weight Released (provide units)		units)	Volume/Weight Recovered (provide units)			
Cause of Rel	ease While r	emoving the RGT	on this location w	risual contaminatio	n was observed	. The amount of release is unknown.
				oroval BGT closure		. The amount of release is unknown.

73		- 3	- 4	-
r	age	4	of	04

Incident ID
District RP
Facility ID
Application ID

	1
Was this a major release as defined by 19.15.29.7(A) NMAC?	If YES, for what reason(s) does the responsible party consider this a major release?
☐ Yes ⊠ No	
If YES, was immediate no	otice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?
	Initial Response
The responsible p	party must undertake the following actions immediately unless they could create a safety hazard that would result in injury
☐ The source of the rele	ase has been stopped.
The impacted area has	s been secured to protect human health and the environment.
Released materials ha	ve been contained via the use of berms or dikes, absorbent pads, or other containment devices.
All free liquids and re	coverable materials have been removed and managed appropriately.
has begun, please attach a	AC the responsible party may commence remediation immediately after discovery of a release. If remediation a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred t area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.
regulations all operators are republic health or the environmental failed to adequately investigated to adequately investigated to adequately investigated to adequately investigated to a second control of the control	mation given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and required to report and/or file certain release notifications and perform corrective actions for releases which may endanger tent. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have tet and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws
Printed Name: Dave Bro	wn Title: Manager of Government and Regulators Affairs
Signature:	Date: 11/06/2019
email: <u>dbrown@djrllc.co</u>	m Telephone: <u>505-632-3476</u>
OCD Only	
Received by:	Date:

Received by OCD: 6/1/2020 4:54:06 PM Form C-141 State of New Mexico
Page 3 Oil Conservation Division

	Page 3 of 64
Incident ID	
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	(ft bgs)	
Did this release impact groundwater or surface water?	☐ Yes ⊠ No	
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	☐ Yes ⊠ No	
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐ Yes ⊠ No	
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	☐ Yes ⊠ No	
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	☐ Yes ⊠ No	
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	☐ Yes ⊠ No	
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	☐ Yes ⊠ No	
Are the lateral extents of the release within 300 feet of a wetland?	☐ Yes ⊠ No	
Are the lateral extents of the release overlying a subsurface mine?	☐ Yes ⊠ No	
Are the lateral extents of the release overlying an unstable area such as karst geology?	☐ Yes ⊠ No	
Are the lateral extents of the release within a 100-year floodplain?	☐ Yes ⊠ No	
Did the release impact areas not on an exploration, development, production, or storage site?	☐ Yes ⊠ No	
Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and ver contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.	tical extents of soil	
Characterization Report Checklist: Each of the following items must be included in the report.		
 Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells. Field data Data table of soil contaminant concentration data Depth to water determination Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release Boring or excavation logs Photographs including date and GIS information Topographic/Aerial maps Laboratory data including chain of custody 		

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Received by OCD: 6/1/2020 4:54:06 PM Form C-141 State of New Mexico Page 4 Oil Conservation Division

Dago	1	of	61
1 uge	7	vj	רט

Incident ID	
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Printed Name: _Larissa Farrell	Title:Regulatory Specialist	
Signature: Janel Janel	Date:6/1/2020	
email: _lfarrell@djrllc.com	Telephone: _505-444-0289	
OCD Only		
Received by:	Date:	

Received by OCD: 6/1/2020 4:54:06 PM Form C-141 State of New Mexico Page 6 Oil Conservation Division

	Page 5 of 64
Incident ID	
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following items must be included in the closure report.

☐ A scaled site and sampling diagram as described in 19.15.29.1	1 NMAC	
Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)		
☐ Laboratory analyses of final sampling (Note: appropriate ODG	C District office must be notified 2 days prior to final sampling)	
□ Description of remediation activities		
and regulations all operators are required to report and/or file certai may endanger public health or the environment. The acceptance of should their operations have failed to adequately investigate and replantation health or the environment. In addition, OCD acceptance of compliance with any other federal, state, or local laws and/or regular restore, reclaim, and re-vegetate the impacted surface area to the conformation accordance with 19.15.29.13 NMAC including notification to the Compliance. Printed Name: _Larissa Farrell	nditions. The responsible party acknowledges they must substantially inditions that existed prior to the release or their final land use in CD when reclamation and re-vegetation are complete.	
email: _lfarrell@djrllc.com	Telephone: _505-444-0289	
OCD Only		
Received by:	Date:	
Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.		
Closure Approved by: ACCEPTED FOR	Date:	
Printed Name: RECORD	Title:	

April 21, 2020

Project #17035-0129 NMOCD Incident # nCS1932436155

Phone: (505) 632-3476

E-mail: lfarrell@djrllc.com

Ms. Larissa Farrell DJR Operating, LLC 1 Road 3263 Aztec. New Mexico 87410

RE: BGT Closure and Release Closure Report for the Jicarilla 122-2 Well Site Located in Section 4, Township 25N, Range 4W, San Juan County New Mexico

Dear Ms. Farrell:

Envirotech, Inc. (Envirotech) of Farmington, New Mexico, was contracted by DJR Operating, LLC (DJR) to provide sampling activities for the closure of a below grade tank (BGT) at the Jicarilla 122-2 well site (API: 30-039-22927) located within Section 4, Township 25 North, Range 4 West in San Juan County, New Mexico; see Figure 1, Vicinity Map.

On October 8, 2019, DJR personnel removed the BGT and Envirotech personnel collected a fivepoint composite confirmation soil sample from beneath the former location of the BGT. BGT removal and sampling activities were witnessed by Mr. Hobson Sandoval, Jicarilla Apache Nation Oil and Gas (JOGA) representative.

BGT CLOSURE CONFIRMATION LABORATORY ANALYSIS

The soil sample was placed into individual laboratory provided 4-ounce jars, capped head space free, and transported on ice to Envirotech Analytical Laboratory. The soil sample was analyzed for contaminants of concern identified in the table below. Soil sample locations are illustrated in Figure 2, Site Map and in the attached Site Photography.

Based on the C-144 received by the New Mexico Oil Conservation Division (NMOCD) on January 21, 2009, the following closure criteria from 19.15.17.13 NMAC were applied:

Constituent	Method	Limit
Chloride	EPA 300.0	250 mg/kg
Total Petroleum Hydrocarbons (TPH)	EPA Method 8015D	100 mg/kg
Benzene, Toluene, Ethylbenzene, Total Xylenes (BTEX)	EPA Method 8021B	50 mg/kg
Benzene	EPA Method 8021B	0.2 mg/kg



DJR Operating, LLC Jicarilla 122-2 BGT Closure Project #17035-0129 October 2019 – April 2020 Page 2

Based on the laboratory analytical results, TPH as diesel and oil range organics (DRO and ORO) was above the applicable NMOCD and Jicarilla Oil and Gas Administration (JOGA) BGT Closure Criteria, see **Table 1**, *Summary of Soil Analytical Results*. Therefore, a release notification per 19.15.29.10 NMAC was submitted to NMOCD and JOGA on November 6, 2020.

REMEDIATION EXCAVATION MONITORING AND SAMPLING

DJR contracted roustabout personnel proceed with the remediation excavation activities.

A competent sandstone base was encountered at 5 feet below ground surface (bgs). Envirotech personnel was requested to return to the site on November 4, 2019 to collect soil samples of the excavation in order to guide and direct the remediation efforts. The excavation measured 40 feet by 49 feet by 5 feet in depth. One five-point composite sample was collected from the base of the excavation and each of the walls. Soil samples were placed into individual laboratory provided 4-ounce jars, capped head space free, and transported on ice to Envirotech Analytical Laboratory.

The soil samples were compared to the release closure criteria provided in 19.15.29.12 NMAC. Based on the enclosed *Siting Criteria Documentation*, the following NMOCD release closure criteria from *Table 1: Closure Criteria for Soils Impacted by a Release* were applied:

Depth to Groundwater	Constituent	Method	Limit
	Chloride	EPA 300.0	20,000 mg/kg
	ТРН	EPA Method 8015D	2,500 mg/kg
>100 feet	Gasoline + Diesel Range Organics (GRO+DRO)	EPA Method 8015D	1,000 mg/kg
	BTEX	EPA Method 8021B	50 mg/kg
	Benzene	EPA Method 8021B	10 mg/kg

Based on laboratory analytical results, the concentrations of contaminants of concern were above the applicable release closure criteria and required further remediation actions; see **Table 1**, Summary of Soil Analytical Results.

BGT Release Closure Confirmation Laboratory Analysis

Due to inclement winter weather, DJR was not able to return to the site to continue the remediation excavation until March 2020. DJR maintained communication with JOGA on the status of the remediation throughout the standby time.

Envirotech personnel retuned to the site on March 25, 2020, to perform confirmation soil sampling activities. Mr. Richard Graves, DJR representative, was on-site to witness sampling activities. Five 5-point composite samples were collected from the excavation with final measurements being



DJR Operating, LLC Jicarilla 122-2 BGT Closure Project #17035-0129 October 2019 – April 2020 Page 3

50 feet by 40 feet by 5 feet in depth. One five-point composite sample was collected from the base of the excavation and each of the walls. Soil samples were placed into individual laboratory provided 4-ounce jars, capped head space free, and transported on ice to Envirotech Analytical Laboratory.

The soil samples were analyzed for contaminants of concern identified in the table above. Soil sample locations are illustrated in **Figure 2**, *Site Map* and in the attached *Site Photography*.

Based on the final laboratory analytical results, all contaminants of concern were below the applicable NMOCD and JOGA closure criteria except for DRO in the base sample, which returned results of 1,320 mg/kg; see **Table 1**, Summary of Soil Analytical Results.

POTASSIUM PERMANGANATE APPLICATION

On April 1, 2020, Envirotech returned to the site to apply a potassium permanganate solution to the competent sandstone base of the excavation. The potassium permanganate application will aid in the situ remediation of the residual hydrocarbons. The application of the potassium permanganate solution was approved by JOGA representatives prior to application.

After the application of the potassium permanganate solution, DJR personnel backfilled the excavation with clean backfill and recontoured the area to match pre-existing conditions on April 7, 2020. The area was reseeded on April 8, 2020, with the approved Jicarilla Mesa seed mixture. Potassium permanganate application and backfilling activities are documented in the attached *Site Photography*.

SUMMARY AND CONCLUSIONS

On March 25, 2020, Envirotech personnel completed confirmation sampling of the remediation excavation that was completed as a result of the removal and closure of a BGT at the Jicarilla 122-2 well site. On March 31, 2020, JOGA representatives approved the closure to *Table 1: Closure Criteria for Soils Impacted by a Release* and the application of potassium permanganate to aid insitu bioremediation. Envirotech personnel returned to the site on April 1, 2020, to perform potassium permanganate application activities. Based on the analytical results, Envirotech recommends requesting a *No Further Action* status from the NMOCD and JOGA regarding the BGT closure and subsequent release investigation.

STATEMENT OF LIMITATIONS

The work and services provided were in accordance with NMOCD and JOGA standards. All observations and conclusions provided here are based on the information and current site conditions found at the subject well site. This work has been conducted and reported in accordance



DJR Operating, LLC Jicarilla 122-2 BGT Closure Project #17035-0129 October 2019 – April 2020 Page 4

with generally accepted professional practices in geology, engineering, environmental chemistry, and hydrogeology.

We appreciate the opportunity to be of service. If you have any questions or require additional information, please contact our office at (505) 632-0615.

Respectfully submitted,

ENVIROTECH, INC.

Brittany Hall

Environmental Field Technician

bhall@envirotech-inc.com

Reviewed by:

Felipe Aragon, CHMM, CES

Environmental Assistant Manager

faragon@envirotech-inc.com


Enclosures: Figure 1, Vicinity Map

Figure 2, Site Map
Site Photography

Table 1, Summary of Soil Analytical Results

Laboratory Analytical Report

Cc: Client File 17035



Source: 7.5 Minute, Lapis Point, New Mexico U.S.G.S. Topographic Quadrangle Map

Scale: $1:24,000 \quad 1" = 2,000$

DJR Operating, LLC Jicarilla 122-2 Well Site API: 30-039-22927 Section 4, Township 25N, Range 4W Rio Arriba County, New Mexico 36.42384, -107.25091 Incident # nC\$1932436155

Project Number: 17035-0129 Date Drawn: 4/15/2020




5796 U.S. HIGHWAY 64 Farmington, New Mexico 87401 505.632.0615

Vicinity Map

Figure #1

DRAWN BY: Brittany Hall PROJECT MANAGER: Felipe Aragon



October 8, 2019



Picture 1: Well Site Sign



Picture 2: Sample Points Below BGT

March 25, 2020



Picture 3: View of Excavation West Wall



Picture 4: View of Excavation North Wall




Picture 5: View of Excavation East Wall



Picture 6: View of Excavation South Wall

April 1, 2020



Picture 7: Potassium Permanganate Application (North)



Picture 8: Potassium Permanganate Application (South)



Picture 9: View of Backfilled and Recontoured Area (View 1)



Picture 10: View of Backfilled and Recontoured Area (View 2)


CLIENT: CLIENT/JOB	DJR 17035	-0129	(∌en	vir	otech	1	Environmental Specialist:				
CLIENT/JOB START DATE FINISH DATE	e: <u>10/8/</u>	19	_	(505) 632-1 6786 U.E. Hwy	0614 (S 784, Fern	00) 362-1878 Ington, NE 274	10-1	LAT: LONG:	36.42384	14		
Page #	of							DO1.3.				
		FIELD	REPORT: 1	BELOW	GRO	UND TA	NK VER	IFICATIO	DN			
LOCATION									PERM Pit:	mer, As III Alexandre III and Assessment		
QUAD/UNIT:									PM			
QTR/FOOTAG	E:		CNTY: RI	NAM!	ba	ST: Ne	w mex	(lco				
Excavation App	rox:	15	Feet X_	-15	Feet >	(~H	Feet Deep		Cubic Yardage			
Disposal Facility	y <u>.</u>					Remediation	n Method					
Land Owner:	Indian	-			API	30-839	22927	Pit Volume				
Construction Ma	iterial 5	te el		Doub				ť				
QUAD/UNIT: D SEC: H TWP: 25N RNG: HW PM: QTR/FOOTAGE: CNTY: RIO ANN ba ST. New Mexico Excavation Approx: — 15 Feet X ~ H Feet Deep Cubic Yardage: Disposal Facility: Remediation Method:		8/2013)										
									5/125/ (mg/ng/			
												
100 May 550	asim askan as	Control to the control to the	V. p. 1		25.000 - 7.5		2					
1	*			SITE PE					SAMPLE PROFILE			
FIELD (CHLORIDES R	ESULTS		0 0	ba.	CIK						
								<u></u>	_			
composite	TPH	US EPA 8021B/8015 8021B/80260B 8015 EPA300 418.1										
panon	Analyst Sig		NOTE	ES: DIR	en u	resolativ	PA ONG	d crew	on site			
Samon	Carter			7 (0 4)	-071 °-		,					
	Printed N	lame	WO#	£		Who ordered/	Site Rep.:			ĺ		

C-ring to digsite - 124'

(-ring to wellhead - 113'








pg fo 81 28vd

Excavation Approx: Lot Feet X Lot Feet X ST: Wloo M & X & CO	nental Specialist:
FIELD REPORT: BELOW GROUND TANK VERIFICAT LOCATION NAME: 3 ' C 49 ' 11 (A APACLAE NA ' 16 ' 17) QUAD/UNIT: D SEC: 4 TWP: 25 N RNG: 4 W QUTR/FOOTAGE: CNTY: R. O N N 16 ST. N 16 M 4 X 1 CO Excavation Approx: 4 G Feet X 4 9 Feet X 5 Feet Deep Disposal Facility: Remediation Method: Land Owner: API: Pit Volu Construction Material: Double Walled, With Leak Detection: Temporary Pit Closure: NMAC 19.15.17 Table II (Pemitted after 6/28/2013) BGT Closure: NMAC 19.15.17 Table I (Pemitted after 6/28/2013) BGT Closure: BENZENE S 0.2 mg/kg, BTEX S 50 mg/kg, TPH (418.1) S 100 mg/kg, CHLORIDES S 250 r FIELD 418.1 ANLAYSIS SAMPLE D RESULTS (mg/kdg) PID RESULTS (mg/kdg) ON 16 C S FIELD CHLORIDES RESULTS SAMPLE ID READING CALC. (mg/kg) FIELD CHLORIDES RESULTS SAMPLE ID READING CALC. (mg/kg)	36. 423844 -107, 250917
QUAD/UNIT: D SEC: 4 TWP: 25N RNG: 4W QTR/FOOTAGE: CNTY: R. O A RY LOG ST: NOW MAX LOG Excavation Approx: 40 Feet X 49 Feet X 5 Feet Deep Disposal Facility: Remediation Method: Land Owner: API: Pit Volume Walled, With Leak Detection: Temporary Pit Closure: NMAC 19.15.17 Table II (Pemitted after 6/28/2013) BGT Closure: NMAC 19.15.17 Table I (Pemitted after 6/28/2013) BGT Closure: BENZENE < 0.2 mg/kg, BTEX < 50 mg/kg, TPH (418.1) < 100 mg/kg, CHLORIDES < 250 r FIELD 418.1 ANLAYSIS SAMPLE DESCRIPTION TIME SAMPLE ID LAB # WEIGHT mL FREON DILUTION READIN PID RESULTS SAMPLE ID RESULTS (mg/kdg) ON 69 C CALC. (mg/kg) FIELD CHLORIDES RESULTS SAMPLE ID READING CALC. (mg/kg) FIELD CHLORIDES RESULTS SAMPLE ID READING CALC. (mg/kg)	ION
QUAD/UNIT: D SEC: 4 TWP: 25N RNG: 4W QTR/FOOTAGE: CNTY: R.O A No. 4x. CO Excavation Approx: 40 Feet X 49 Feet X 5 Feet Deep Disposal Facility: Remediation Method: Land Owner: API: Pit Volumental Pit Volument Section Material: Double Walled, With Leak Detection: Temporary Pit Closure: NMAC 19.15.17 Table II (Pemitted after 6/28/2013) BGT Closure: NMAC 19.15.17 Table I (Pemitted after 6/28/2013) BGT Closure: BENZENE < 0.2 mg/kg, BTEX < 50 mg/kg, TPH (418.1) < 100 mg/kg, CHLORIDES < 250 mg/kg, TPH (418.1) ANLAYSIS SAMPLE DESCRIPTION TIME SAMPLE ID LAB # WEIGHT mL FREON DILUTION READIN PID RESULTS SAMPLE ID RESULTS SITE PERIMETER ON 69. COMPAGE FIELD CHLORIDES RESULTS SAMPLE ID READING CALC. (mg/kg) FIELD CHLORIDES RESULTS SAMPLE ID READING CALC. (mg/kg)	PERM Pit:
Excavation Approx: Lot Feet X Lot Feet X Lot Feet X Lot	PM:
Excavation Approx: Lot Feet X Lot Feet X Lot Feet X Lot	<u> </u>
Disposal Facility:	
Construction Material: Double Walled, With Leak Detection: Temporary Pit Closure: NMAC 19.15.17 Table II (Pemitted after 6/28/2013) BGT Closure: NMAC 19.15.17 Table I (Pemitted after 6/28/2013) BGT Closure: BENZENE ≤ 0.2 mg/kg, BTEX ≤ 50 mg/kg, TPH (418.1) ≤ 100 mg/kg, CHLORIDES ≤ 250 r FIELD 418.1 ANLAYSIS SAMPLE DESCRIPTION TIME SAMPLE ID LAB # WEIGHT mL FREON DILUTION READIN PID RESULTS SAMPLE ID RESULTS (mg/kdg) FIELD CHLORIDES RESULTS SAMPLE ID READING CALC. (mg/kg)	
Construction Material: Double Walled, With Leak Detection: Temporary Pit Closure: NMAC 19.15.17 Table II (Pemitted after 6/28/2013) BGT Closure: NMAC 19.15.17 Table I (Pemitted after 6/28/2013) BGT Closure: BENZENE \(\leq 0.2 \) mg/kg, BTEX \(\leq 50 \) mg/kg, TPH (418.1) \(\leq 100 \) mg/kg, CHLORIDES \(\leq 250 \) r FIELD 418.1 ANLAYSIS SAMPLE DESCRIPTION TIME SAMPLE ID LAB # WEIGHT mL FREON DILUTION READIN PID RESULTS SITE PERIMETER SAMPLE ID RESULTS (mg/kdg) ON b \(\leq 0.2 \) FIELD CHLORIDES RESULTS SAMPLE ID READING CALC. (mg/kg) Field CHLO	ime:
Temporary Pit Closure : NMAC 19.15.17 Table II (Pemitted after 6/28/2013) BGT Closure: NMAC 19.15.17 Table I (Pemitted after 6/28/2013) BGT Closure: BENZENE ≤ 0.2 mg/kg, BTEX ≤ 50 mg/kg, TPH (418.1) ≤ 100 mg/kg, CHLORIDES ≤ 250 r FIELD 418.1 ANLAYSIS SAMPLE DESCRIPTION TIME SAMPLE ID LAB # WEIGHT mL FREON DILUTION READIN PID RESULTS SAMPLE ID RESULTS (mg/kdg) FIELD CHLORIDES RESULTS SAMPLE ID READING CALC. (mg/kg) FIELD CHLORIDES RESULTS SAMPLE ID READING CALC. (mg/kg)	
SAMPLE ID RESULTS (mg/kdg) FIELD CHLORIDES RESULTS SAMPLE ID READING CALC. (mg/kg) Gradien Comps	G CALC. (mg/kg)
SAMPLE ID RESULTS (mg/kdg) FIELD CHLORIDES RESULTS SAMPLE ID READING CALC. (mg/kg) Graph Comps	
FIELD CHLORIDES RESULTS SAMPLE ID READING CALC. (mg/kg) 5 Av.: Comps	SAMPLE PROFILE
	5 Point Composite X X X 5 PO Composite
SAMPLE ID ANALYSIS US EPA BENZENE 8021B/8015 BTEX 8021B/80260B GRO & DRO 8015 CHLORIDES EPA300 TPH 418.1	5 point composte
Danomare NOTES: 2 DJR representatives on 5 Analyst Signature Hobson with EPA ON 514C	cte
Printed Name WO #: Who ordered/Site Rep.:	



CLIENT:	DJR 34 1703	=		}envir	otecl	h	Environmental Specialist:			
START DATI	E: 3/17/202	20	1780	ETBS U.S. Hwy 54, Fernshigton, NM 27481				36.423844		
Page #							LUNG:	10 TID SUMIT		
		FIELD	REPORT: BE	LOW GRC	OUND TA	NK VER	UFICATIO)N		
LOCATION	NAME:	Jicar 11	ila	WELL#	122-2	Temp Pit:	Marie Propins	PERM Pit	Ž. (18	
QUAD/UNIT:		SEC: 4	TWP: 25	N	RNG: 41	W		PM:		
QTR/FOOTAC	GE:		CNTY: CIO	Ariba	ST: N	√	. <u> </u>	15,		
Excavation App	prox	49)	Cubic Yardage		
Disposal Facilit	ty:				Remediation	n Method		excavation		
Land Owner	ENTAION NAME FIELD REPORT: BELOW GROUND TANK VERIFICATION ATION NAME JURY 100 Arrives St. Periodical St. 1900 180-1679 ATION NAME FOOTAGE CNTY. LIO Arrives St. Periodical Material Council Sec. 4 Twp. 25N Remediation Method API 30-0 39- 20-37 Pit Volume Cubic Varidage Sall Facility Remediation Method API 30-0 39- 20-37 Pit Volume DOWNER J. Carl IA BGT Closure NMAC 19.15.17 Table 11 (Pemitted after 6/28/2013) BGT Closure SMAC 19.15.17 Table 11 (Pemitted after 6/28/2013) BGT Closure BENZENE 0.2 mg/kg, BTEX 5.5 mg/kg, TPH (418.1) \$100 mg/kg, CHLORIDES \$250 mg/kg (Pemitted before 6/28/2013) EDESCRIPTION TIME SAMPLE ID 1.88 # WEIGHT mL FREON DILUTION READING CALC (mg/kg) PED RESULTS (mg/kdg) PID RESULTS SITE PERIMETER SAMPLE PROFILE SAMPLE PROFILE PLE ID RESULTS (mg/kdg) 3 0.0 14-00 FIELD CHLORIDES RESULTS PLE ID RESULTS (mg/kdg) 3 0.0 14-00 FIELD CALC (mg/kg) FIELD CALC (mg/kg) FIELD CALC (mg/kg) AND CALC (mg/kg) FIELD CALC (mg/kg) FIELD RESULTS (mg/kdg) AND CALC (mg/kg) FIELD CALC (mg/kg) FIELD RESULTS (mg/kdg) AND CALC (mg/kg) FIELD CALC (mg/kg) FIELD RESULTS (mg/kdg) AND CALC (mg/kg) FIELD CALC (mg/kg) FIELD RESULTS (mg/kdg) AND CALC (mg/kg) FIELD CALC (mg/kg)									
Construction M	INTERTOR 17030 - U.39 ART DATE: 31712-30 INTERTOR 17030 - U.39 FIELD REPORT: BELOW GROUND TANK VERIFICATION CATION NAME J.CO. III. ADJUNT: SEC. Y. TWP. 25N RNG. Y.W. PM REPOOTAGE CNTY: (I.o. Arc. May 12									
		BENZENE ≤ 0.2				⁄kg, CHLORI	DES ≤ 250 mg	kg (Pemitted before 6/28/2013)	4	
1		TIME	SAMPLE ID LAB#	WEIGHT		DILUTION		CALC. (mg/kg)		
		120-1		15		14				
	1	1300			1 20	 		5560		
	1 10 17	1900	3	+ >	12	4		2576		
THE PROPERTY OF THE PARTY OF TH	CHEST TRANSPORTER	Maria and the second of the			The state of the s	United States of States	161	644		
	· · · · · · · · · · · · · · · · · · ·			SITE PERIMET	TER			SAMPLE PROFILE		
		(mg/kdg)					II .	VX V		
	Double Walled, With Leak Detection Temporary Pit Closure: NMAC 19.15.17 Table II (Pemitted after 6/28/2013) BGT Closure: NMAC 19.15.17 Table I (Pemitted after 6/28/2013) BGT Closure: BENZENE ≤ 0.2 mg/kg, BTEX ≤ 50 mg/kg, TPH (418.1) ≤ 100 mg/kg, CHLORIDES ≤ 250 mg/kg (Pemitted before 6/28/2013) FIELD 418.1 ANLAYSIS MPLE DESCRIPTION TIME: SAMPLE ID: LAB # WEIGHT mL FREON DILUTION READING CALC. (mg/kg) West Day 1204 1 5 20 4 494 1974 North Wall 1204 2 5 30 4 1300 55 40 Galt Wall 1208 3 5 20 4 140 404 2574 FIELD 418.15 (mg/kdg) PID RESULTS SITE PERIMETER SAMPLE PROFILE SAMPLE D RESULTS (mg/kdg) 1 23.0 3 0.0 4-2.0 FIELD CHLORIDES RESULTS									
		11-20					14			
							14	north I		
SAMPLE ID								1/6	egt.	
SKIVII DE I	NEADING	CALC. (mg/kg)				И	1 X	* /		
							1 7	7/		
SAMPLE ID	ANALYSIS	TIC EPA					1	1		
0.2	BENZENE	8021B/8015				- 1	1	FAT,		
	THEOLOGIC CONTROL NAME TO SECULD TO THE STANDARD TO THE STANDA									
	TENDENCH STORY OF THE SAMPLE DLAB WEIGHT OLL OF CAROLIS SENDING CALC (mg/kg) PLED DESCRIPTION TOTAL SAMPLE DLAB WEIGHT OLL OF THE SAMPLE DLAB SENDING CALC (mg/kg) PLED DESCRIPTION TOTAL SOLUTION TOTAL SEC Y TWP. DSN RNG YW PM PM PM PERM Pit PERM P									
	IPH	418.1								
	FIELD REPORT: BELOW GROUND TANK VERIFICATION ATION NAME JUQUILLA WELL # DFD Temp Pit PERM Pit DOUNT SEC Y TWP DSN RNG YW PM FOOTAGE CNTY (Lo Archa ST. NM alion Approx Feet X Feet Deep Cube Yardage Remediation Method API 30 0 39 - 20 27 Pit Volume Double Walled, With Leak Detection Temporary Pit Closure NMAC 19 15 17 Table II (Pemited after 6282013) BGT Closure NMAC 19 15 17 Table II (Pemited after 6282013) BGT Closure BENZENE S 0.2 mg/kg, BTEX s 50 mg/kg, TPH (418.1) \$ 100 mg/kg, CHLORIDES \$ 250 mg/kg (Pemited before 6282013) FIELD 418.1 ANIAYSIS LE DESCRIPTION TIME SAMPLED LAB # WEIGHT mit FREON DILUTION READING CALC (mg/kg) SAMPLED LAB S 200 Y 1994 1994 API DO S 3 5 20 4 1994 1994 API DO RESULTS (mg/kg) PID RESULTS (mg/kg) PID RESULTS (mg/kg) PIE D READING CALC (mg/kg)									
	Allaiyst O	gnature			•	ر .		Lace		
	Printed I	Name	WO #:		Who ordered/	/Site Rep.:				


200 Standard 1203 - reading 224

Pit Closure Verification 2015

March 25,2020

. no field analysis

· Richard Graves on-site (Ticarilla + larssa Farrell did not male +)



bed rock Arther

Site Name:	Jicarilla 122-2						
API#:	30-039-22927						
Lat/Long:	36.423844, -107.	250917					
8	Section 4 T25N F						
Land Jurisdiction:							
	Rio Arriba	vacion					
County.	Kio Airioa						
Wellhead Protection Area Assessment							
Water Source Type (well/spring/stock							
pond)	ID	Latitude	Longitude	Distance			
None							
Distance to Nearest Significant Watercourse							
786.3 ft northeast of tributary of La Norias Cany	on .						
Depth to Groundwater Determination							
Cathodic Report/Site Specific Hydrogeology	Not available						
Elevation Differential	440 ft higher tha	an La Norias	Canyon				
Water Wells	RG 50845 POD1	8ft higher in	elevation, DT	W=135 ft			
Sensitive Receptor Determination							
<300' of any continuously flowing watercourse of	or any other signifi	cant watercou	ırse	No			
<200' of any lakebed, sinkhole or playa lake (me	asured from the O	rdinary High	Water Mark)	No			
<300' of an occupied permanent residence, school				No			
<500' of a spring or private/domestic water well	used by <5 househ	olds for dom	estic or stock				
watering purposes				No			
<1000' of any water well or spring				No			
Within incorporated municipal boundaries or wi	thin a defined mur	nicipal fresh w	vater well	No			
<300' of a wetland				No			
Within the area overlying a subsurface mine				No			
Within an unstable area				No			
Within a 100-year floodplain							
DTW Determination		50-100	>100 🗸				
Benzene	10	10	10				
BTEX (mg/kg)	50	50	50				
8015 TPH (GRO/DRO) (mg/kg)		1,000	1,000				
8015 TPH (GRO/DRO/MRO) (mg/kg)	100	2,500	2,500				
Chlorides (mg/kg)	600	10,000	20,000				



Table 1, Summary of Soil Analytical Results
DJR Operating, LLC
BGT and Release Closure Report
Jicarilla Apache 122-2; API: 30-039-22927
Section 4, Township 25N, Range 4W
Rio Arriba County, New Mexico
Project #17035-0129

Incident #nCS1932436155

			EPA	EPA Method 8015			ethod 8021	EPA Method 300.0
Sample Description* Date		Sample Depth	GRO (mg/kg)	DRO (mg/kg)	ORO (mg/kg)	Benzene (mg/kg)	Total BTEX (mg/kg)	Chlorides (mg/kg)
NMOCD BGT Closure Criteria: Table 1 -19.15.17.13 (2008)				100		0.2	50	250
BGT Sample	10/8/2019	0.5 feet	<20.0	4,700	3,030	< 0.0250	< 0.100	36.3

NMOCD Release Closur	e Criteria: Ta	ble 1 -19.15.29.12	1,000 2,500			10	50	10,000
West Wall	11/4/2019	1-5 feet	<20.0	11,800	6,430	< 0.0250	< 0.100	242
North Wall	11/4/2019	1-5 feet	<20.0	18,000	12,000	< 0.0250	< 0.100	600
East Wall	11/4/2019	1-5 feet	<20.0	8,650	13,200	< 0.0250	< 0.100	1,710
Base	11/4/2019	5 feet	<20.0	2,260	< 500	< 0.0250	< 0.100	560
South Wall	11/4/2019	1-5 feet	<20.0	2,470	2,900	< 0.0250	< 0.100	805
West Wall	3/25/2020	1-5 feet	< 20.0	311	210	< 0.0250	< 0.100	532
North Wall	3/25/2020	1-5 feet	<20.0	619	228	< 0.0250	< 0.100	542
East Wall	3/25/2020	1-5 feet	<20.0	848	291	< 0.0250	< 0.100	356
Base	3/25/2020	5 feet	<20.0	1,320	255	< 0.0250	< 0.100	330
South Wall	3/25/2020	1-5 feet	<20.0	315	150	< 0.0250	< 0.100	688

*5-point composite soil sample

Samples used for release closure

BOLD - above applicable regulatory standard





Analytical Report

Report Summary

Client: DJR Operating, LLC

Samples Received: 10/8/2019 Job Number: 17035-0129 Work Order: P910027

Project Name/Location: Jicarilla 122-2

Report Reviewed By:	Waltet Hunkman	Date:	10/15/19	
•				

Walter Hinchman, Laboratory Director



Envirotech Inc. certifies the test results meet all requirements of TNI unless footnoted otherwise. Statement of Data Authenticity: Envirotech, Inc, attests the data reported has not been altered in any way. Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc. Envirotech, Inc, holds the Utah TNI certification NM009792018-1 for the data reported. Envirotech, Inc, holds the Texas TNI certification T104704557-19-2 for the data reported.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Project Name:

Jicarilla 122-2

1 Rd 3263 Project Number: Aztec NM, 87410 Project Manager: 17035-0129 Felipe Aragon

Reported: 10/15/19 14:34

Analytical Report for Samples

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
BGT Sample	P910027-01A	Soil	10/08/19	10/08/19	Glass Jar, 4 oz.
	P910027-01B	Soil	10/08/19	10/08/19	Glass Jar, 4 oz.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Aztec NM, 87410

1 Rd 3263

Project Name:

Jicarilla 122-2

Project Number: Project Manager: 17035-0129 Felipe Aragon

Reported: 10/15/19 14:34

BGT Sample

		P9100	27-01 (Solic	d)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	1941027	10/09/19	10/10/19	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	1941027	10/09/19	10/10/19	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	1941027	10/09/19	10/10/19	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	1941027	10/09/19	10/10/19	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	1941027	10/09/19	10/10/19	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	1941027	10/09/19	10/10/19	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		92.6 %	50-15	50	1941027	10/09/19	10/10/19	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO	D/ORO								
Diesel Range Organics (C10-C28)	4700	50.0	mg/kg 2	2	1941026	10/09/19	10/09/19	EPA 8015D	
Oil Range Organics (C28-C40)	3030	250	mg/kg	5	1941026	10/09/19	10/11/19	EPA 8015D	
Surrogate: n-Nonane		143 %	50-20	00	1941026	10/09/19	10/09/19	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO)								
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	1941027	10/09/19	10/10/19	EPA 8015D	_
Surrogate: 1-Chloro-4-fluorobenzene-FID		87.0 %	50-15	50	1941027	10/09/19	10/10/19	EPA 8015D	
Anions by 300.0/9056A									
Chloride	36.3	20.0	mg/kg	1	1941028	10/09/19	10/09/19	EPA 300.0/9056A	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Project Name:

Jicarilla 122-2

1 Rd 3263 Project Number: Aztec NM, 87410 Project Manager: 17035-0129 Felipe Aragon

Reported: 10/15/19 14:34

Volatile Organics by EPA 8021 - Quality Control

Envirotech Analytical Laboratory

		Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 1941027 - Purge and Trap EPA 5030A										
Blank (1941027-BLK1)				Prepared: 1	10/09/19 1 <i>A</i>	Analyzed: 1	0/11/19 0			
Benzene	ND	0.0250	mg/kg							
Toluene	ND	0.0250	"							
Ethylbenzene	ND	0.0250	"							
p,m-Xylene	ND	0.0500	"							
o-Xylene	ND	0.0250	"							
Total Xylenes	ND	0.0250	"							
Surrogate: 4-Bromochlorobenzene-PID	7.57		"	8.00		94.6	50-150			
LCS (1941027-BS1)				Prepared: 1	10/09/19 1 <i>A</i>	Analyzed: 1	0/11/19 0			
Benzene	5.17	0.0250	mg/kg	5.00		103	70-130			
Toluene	5.15	0.0250	"	5.00		103	70-130			
Ethylbenzene	5.13	0.0250	"	5.00		103	70-130			
o,m-Xylene	10.3	0.0500	"	10.0		103	70-130			
o-Xylene	5.16	0.0250	"	5.00		103	70-130			
Total Xylenes	15.4	0.0250	"	15.0		103	70-130			
Surrogate: 4-Bromochlorobenzene-PID	7.57		"	8.00		94.6	50-150			
Matrix Spike (1941027-MS1)	Sour	ce: P910027-	01	Prepared: 1	10/09/19 1 <i>A</i>	Analyzed: 1	0/11/19 0			
Benzene	4.91	0.0250	mg/kg	5.00	ND	98.2	54.3-133			
Toluene	4.89	0.0250	"	5.00	ND	97.8	61.4-130			
Ethylbenzene	4.87	0.0250	"	5.00	ND	97.5	61.4-133			
p,m-Xylene	9.77	0.0500	"	10.0	ND	97.7	63.3-131			
o-Xylene	4.88	0.0250	"	5.00	ND	97.6	63.3-131			
Total Xylenes	14.6	0.0250	"	15.0	ND	97.6	63.3-131			
Surrogate: 4-Bromochlorobenzene-PID	7.16		"	8.00		89.6	50-150			
Matrix Spike Dup (1941027-MSD1)	Sour	ce: P910027-	01	Prepared: 1	10/09/19 1 <i>A</i>	Analyzed: 1	0/11/19 1			
Benzene	5.02	0.0250	mg/kg	5.00	ND	100	54.3-133	2.16	20	
Toluene	4.99	0.0250	"	5.00	ND	99.8	61.4-130	1.94	20	
Ethylbenzene	4.96	0.0250	"	5.00	ND	99.1	61.4-133	1.65	20	
o,m-Xylene	9.89	0.0500	"	10.0	ND	98.9	63.3-131	1.27	20	
o-Xylene	4.99	0.0250	"	5.00	ND	99.7	63.3-131	2.18	20	
Total Xylenes	14.9	0.0250	"	15.0	ND	99.2	63.3-131	1.58	20	
Surrogate: 4-Bromochlorobenzene-PID	7.61		"	8.00		95.1	50-150			-

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Project Name:

Jicarilla 122-2 17035-0129

Felipe Aragon

1 Rd 3263 Aztec NM, 87410 Project Number: Project Manager:

Reported: 10/15/19 14:34

Nonhalogenated Organics by 8015 - DRO/ORO - Quality Control

Envirotech Analytical Laboratory

		Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 1941026 - DRO Extraction EPA 3570										
Blank (1941026-BLK1)				Prepared: 1	10/09/19 0 A	Analyzed: 1	0/09/19 1			
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg							
Oil Range Organics (C28-C40)	ND	50.0	"							
Surrogate: n-Nonane	58.4		"	50.0		117	50-200			
LCS (1941026-BS1)				Prepared: 1	10/09/19 0 A	Analyzed: 1	0/09/19 1			
Diesel Range Organics (C10-C28)	537	25.0	mg/kg	500		107	38-132			
Surrogate: n-Nonane	60.1		"	50.0		120	50-200			
Matrix Spike (1941026-MS1)	Sou	rce: P910028-	01	Prepared: 1	10/09/19 0 A	Analyzed: 1	0/09/19 1			
Diesel Range Organics (C10-C28)	767	25.0	mg/kg	500	220	109	38-132			
Surrogate: n-Nonane	58.8		"	50.0		118	50-200			
Matrix Spike Dup (1941026-MSD1)	Sou	rce: P910028-	01	Prepared: 1	10/09/19 0 A	Analyzed: 1	0/09/19 1			
Diesel Range Organics (C10-C28)	777	25.0	mg/kg	500	220	112	38-132	1.33	20	
Surrogate: n-Nonane	58.6		"	50.0		117	50-200			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Surrogate: 1-Chloro-4-fluorobenzene-FID

Project Name:

Jicarilla 122-2

1 Rd 3263 Aztec NM, 87410

Analyte

Project Number: Project Manager:

Reporting

Limit

Result

7.02

17035-0129 Felipe Aragon

Spike

Level

8.00

Source

Result

%REC

87.8

50-150

Reported: 10/15/19 14:34

RPD

Limit

Notes

%REC

Limits

RPD

Nonhalogenated Organics by 8015 - GRO - Quality Control

Envirotech Analytical Laboratory

Units

Blank (1941027-BLK1)			Prepared: 1	0/09/19 1 2	0/11/19 0						
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg								
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.07		"	8.00		88.4	50-150				
LCS (1941027-BS2)	Prepared: 10/09/19 1 Analyzed: 10/11/19 1										
Gasoline Range Organics (C6-C10)	43.9	20.0	mg/kg	50.0		87.7	70-130				
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.06		"	8.00		88.3	50-150				
Matrix Spike (1941027-MS2)	Source	e: P910027-	01	Prepared: 1	0/09/19 1	0/11/19 1					
Gasoline Range Organics (C6-C10)	46.5	20.0	mg/kg	50.0	ND	93.0	70-130				
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.07		"	8.00		88.4	50-150				
Matrix Spike Dup (1941027-MSD2)	Source	e: P910027-	01	Prepared: 1	0/09/19 1	Analyzed: 1	0/11/19 1				
Gasoline Range Organics (C6-C10)	46.2	20.0	mg/kg	50.0	ND	92.3	70-130	0.734	20		

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Project Name:

Reporting

Limit

Pocult

Jicarilla 122-2

Spike

Laval

Source

Pacult

%PEC

%REC

Limite

DDD

1 Rd 3263 Aztec NM, 87410

Analyte

Project Number: 17035-0129 Project Manager: Felipe Aragon Reported:

10/15/19 14:34

RPD

Limit

Anions by 300.0/9056A - Quality Control

Envirotech Analytical Laboratory

Unite

Allalyte	Result	LIIIII	Ullits	Level	Result	70KEC	Lillits	KPD	LIIIII	Notes
Batch 1941028 - Anion Extraction EPA 3	00.0/9056A									
Blank (1941028-BLK1)	Prepared & Analyzed: 10/09/19 1									
Chloride	ND	20.0	mg/kg							
LCS (1941028-BS1)				Prepared &	Analyzed:	: 10/09/19 1				
Chloride	256	20.0	mg/kg	250		102	90-110			
Matrix Spike (1941028-MS1)	Source	: P910027-	01	Prepared &	Analyzed:	: 10/09/19 1				
Chloride	295	20.0	mg/kg	250	36.3	103	80-120			
Matrix Spike Dup (1941028-MSD1)	Source	: P910027-	01	Prepared &	Analyzed:	: 10/09/19 1				
Chloride	293	20.0	mg/kg	250	36.3	103	80-120	0.677	20	

QC Summary Report

Comment:

Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures. Therefore, hand calculated values my differ slightly.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



DJR Operating, LLC Project Name: Jicarilla 122-2

1 Rd 3263 Project Number: 17035-0129 Reported: Aztec NM, 87410 Project Manager: Felipe Aragon 10/15/19 14:34

Notes and Definitions

Analyte NOT DETECTED at or above the reporting limit ND

NR Not Reported

RPD Relative Percent Difference

** Methods marked with ** are non-accredited methods.

Soil data is reported on an "as received" weight basis, unless reported otherwise.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Project	Informatio	ormation Chain of Custody						Page										1	of\			
Client: DJR LLC Report Attention					Lab Use Only							TA	AT.	EPA Program				m				
Project: Jica Project	arilla 122-2 Manager:	F.Arag	gon_		Er	eport due by: nail:		Lab WO# P9l∞27					Job Number 1D 17035-0129		1D	3D	RCR	RA	CW	/A	SDWA	
<u>Address</u>	:			Address:				4			,	Analysis and Method								Sta		
City, Sta	te, Zip					ty, State, Zip													_ [NM	CO	UT AZ
Phone: Phone:				1																		
Email: G	crabtree [<u>Dearter Fa</u>	aragon_					1											1	×		
Time Sampled	Date Sampled	Matrix	No Containers	Sample I	D		Lab Number	8015	ORO	8021	ਹ										Rema	arks
9:57	:57 10/8/2019 S 2 BGT Sample		BGT Sample	1	х	x	x	х									7	2 4 oz Jar	·s, Cool			
						500(6																
				i																		
						9.80																
										:		į										
Addition	nal Instruc	tions:												\	vis	sic	e	in	٠.	00	ler	
	er), attest to the					empering with or intentionally mislabelling th	ne sample location,	date o	r time (of collec	tion is			ing therm d in ice at								e sampled or days.
	ed by: (Signa		Date	4/19	Time (3!5%	Received by: (Signature)	Date	119	Time 13:58 Time			Received on ice: Lab Us						se Only N				
Relinquish	ed by: (Signa	ature)	Date		Time	Received by: (Signature)	Date				T1 T2 AVG Temp °C					<u>T3</u>						
	trix: S - Soil, S o					_	Containe				_											
						irrangements are made. Hazardous sa his COC. The liability of the laboraotry								client e	expen	ise. Th	he rep	ort for	the a	nalysi	s of th	e above
0	en	vir	nt e	ch									4405									**************************************



5796 US Highway 64, Farmington, NM 87401

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (505) 632-0615 fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879



Analytical Report

Report Summary

Client: DJR Operating, LLC

Samples Received: 11/4/2019 Job Number: 17035-0132 Work Order: P911010

Project Name/Location: Jicarilla 122-2 **Confirmation Samples**

Report	Reviewed	Bv:

Wallet Hinkon

Date:

11/11/19

Walter Hinchman, Laboratory Director



Envirotech Inc. certifies the test results meet all requirements of TNI unless footnoted otherwise. Statement of Data Authenticity: Envirotech, Inc, attests the data reported has not been altered in any way. Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc. Envirotech, Inc, holds the Utah TNI certification NM009792018-1 for the data reported. Envirotech, Inc, holds the Texas TNI certification T104704557-19-2 for the data reported.



DJR Operating, LLC Project Name: Jicarilla 122-2 Confirmation Samples

1 Rd 3263 Project Number: 17035-0132 Reported: Aztec NM, 87410 Project Manager: Felipe Aragon 11/11/19 17:28

Analytical Report for Samples

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
Base	P911010-01A	Soil	11/04/19	11/04/19	Glass Jar, 4 oz.
	P911010-01B	Soil	11/04/19	11/04/19	Glass Jar, 4 oz.
North Wall	P911010-02A	Soil	11/04/19	11/04/19	Glass Jar, 4 oz.
	P911010-02B	Soil	11/04/19	11/04/19	Glass Jar, 4 oz.
West Wall	P911010-03A	Soil	11/04/19	11/04/19	Glass Jar, 4 oz.
	P911010-03B	Soil	11/04/19	11/04/19	Glass Jar, 4 oz.
South Wall	P911010-04A	Soil	11/04/19	11/04/19	Glass Jar, 4 oz.
	P911010-04B	Soil	11/04/19	11/04/19	Glass Jar, 4 oz.
East Wall	P911010-05A	Soil	11/04/19	11/04/19	Glass Jar, 4 oz.
	P911010-05B	Soil	11/04/19	11/04/19	Glass Jar, 4 oz.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



DJR Operating, LLC Project Name: Jicarilla 122-2 Confirmation Samples

1 Rd 3263 Project Number: 17035-0132 Reported: Aztec NM, 87410 Project Manager: Felipe Aragon 11/11/19 17:28

Base P911010_01 (Solid)

P911010-01 (Solid)													
		Reporting											
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes				
Volatile Organics by EPA 8021													
Benzene	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B					
Toluene	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B					
Ethylbenzene	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B					
p,m-Xylene	ND	0.0500	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B					
o-Xylene	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B					
Total Xylenes	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B					
Surrogate: 4-Bromochlorobenzene-PID		108 %	50-150		1945025	11/06/19	11/07/19	EPA 8021B					
Nonhalogenated Organics by 8015 - DRO	ORO												
Diesel Range Organics (C10-C28)	2260	250	mg/kg	10	1945026	11/06/19	11/11/19	EPA 8015D					
Oil Range Organics (C28-C40)	ND	500	mg/kg	10	1945026	11/06/19	11/11/19	EPA 8015D					
Surrogate: n-Nonane		98.9 %	50-200		1945026	11/06/19	11/11/19	EPA 8015D					
Nonhalogenated Organics by 8015 - GRO													
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8015D					
Surrogate: 1-Chloro-4-fluorobenzene-FID		96.8 %	50-1	50	1945025	11/06/19	11/07/19	EPA 8015D					
Anions by 300.0/9056A													
Chloride	560	100	mg/kg	5	1945022	11/07/19	11/07/19	EPA 300.0/9056A					

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



1 Rd 3263 Project Number: 17035-0132 Reported: Aztec NM, 87410 Project Manager: Felipe Aragon 11/11/19 17:28

North Wall

P911010-02 (Solid)												
		Reporting										
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes			
Volatile Organics by EPA 8021												
Benzene	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B				
Toluene	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B				
Ethylbenzene	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B				
p,m-Xylene	ND	0.0500	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B				
o-Xylene	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B				
Total Xylenes	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B				
Surrogate: 4-Bromochlorobenzene-PID		102 %	50-1.	50	1945025	11/06/19	11/07/19	EPA 8021B				
Nonhalogenated Organics by 8015 - DR	O/ORO											
Diesel Range Organics (C10-C28)	18000	1250	mg/kg	50	1945026	11/06/19	11/11/19	EPA 8015D				
Oil Range Organics (C28-C40)	12000	2500	mg/kg	50	1945026	11/06/19	11/11/19	EPA 8015D				
Surrogate: n-Nonane		110 %	50-2	00	1945026	11/06/19	11/11/19	EPA 8015D				
Nonhalogenated Organics by 8015 - GR	0											
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8015D				
Surrogate: 1-Chloro-4-fluorobenzene-FID		95.2 %	50-1.	50	1945025	11/06/19	11/07/19	EPA 8015D				
Anions by 300.0/9056A												
Chloride	600	100	mg/kg	5	1945022	11/07/19	11/07/19	EPA 300.0/9056A				

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



1 Rd 3263 Project Number: 17035-0132 Reported: Aztec NM, 87410 Project Manager: Felipe Aragon 11/11/19 17:28

West Wall P011010-03 (Solid)

		P9110	10-03 (Sol	ıd)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		104 %	50-1	150	1945025	11/06/19	11/07/19	EPA 8021B	
Nonhalogenated Organics by 8015 - DR	O/ORO								
Diesel Range Organics (C10-C28)	11800	2500	mg/kg	100	1945026	11/06/19	11/11/19	EPA 8015D	
Oil Range Organics (C28-C40)	6430	5000	mg/kg	100	1945026	11/06/19	11/11/19	EPA 8015D	
Surrogate: n-Nonane		%	50-2	200	1945026	11/06/19	11/11/19	EPA 8015D	S4
Nonhalogenated Organics by 8015 - GR	0								
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		95.7 %	50-1	150	1945025	11/06/19	11/07/19	EPA 8015D	
Anions by 300.0/9056A									
Chloride	242	100	mg/kg	5	1945022	11/07/19	11/07/19	EPA 300.0/9056A	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



1 Rd 3263 Project Number: 17035-0132 Reported: Aztec NM, 87410 Project Manager: Felipe Aragon 11/11/19 17:28

South Wall

P911010-04 (Solid)												
		Reporting										
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes			
Volatile Organics by EPA 8021												
Benzene	ND	0.0250	mg/kg 1		1945025	11/06/19	11/07/19	EPA 8021B				
Toluene	ND	0.0250	mg/kg 1		1945025	11/06/19	11/07/19	EPA 8021B				
Ethylbenzene	ND	0.0250	mg/kg 1		1945025	11/06/19	11/07/19	EPA 8021B				
p,m-Xylene	ND	0.0500	mg/kg 1		1945025	11/06/19	11/07/19	EPA 8021B				
o-Xylene	ND	0.0250	mg/kg 1		1945025	11/06/19	11/07/19	EPA 8021B				
Total Xylenes	ND	0.0250	mg/kg 1		1945025	11/06/19	11/07/19	EPA 8021B				
Surrogate: 4-Bromochlorobenzene-PID		107 %	50-150)	1945025	11/06/19	11/07/19	EPA 8021B				
Nonhalogenated Organics by 8015 - DRO	O/ORO											
Diesel Range Organics (C10-C28)	2470	250	mg/kg 1	0	1945026	11/06/19	11/11/19	EPA 8015D				
Oil Range Organics (C28-C40)	2900	500	mg/kg 1	0	1945026	11/06/19	11/11/19	EPA 8015D				
Surrogate: n-Nonane		140 %	50-200)	1945026	11/06/19	11/11/19	EPA 8015D				
Nonhalogenated Organics by 8015 - GR	0											
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg 1		1945025	11/06/19	11/07/19	EPA 8015D				
Surrogate: 1-Chloro-4-fluorobenzene-FID		95.2 %	50-150)	1945025	11/06/19	11/07/19	EPA 8015D				
Anions by 300.0/9056A												
Chloride	805	100	mg/kg 5		1945022	11/07/19	11/07/19	EPA 300.0/9056A				

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



1 Rd 3263 Project Number: 17035-0132 Reported: Aztec NM, 87410 Project Manager: Felipe Aragon 11/11/19 17:28

East Wall P911010-05 (Solid)

P911010-05 (Solid)												
		Reporting			·							
Analyte	Result	Limit	Units Dil	ution Batch	Prepared	Analyzed	Method	Notes				
Volatile Organics by EPA 8021												
Benzene	ND	0.0250	mg/kg 1	1945025	11/06/19	11/07/19	EPA 8021B					
Toluene	ND	0.0250	mg/kg 1	1945025	11/06/19	11/07/19	EPA 8021B					
Ethylbenzene	ND	0.0250	mg/kg 1	1945025	11/06/19	11/07/19	EPA 8021B					
p,m-Xylene	ND	0.0500	mg/kg 1	1945025	11/06/19	11/07/19	EPA 8021B					
o-Xylene	ND	0.0250	mg/kg 1	1945025	11/06/19	11/07/19	EPA 8021B					
Total Xylenes	ND	0.0250	mg/kg 1	1945025	11/06/19	11/07/19	EPA 8021B					
Surrogate: 4-Bromochlorobenzene-PID		105 %	50-150	1945025	11/06/19	11/07/19	EPA 8021B					
Nonhalogenated Organics by 8015 - DR	O/ORO											
Diesel Range Organics (C10-C28)	8650	2500	mg/kg 100	1945026	11/06/19	11/11/19	EPA 8015D					
Oil Range Organics (C28-C40)	13200	5000	mg/kg 100	1945026	11/06/19	11/11/19	EPA 8015D					
Surrogate: n-Nonane		%	50-200	1945026	11/06/19	11/11/19	EPA 8015D	S4				
Nonhalogenated Organics by 8015 - GR	0											
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg 1	1945025	11/06/19	11/07/19	EPA 8015D					
Surrogate: 1-Chloro-4-fluorobenzene-FID		94.4 %	50-150	1945025	11/06/19	11/07/19	EPA 8015D					
Anions by 300.0/9056A												
Chloride	1710	100	mg/kg 5	1945022	11/07/19	11/07/19	EPA 300.0/9056A					

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



1 Rd 3263 Project Number: 17035-0132 Reported: Aztec NM, 87410 Project Manager: Felipe Aragon 11/11/19 17:28

Volatile Organics by EPA 8021 - Quality Control

Envirotech Analytical Laboratory

		Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 1945025 - Purge and Trap EPA 5030A										
Blank (1945025-BLK1)				Prepared: 1	11/06/19 1 <i>A</i>	Analyzed: 1	1/06/19 2			
Benzene	ND	0.0250	mg/kg							
Toluene	ND	0.0250	"							
Ethylbenzene	ND	0.0250	"							
o,m-Xylene	ND	0.0500	"							
o-Xylene	ND	0.0250	"							
Total Xylenes	ND	0.0250	"							
Surrogate: 4-Bromochlorobenzene-PID	8.52		"	8.00		107	50-150			
LCS (1945025-BS1)				Prepared: 1	11/06/19 1 <i>A</i>	Analyzed: 1	1/06/19 2			
Benzene	4.67	0.0250	mg/kg	5.00		93.3	70-130			
Toluene	4.61	0.0250	"	5.00		92.3	70-130			
Ethylbenzene	4.58	0.0250	"	5.00		91.6	70-130			
p,m-Xylene	9.14	0.0500	"	10.0		91.4	70-130			
o-Xylene	4.60	0.0250	"	5.00		92.0	70-130			
Total Xylenes	13.7	0.0250	"	15.0		91.6	70-130			
Surrogate: 4-Bromochlorobenzene-PID	8.67		"	8.00		108	50-150			
Matrix Spike (1945025-MS1)	Sour	ce: P911010-	01	Prepared: 1	11/06/19 1 <i>A</i>	Analyzed: 1	1/07/19 0			
Benzene	4.67	0.0250	mg/kg	5.00	ND	93.4	54.3-133			
Toluene	4.62	0.0250	"	5.00	ND	92.4	61.4-130			
Ethylbenzene	4.60	0.0250	"	5.00	ND	92.0	61.4-133			
p,m-Xylene	9.19	0.0500	"	10.0	ND	91.9	63.3-131			
o-Xylene	4.61	0.0250	"	5.00	ND	92.2	63.3-131			
Total Xylenes	13.8	0.0250	"	15.0	ND	92.0	63.3-131			
Surrogate: 4-Bromochlorobenzene-PID	8.63		"	8.00		108	50-150			
Matrix Spike Dup (1945025-MSD1)	Sour	ce: P911010-	01	Prepared: 1	11/06/19 1 <i>A</i>	Analyzed: 1	1/07/19 0			
Benzene	4.58	0.0250	mg/kg	5.00	ND	91.7	54.3-133	1.86	20	
Toluene	4.54	0.0250	"	5.00	ND	90.8	61.4-130	1.68	20	
Ethylbenzene	4.52	0.0250	"	5.00	ND	90.4	61.4-133	1.70	20	
p,m-Xylene	9.05	0.0500	"	10.0	ND	90.5	63.3-131	1.55	20	
o-Xylene	4.55	0.0250	"	5.00	ND	91.0	63.3-131	1.29	20	
Total Xylenes	13.6	0.0250	"	15.0	ND	90.7	63.3-131	1.46	20	
Surrogate: 4-Bromochlorobenzene-PID	8.92		"	8.00		111	50-150			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



1 Rd 3263 Project Number: 17035-0132 Reported: Aztec NM, 87410 Project Manager: Felipe Aragon 11/11/19 17:28

Nonhalogenated Organics by 8015 - DRO/ORO - Quality Control

Envirotech Analytical Laboratory

			Cmileo	Course		%REC		RPD	
- T	Reporting		Spike	Source	0/255		n nn		3.7
Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
			Prepared: 1	11/06/19 1 A	Analyzed: 1	1/11/19 1			
ND	25.0	mg/kg							
ND	50.0	"							
65.3		"	50.0		131	50-200			
			Prepared: 1	11/06/19 1 A	Analyzed: 1	1/11/19 1			
488	25.0	mg/kg	500		97.5	38-132			
49.9		"	50.0		99.7	50-200			
Sou	rce: P911010-0	01	Prepared: 1	11/06/19 1 A	Analyzed: 1	1/11/19 1			
2670	250	mg/kg	500	2260	81.9	38-132			
48.4		"	50.0		96.9	50-200			
Sou	rce: P911010-0	1/11/19 1							
2580	250	mg/kg	500	2260	62.9	38-132	3.63	20	
45.8		"	50.0		91.5	50-200			
	ND ND 65.3 488 49.9 Sour 2670 48.4 Sour 2580	ND 25.0 ND 50.0 65.3 488 25.0 49.9 Source: P911010- 2670 250 48.4 Source: P911010- 2580 250	ND 25.0 mg/kg ND 50.0 " 65.3 " 488 25.0 mg/kg 49.9 " Source: P911010-01 2670 250 mg/kg 48.4 " Source: P911010-01 2580 250 mg/kg	Prepared: 1 ND 25.0 mg/kg ND 50.0 " 65.3 " 50.0 Prepared: 1 488 25.0 mg/kg 500 49.9 " 50.0 Source: P911010-01 Prepared: 1 2670 250 mg/kg 500 48.4 " 50.0 Source: P911010-01 Prepared: 1 2580 250 mg/kg 500	Prepared: 11/06/19 1 A ND 25.0 mg/kg ND 50.0 " 65.3 " 50.0 Prepared: 11/06/19 1 A 488 25.0 mg/kg 500 49.9 " 50.0 Source: P911010-01 Prepared: 11/06/19 1 A 2670 250 mg/kg 500 2260 48.4 " 50.0 Source: P911010-01 Prepared: 11/06/19 1 A 2580 250 mg/kg 500 2260	Prepared: 11/06/19 1 Analyzed: 1 ND 25.0 mg/kg ND 50.0 " 65.3 " 50.0 131 Prepared: 11/06/19 1 Analyzed: 1 488 25.0 mg/kg 500 97.5 49.9 " 50.0 99.7 Source: P911010-01 Prepared: 11/06/19 1 Analyzed: 1 2670 250 mg/kg 500 2260 81.9 48.4 " 50.0 96.9 Source: P911010-01 Prepared: 11/06/19 1 Analyzed: 1 2580 250 mg/kg 500 2260 62.9	Prepared: 11/06/19 1 Analyzed: 11/11/19 1 ND 25.0 mg/kg ND 50.0 " 65.3 " 50.0 131 50-200 Prepared: 11/06/19 1 Analyzed: 11/11/19 1 488 25.0 mg/kg 500 97.5 38-132 49.9 " 50.0 99.7 50-200 Source: P911010-01 Prepared: 11/06/19 1 Analyzed: 11/11/19 1 2670 250 mg/kg 500 2260 81.9 38-132 48.4 " 50.0 96.9 50-200 Source: P911010-01 Prepared: 11/06/19 1 Analyzed: 11/11/19 1 2580 250 mg/kg 500 2260 62.9 38-132	Prepared: 11/06/19 1 Analyzed: 11/11/19 1 ND 25.0 mg/kg ND 50.0 " 65.3 " 50.0 131 50-200 Prepared: 11/06/19 1 Analyzed: 11/11/19 1 488 25.0 mg/kg 500 97.5 38-132 49.9 " 50.0 99.7 50-200 Source: P911010-01 Prepared: 11/06/19 1 Analyzed: 11/11/19 1 2670 250 mg/kg 500 2260 81.9 38-132 48.4 " 50.0 96.9 50-200 Source: P911010-01 Prepared: 11/06/19 1 Analyzed: 11/11/19 1 2580 250 mg/kg 500 2260 62.9 38-132 3.63	Prepared: 11/06/19 1 Analyzed: 11/11/19 1 ND 25.0 mg/kg ND 50.0 " 65.3 " 50.0 131 50-200 Prepared: 11/06/19 1 Analyzed: 11/11/19 1 488 25.0 mg/kg 500 97.5 38-132 49.9 " 50.0 99.7 50-200 Source: P911010-01 Prepared: 11/06/19 1 Analyzed: 11/11/19 1 2670 250 mg/kg 500 2260 81.9 38-132 48.4 " 50.0 96.9 50-200 Source: P911010-01 Prepared: 11/06/19 1 Analyzed: 11/11/19 1 2580 250 mg/kg 500 2260 62.9 38-132 3.63 20

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Analyte



DJR Operating, LLC Project Name: Jicarilla 122-2 Confirmation Samples

Pacult

1 Rd 3263 Project Number: 17035-0132 Reported: Aztec NM, 87410 Project Manager: Felipe Aragon 11/11/19 17:28

Nonhalogenated Organics by 8015 - GRO - Quality Control

Envirotech Analytical Laboratory

Unite

Spike

Laval

Source

Pocult

%PEC

%REC

Limite

DDD

RPD

Limit

Reporting

Limit

Analyte	Resuit	Limit	Units	Level	Resuit	%KEC	Limits	RPD	Limit	Notes			
Batch 1945025 - Purge and Trap EPA 5030A													
Blank (1945025-BLK1)				Prepared:	11/06/19 1	Analyzed: 1	1/06/19 2						
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg										
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.68		"	8.00		96.0	50-150						
LCS (1945025-BS2)				Prepared:	11/06/19 1	Analyzed: 1	1/07/19 0						
Gasoline Range Organics (C6-C10)	59.4	20.0	mg/kg	50.0		119	70-130						
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.76		"	8.00		97.0	50-150						
Matrix Spike (1945025-MS2)	Sourc	e: P911010-	01	Prepared:	11/06/19 1	Analyzed: 1	1/07/19 0						
Gasoline Range Organics (C6-C10)	60.3	20.0	mg/kg	50.0	ND	121	70-130						
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.70		"	8.00		96.2	50-150						
Matrix Spike Dup (1945025-MSD2)	Sourc	e: P911010-	01	Prepared: 11/06/19 1 Analyzed: 11/07/19 0									
Gasoline Range Organics (C6-C10)	61.3	20.0	mg/kg	50.0	ND	123	70-130	1.50	20				
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.71		"	8.00		96.4	50-150						

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



1 Rd 3263 Project Number: 17035-0132 Reported: Aztec NM, 87410 Project Manager: Felipe Aragon 11/11/19 17:28

Reporting

Anions by 300.0/9056A - Quality Control

Envirotech Analytical Laboratory

Spike

%REC

RPD

Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 1945022 - Anion Extraction EPA 300	0.0/9056A									
Blank (1945022-BLK1)				Prepared:	11/06/19 0 A	Analyzed: 1	1/06/19 1			
Chloride	ND	20.0	mg/kg							
LCS (1945022-BS1)				Prepared:	11/06/19 0 A	Analyzed: 1	1/06/19 1			
Chloride	252	20.0	mg/kg	250		101	90-110			
Matrix Spike (1945022-MS1)	Source	e: P911013-	01	Prepared:	11/06/19 0 A	Analyzed: 1	1/06/19 1			
Chloride	990	40.0	mg/kg	250	717	109	80-120			
Matrix Spike Dup (1945022-MSD1)	Source	e: P911013-	01	Prepared:	11/06/19 0 A	Analyzed: 1	1/06/19 1			
Chloride	946	40.0	mg/kg	250	717	91.8	80-120	4.51	20	

QC Summary Report

Comment:

Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures. Therefore, hand calculated values my differ slightly.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401 Ph (505) 632-0615 Fx (505) 632-1865



1 Rd 3263 Project Number: 17035-0132 Reported: Aztec NM, 87410 Project Manager: Felipe Aragon 11/11/19 17:28

Notes and Definitions

Surrogate was diluted out due to high concentrations of target and/or non-target analytes and does not provide useful information. The S4

associated LCS spike recovery was acceptable.

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

RPD Relative Percent Difference

Methods marked with ** are non-accredited methods.

Soil data is reported on an "as received" weight basis, unless reported otherwise.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Labadmin@envirotech-inc.com

envirotech-inc.com

					Chain of C	Custody										Р	age	of	
Client: [DJR LLC					Report Attention	1			La	b U	se Or	ily		-	ГАТ	E	PA Prog	
	arilla 122-2 Co					Report due by:			wo			Job	Nun	nber	10	3D	RCRA	CWA	SDWA
	Manager:	F.Aras	<u>gon</u>			<u>Email:</u>		Pa	1110	10		1	7035	5-0132					
Address						Address:						Analy	sis a	nd Met	thod			St	ate
City, Sta	ite, Zip					City, State, Zip												NM CC	UT AZ
Phone:				-	<u>F</u>	Phone:			ŀ										
Email: G	crabtree [<u>Dcarter Fa</u>	<u>aragon</u>															×	
Time Sampled	Date Sampled	Matrix	No Containers	Sample ID			Lab Number	8015	ORO	8021	τ̈							Rei	marks
14:02	11/4/2019	S	2	Bas	e			X	х	х	х							2 4 02	Jars, Cool
14:12	11/4/19	5	2	Norg	th (V911	2	1	1	1)								
14:20	144/19		2	Wes	+ 1	Mail	3											(
	1/4/19		2	Soun	th "	va!	4												
14'36	11/4/19	5	2	Easix	. wa	. (5	1	I	1	J							_	_
																П			101
			· · ·		39														
														\top	+				
								\exists							+				
Addition	nal Instruc	tions:											_				2		
				f this sample. I am		tampering with or intentionally mislabelling th	ne sample location, d	ate or	time o	f collec	tion is							e the day they C on subsequer	are sampled or at days.
	ed by: (Signa		Date		7:01	Received by: (Signature)	Date \\-L\-\9		Time	1:0		Rece	iver	l on ic		ab Use	e Only		
Relinquish	ed by: (Signa	ture)	Date			Received by: (Signature)	Date		Time			T1		np °C_	T2			<u>T3</u>	
Sample Mat	rix: S - Soil, Sd	l - Solid, Sg -	Sludge, A -	Aqueous, O - Oth	ner		Container	Тур	e: g -	glass	-	_			- ambe	r glass	, v - VOA		
Note: Samp samples is a	les are discard	led 30 days a to those sai	after results mples receiv	are reported un ved by the labora	less other	arrangements are made. Hazardous sathis COC. The liability of the laboraotry	mples will be retu	rned t	to clie	nt or c	fispos	ed of a	t the						the above
	16	_		-				885-			TT TT						<u> </u>	-	- 70





Analytical Report

Report Summary

Client: DJR Operating, LLC

Samples Received: 3/25/2020 Job Number: 17035-0129 Work Order: P003122

Project Name/Location: Jicarilla 122-2

Report Reviewed By:	Walter Hunder	Date:	3/30/20	
	•			

Walter Hinchman, Laboratory Director



Envirotech Inc. certifies the test results meet all requirements of TNI unless footnoted otherwise. Statement of Data Authenticity: Envirotech, Inc, attests the data reported has not been altered in any way. Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc. Envirotech, Inc, holds the Utah TNI certification NM009792018-1 for the data reported. Envirotech, Inc, holds the Texas TNI certification T104704557-19-2 for the data reported.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



DJR Operating, LLC 1 Rd 3263

Aztec NM, 87410

Project Name:

Jicarilla 122-2

Project Number: Project Manager: 17035-0129 Felipe Aragon

Reported: 03/30/20 12:27

Analytical Report for Samples

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
West Wall	P003122-01A	Soil	03/25/20	03/25/20	Glass Jar, 4 oz.
	P003122-01B	Soil	03/25/20	03/25/20	Glass Jar, 4 oz.
North Wall	P003122-02A	Soil	03/25/20	03/25/20	Glass Jar, 4 oz.
	P003122-02B	Soil	03/25/20	03/25/20	Glass Jar, 4 oz.
East Wall	P003122-03A	Soil	03/25/20	03/25/20	Glass Jar, 4 oz.
	P003122-03B	Soil	03/25/20	03/25/20	Glass Jar, 4 oz.
Base	P003122-04A	Soil	03/25/20	03/25/20	Glass Jar, 4 oz.
	P003122-04B	Soil	03/25/20	03/25/20	Glass Jar, 4 oz.
South Wall	P003122-05A	Soil	03/25/20	03/25/20	Glass Jar, 4 oz.
	P003122-05B	Soil	03/25/20	03/25/20	Glass Jar, 4 oz.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Aztec NM, 87410

1 Rd 3263

Project Name:

Jicarilla 122-2

Project Number: Project Manager: 17035-0129 Felipe Aragon

Reported: 03/30/20 12:27

West Wall P003122-01 (Solid)

P003122-01 (S0Hd)												
		Reporting										
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes			
Volatile Organics by EPA 8021												
Benzene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/27/20	EPA 8021B				
Toluene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/27/20	EPA 8021B				
Ethylbenzene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/27/20	EPA 8021B				
p,m-Xylene	ND	0.0500	mg/kg	1	2013020	03/27/20	03/27/20	EPA 8021B				
o-Xylene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/27/20	EPA 8021B				
Total Xylenes	ND	0.0250	mg/kg	1	2013020	03/27/20	03/27/20	EPA 8021B				
Surrogate: 4-Bromochlorobenzene-PID		103 %	50-1	50	2013020	03/27/20	03/27/20	EPA 8021B				
Nonhalogenated Organics by 8015 - DRO	ORO											
Diesel Range Organics (C10-C28)	311	25.0	mg/kg	1	2013004	03/27/20	03/27/20	EPA 8015D				
Oil Range Organics (C28-C40)	210	50.0	mg/kg	1	2013004	03/27/20	03/27/20	EPA 8015D				
Surrogate: n-Nonane		94.7 %	50-2	200	2013004	03/27/20	03/27/20	EPA 8015D				
Nonhalogenated Organics by 8015 - GRO												
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2013020	03/27/20	03/27/20	EPA 8015D				
Surrogate: 1-Chloro-4-fluorobenzene-FID		87.9 %	50-1	50	2013020	03/27/20	03/27/20	EPA 8015D				
Anions by 300.0/9056A												
Chloride	532	20.0	mg/kg	1	2013018	03/27/20	03/27/20	EPA 300.0/9056A				

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Project Name:

Jicarilla 122-2

1 Rd 3263 Aztec NM, 87410 Project Number: Project Manager: 17035-0129 Felipe Aragon

Reported: 03/30/20 12:27

North Wall P003122-02 (Solid)

1 005122-02 (50Hu)										
		Reporting								
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes	
Volatile Organics by EPA 8021										
Benzene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B		
Toluene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B		
Ethylbenzene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B		
p,m-Xylene	ND	0.0500	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B		
o-Xylene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B		
Total Xylenes	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B		
Surrogate: 4-Bromochlorobenzene-PID		101 %	50-	150	2013020	03/27/20	03/28/20	EPA 8021B		
Nonhalogenated Organics by 8015 - DRO/O	RO									
Diesel Range Organics (C10-C28)	619	25.0	mg/kg	1	2013004	03/27/20	03/27/20	EPA 8015D		
Oil Range Organics (C28-C40)	228	50.0	mg/kg	1	2013004	03/27/20	03/27/20	EPA 8015D		
Surrogate: n-Nonane		109 %	50-2	200	2013004	03/27/20	03/27/20	EPA 8015D		
Nonhalogenated Organics by 8015 - GRO										
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8015D		
Surrogate: 1-Chloro-4-fluorobenzene-FID		87.7 %	50-1	150	2013020	03/27/20	03/28/20	EPA 8015D		
Anions by 300.0/9056A										
Chloride	542	20.0	mg/kg	1	2013018	03/27/20	03/27/20	EPA 300.0/9056A		

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Project Name: Project Number:

Project Manager:

Jicarilla 122-2

1 Rd 3263 Aztec NM, 87410 17035-0129 Felipe Aragon

Reported: 03/30/20 12:27

East Wall P003122-03 (Solid)

P003122-03 (S0lid)											
		Reporting							·		
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes		
Volatile Organics by EPA 8021											
Benzene	ND	0.0250	mg/kg 1		2013020	03/27/20	03/28/20	EPA 8021B			
Toluene	ND	0.0250	mg/kg 1		2013020	03/27/20	03/28/20	EPA 8021B			
Ethylbenzene	ND	0.0250	mg/kg 1		2013020	03/27/20	03/28/20	EPA 8021B			
p,m-Xylene	ND	0.0500	mg/kg 1		2013020	03/27/20	03/28/20	EPA 8021B			
o-Xylene	ND	0.0250	mg/kg 1		2013020	03/27/20	03/28/20	EPA 8021B			
Total Xylenes	ND	0.0250	mg/kg 1		2013020	03/27/20	03/28/20	EPA 8021B			
Surrogate: 4-Bromochlorobenzene-PID		102 %	50-15	0	2013020	03/27/20	03/28/20	EPA 8021B			
Nonhalogenated Organics by 8015 - DRO/O	RO										
Diesel Range Organics (C10-C28)	848	25.0	mg/kg 1		2013004	03/27/20	03/27/20	EPA 8015D			
Oil Range Organics (C28-C40)	291	50.0	mg/kg 1		2013004	03/27/20	03/27/20	EPA 8015D			
Surrogate: n-Nonane		110 %	50-20	0	2013004	03/27/20	03/27/20	EPA 8015D			
Nonhalogenated Organics by 8015 - GRO											
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg 1		2013020	03/27/20	03/28/20	EPA 8015D			
Surrogate: 1-Chloro-4-fluorobenzene-FID		86.7 %	50-15	0	2013020	03/27/20	03/28/20	EPA 8015D			
Anions by 300.0/9056A											
Chloride	356	20.0	mg/kg 1		2013018	03/27/20	03/27/20	EPA 300.0/9056A			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Project Name:

Jicarilla 122-2

1 Rd 3263 Project Number: Aztec NM, 87410 Project Manager: 17035-0129 Felipe Aragon

Reported: 03/30/20 12:27

Base P003122-04 (Solid)

P003122-04 (S0IId)											
		Reporting									
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes		
Volatile Organics by EPA 8021											
Benzene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B			
Toluene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B			
Ethylbenzene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B			
p,m-Xylene	ND	0.0500	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B			
o-Xylene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B			
Total Xylenes	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B			
Surrogate: 4-Bromochlorobenzene-PID		102 %	50-	150	2013020	03/27/20	03/28/20	EPA 8021B			
Nonhalogenated Organics by 8015 - DRO/	ORO										
Diesel Range Organics (C10-C28)	1320	25.0	mg/kg	1	2013004	03/27/20	03/27/20	EPA 8015D			
Oil Range Organics (C28-C40)	255	50.0	mg/kg	1	2013004	03/27/20	03/27/20	EPA 8015D			
Surrogate: n-Nonane		93.1 %	50-2	200	2013004	03/27/20	03/27/20	EPA 8015D			
Nonhalogenated Organics by 8015 - GRO											
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8015D			
Surrogate: 1-Chloro-4-fluorobenzene-FID		86.5 %	50-	150	2013020	03/27/20	03/28/20	EPA 8015D			
Anions by 300.0/9056A											
Chloride	330	40.0	mg/kg	2	2013018	03/27/20	03/27/20	EPA 300.0/9056A			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



DJR Operating, LLC Project Name:

17035-0129 1 Rd 3263 Project Number: Aztec NM, 87410 Project Manager: Felipe Aragon

Reported: 03/30/20 12:27

South Wall P003122-05 (Solid)

Jicarilla 122-2

		1 0051	22-03 (30	iiu)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		102 %	50-	-150	2013020	03/27/20	03/28/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/O	ORO								
Diesel Range Organics (C10-C28)	315	25.0	mg/kg	1	2013004	03/27/20	03/27/20	EPA 8015D	
Oil Range Organics (C28-C40)	150	50.0	mg/kg	1	2013004	03/27/20	03/27/20	EPA 8015D	
Surrogate: n-Nonane		94.0 %	50-	-200	2013004	03/27/20	03/27/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		87.3 %	50-	-150	2013020	03/27/20	03/28/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	688	40.0	mg/kg	2	2013018	03/27/20	03/27/20	EPA 300.0/9056A	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Project Name:

Reporting

14.6

8.37

0.0250

Jicarilla 122-2

1 Rd 3263 Project Number: Aztec NM, 87410 Project Manager: 17035-0129 Felipe Aragon

Spike

Source

Reported: 03/30/20 12:27

RPD

%REC

Volatile Organics by EPA 8021 - Quality Control

Envirotech Analytical Laboratory

I and the second				-pine						
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 2013020 - Purge and Trap EPA 5030A										
Blank (2013020-BLK1)	Prepared & Analyzed: 03/27/20 1									
Benzene	ND	0.0250	mg/kg							
Toluene	ND	0.0250	"							
Ethylbenzene	ND	0.0250	"							
p,m-Xylene	ND	0.0500	"							
o-Xylene	ND	0.0250	"							
Total Xylenes	ND	0.0250	"							
Surrogate: 4-Bromochlorobenzene-PID	8.29		"	8.00		104	50-150			
LCS (2013020-BS1)				Prepared &	& Analyzed:	03/27/20 1	l			
Benzene	4.98	0.0250	mg/kg	5.00		99.5	70-130			
Toluene	5.12	0.0250	"	5.00		102	70-130			
Ethylbenzene	5.07	0.0250	"	5.00		101	70-130			
p,m-Xylene	10.1	0.0500	"	10.0		101	70-130			
o-Xylene	5.04	0.0250	"	5.00		101	70-130			
Total Xylenes	15.1	0.0250	"	15.0		101	0-200			
Surrogate: 4-Bromochlorobenzene-PID	8.49		"	8.00		106	50-150			
Matrix Spike (2013020-MS1)	Sour	ce: P003122-	01	Prepared: (03/27/20 1					
Benzene	4.72	0.0250	mg/kg	5.00	ND	94.4	54.3-133			
Toluene	4.88	0.0250	"	5.00	ND	97.6	61.4-130			
Ethylbenzene	4.81	0.0250	"	5.00	ND	96.2	61.4-133			
p,m-Xylene	9.54	0.0500	"	10.0	ND	95.4	63.3-131			
o-Xylene	4.74	0.0250	"	5.00	ND	94.8	63.3-131			
Total Xylenes	14.3	0.0250	"	15.0	ND	95.2	0-200			
Surrogate: 4-Bromochlorobenzene-PID	8.39		"	8.00		105	50-150			
Matrix Spike Dup (2013020-MSD1)	Sour	ce: P003122-	01	Prepared: (03/27/20 1 /	Analyzed: (03/27/20 2			
Benzene	4.86	0.0250	mg/kg	5.00	ND	97.3	54.3-133	3.02	20	
Toluene	4.98	0.0250	"	5.00	ND	99.7	61.4-130	2.10	20	
Ethylbenzene	4.92	0.0250	"	5.00	ND	98.5	61.4-133	2.36	20	
p,m-Xylene	9.76	0.0500	"	10.0	ND	97.6	63.3-131	2.38	20	
o-Xylene	4.88	0.0250	"	5.00	ND	97.7	63.3-131	2.99	20	
m . tar t	111	0.0050		150	3.75	0.5.5	0.200	2.50	200	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

15.0

8.00

ND

97.7

105

0-200

50-150

2.58

200

5796 Highway 64, Farmington, NM 87401

Total Xylenes

Surrogate: 4-Bromochlorobenzene-PID

Ph (505) 632-0615 Fx (505) 632-1865



Project Name:

Jicarilla 122-2

1 Rd 3263 Aztec NM, 87410 Project Number: 17035-0129 Project Manager: Felipe Aragon

Reported: 03/30/20 12:27

Nonhalogenated Organics by 8015 - DRO/ORO - Quality Control

Envirotech Analytical Laboratory

		Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 2013004 - DRO Extraction EPA 3570										
Blank (2013004-BLK1)				Prepared &	& Analyzed:	03/27/20 0)			
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg							
Oil Range Organics (C28-C40)	ND	50.0	"							
Surrogate: n-Nonane	53.5		"	50.0		107	50-200			
LCS (2013004-BS1)				Prepared &	& Analyzed:	03/27/20 0)			
Diesel Range Organics (C10-C28)	433	25.0	mg/kg	500		86.6	38-132			
Surrogate: n-Nonane	46.9		"	50.0		93.9	50-200			
Matrix Spike (2013004-MS1)	Sour	ce: P003122-	01	Prepared & Analyzed: 03/27/20 0)			
Diesel Range Organics (C10-C28)	722	25.0	mg/kg	500	311	82.2	38-132			
Surrogate: n-Nonane	24.8		"	25.0		99.4	50-200			
Matrix Spike Dup (2013004-MSD1)	Source: P003122-01			Prepared: (Prepared: 03/27/20 0 Analyzed: 03/					
Diesel Range Organics (C10-C28)	719	25.0	mg/kg	500	311	81.5	38-132	0.471	20	
Surrogate: n-Nonane	25.1		"	25.0		101	50-200			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Surrogate: 1-Chloro-4-fluorobenzene-FID

Analyte

Project Name:

Reporting

Limit

Result

7.09

Jicarilla 122-2

Spike

Level

8.00

Source

Result

%REC

88.7

50-150

1 Rd 3263 Aztec NM, 87410

Project Number: 17035-0129 Project Manager: Felipe Aragon

Reported: 03/30/20 12:27

Notes

RPD

Limit

%REC

Limits

RPD

Nonhalogenated Organics by 8015 - GRO - Quality Control

Envirotech Analytical Laboratory

Units

Blank (2013020-BLK1)				Prepared &	Analyzed:	03/27/20 1				
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.12		"	8.00		89.0	50-150			
LCS (2013020-BS2)				Prepared &	Analyzed:	03/27/20 1				
Gasoline Range Organics (C6-C10)	46.3	20.0	mg/kg	50.0		92.5	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.13		"	8.00		89.1	50-150			
Matrix Spike (2013020-MS2)	Source	: P003122-	01	Prepared: 0	3/27/20 1	3/27/20 2				
Gasoline Range Organics (C6-C10)	50.5	20.0	mg/kg	50.0	ND	101	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.15		"	8.00		89.4	50-150			
Matrix Spike Dup (2013020-MSD2)	Source	: P003122-	01	Prepared: 0	3/27/20 1	Analyzed: 0	3/27/20 2			
Gasoline Range Organics (C6-C10)	49.3	20.0	mg/kg	50.0	ND	98.6	70-130	2.33	20	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Aztec NM, 87410

1 Rd 3263

Project Name:

Jicarilla 122-2

Project Number:

17035-0129

Project Manager:

Reporting

Felipe Aragon

Spike

Source

Reported: 03/30/20 12:27

RPD

%REC

Anions by 300.0/9056A - Quality Control

Envirotech Analytical Laboratory

Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 2013018 - Anion Extraction EPA 30	00.0/9056A									
Blank (2013018-BLK1)				Prepared &	Analyzed:	03/27/20 1				
Chloride	ND	20.0	mg/kg							
LCS (2013018-BS1)				Prepared &	Analyzed:	03/27/20 1				
Chloride	249	20.0	mg/kg	250		99.4	90-110			
Matrix Spike (2013018-MS1)	Source	: P003124-	01	Prepared &	Analyzed:	03/27/20 1				
Chloride	251	20.0	mg/kg	250	ND	101	80-120			
Matrix Spike Dup (2013018-MSD1)	Source	: P003124-	01	Prepared &	Analyzed:	03/27/20 1				
Chloride	252	20.0	mg/kg	250	ND	101	80-120	0.314	20	

QC Summary Report

Comment:

Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures. Therefore, hand calculated values my differ slightly.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



DJR Operating, LLC Project Name: Jicarilla 122-2

1 Rd 3263 Project Number: 17035-0129 Reported: 03/30/20 12:27 Aztec NM, 87410 Project Manager: Felipe Aragon

Notes and Definitions

Analyte NOT DETECTED at or above the reporting limit ND

NR Not Reported

RPD Relative Percent Difference

** Methods marked with ** are non-accredited methods.

Soil data is reported on an "as received" weight basis, unless reported otherwise.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401


Ph (505) 632-0615 Fx (505) 632-1865

considered made and may be grounds for legar	Jenom Samprea 57.	100				
Relinquished by: (Signature)	3/25/2020	Time 15-34	Received by: (Signature)	3/25/20	Time 15:34	Lab Use Only Received on ice: (Y)/ N
Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time	T1 T2 T3 T3 AVG Temp °C 4
Sample Matrix: S - Soil, Sd - Solid, Sg - Slu	idge, A - Aqueous, C	O - Other		Container Ty	pe: g - glass, p	p - poly/plastic, ag - amber glass, v - VOA

Note: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.



641/2020 4:54:06 PM





New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW#### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned,

C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

3 26 25N 04W

(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

POD

MRG

Sub-QQQ

X DepthWellDepthWaterColumn

Water

POD Number RG 50845 POD1 Code basin County 6416 4 Sec Tws Rng

300247 4026989*

340

Average Depth to Water:

135 feet

Minimum Depth:

135 feet

Maximum Depth:

135 feet

Record Count: 1

PLSS Search:

Section(s):4, 5, 8, 9, 10, Township: 25N

3, 26

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

6/1/20 1:16 PM

WATER COLUMN/ AVERAGE DEPTH TO WATER

Larissa Farrell

From:

Yahoo Warning <kcmanwell@yahoo.com>

Sent:

Tuesday, March 31, 2020 8:18 AM

To:

Larissa Farrell

Subject:

Re: Jicarilla 122 2 BGT Closure

Follow Up Flag:

Follow up

Flag Status:

Flagged

Good Morning Larissa,

Per our discussion about the Jicarilla 122 2, due to excavation hitting bedrock and still having contaminants on the bottom of excavation. The use of potassium permanganate will be an alternative method to help the degradation of present contaminates, backfill will be permitted and noted as an amendment to the closure plan. Approval is granted to expedite the the approval process, should you have any questions or comments. Please contact myself via email or 505-330-8031.

Thank You,

K.C. Manwell, Environmental Specialist Jicarilla Environmental Protection Office

Good afternoon Keith,

Attached are the results from the Jicarilla 122 2 BGT Closure. All constituents were below the Table I closure standard except the base of the excavation due to the sandstone which no further excavation can occur in this area. We would like to have Envirotech apply potassium permanganate to the base to mitigate the contaminates within the sandstone. Please provide an email with your approval on this path forward.

If you have any questions, please let me know.

Thank you,

Larissa Farrell

Regulatory Specialist

(505)444-0289

Ifarrell@djrllc.com



Disclaimer

The information contained in this communication from the sender is confidential. It is intended solely for use by the recipient and others authorized to receive it. If you are not the recipient, you are hereby notified that any disclosure, copying, distribution or taking action in relation of the contents of this information is strictly prohibited and may be unlawful.

This email has been scanned for viruses and malware, and may have been automatically archived by **Mimecast Ltd**, an innovator in Software as a Service (SaaS) for business. Providing a **safer** and **more useful** place for your human generated data. Specializing in; Security, archiving and compliance. To find out more <u>Click Here</u>.

March 16, 2020

Larissa Ferrell Regulatory Specialist DJR ENERGY

Hi Larissa,

Per our conversation about the Backfill Material for The Jicarilla Apache F-6 and Jicarilla Apache Tribal 122 2. Your Company has the permission from the Jicarilla Apache Nation Environmental Protection Office (JAN-EPO) to use said ponds for backfill of the two locations. I will be out of the office for Tuesday and Wednesday of this week, don't hesitate to call should you have any questions.

Thank You,

K.C. Manwell, Environmental Specialist JAN-EPO 505-330-8031