Submit 3 Copies To Appropriate District Office	State of New Mexico Energy, Minerals and Natural Resources		Form C-103 Revised May 08, 2003	
District I	inci I		WELL API NO.	
1625 N. French Dr., Hobbs, NM 87240 District II	OIL CONSERVATION DIVISION		30-045-3	1805
1301 W. Grand Ave., Artesia, NM 88210	1220 South St. Francis Dr.		5. Indicate Type of I	Lease
District III 1000 Rio Brazos Rd., Aztec, NM 87410			STATE	FEE 🗴
District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	54114 1 0, 1111 0	, 0 00	6. State Oil & Gas I	ease No.
640 11 to				
SUNDRY NOTICES A (DO NOT USE THIS FORM FOR PROPOSALS	AND REPORTS ON WEL	ALS IN HILL TO A		nit Agreement Name:
DIFFERENT RESERVOIR. USE "APPLICATION			ADAIR	
PROPOSALS.)	Ro	MAR ana	8. Well Number	
1. Type of Well: Oil Well Gas Well X	Other	Free Jevog	54	ł
2. Name of Operator	Other to	7 C 1 C 7	9. OGRID Number	
XIO Energy Inc.			9. OGRID Number 1670	)67
3. Address of Operator			10. Pool name or Wildcat	
2700 Farmington Ave., Bldg. K.	Ste 1 Farmington, No	4 87401 · · · ·	BASIN FRUITLAND	COAL
4. Well Location				
Unit Letter G: 1,375 feet from the NORTH line and 1,520 feet from the EAST line				
Section 29	Township 29N	Range 10W	NMPM	County SAN JUAN
11.	Elevation (Show whether		c.)	
12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data				
• •	•	· ·	• •	
NOTICE OF INTENT	<u> </u>		SEQUENT REPO	_
PERFORM REMEDIAL WORK PL	ug and abandon 🗌	REMEDIAL WORK	, L	ALTERING CASING
TEMPORARILY ABANDON	IANGE PLANS	COMMENCE DRILLI	NG OPNS.	PLUG AND ABANDONMENT
	JLTIPLE   DMPLETION	CASING TEST AND CEMENT JOB		
OTHER:		OTHER: TD & ST I	roduction Csq	x
13. <b>Describe proposed or completed operations.</b> (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.				
Reached driller's TD of 1,984 @ 4:00 p.m. 03/04/04. TIH w/47 jts 4-1/2", 10.5#, J-55, ST&C csg to 1,980.54' KB. Cmt'd csg w/360 sx Type Premium Lite HS FM cmt w/2% CaCl2, 1/2#/sx celloflake, 0.5% FL, 0.2% CD-32 & 2% phenoseal (mixed @ 12.5 ppg & 2.01 cuft/sx) followed by 80 sx Type III cmt w/1/4#/sx celloflake, 8% gel & 2% phenoseal (mixed @ 14.5 ppg & 1.40 cuft/sx). Circ 30 bbls cmt to surf. Released Stewart Brothers drilling Rig #51 @ 3:00 p.m. 03/06/04.				
**PRODUCTION CSG WILL BE PRESSURE TSTD @ COMPLETION**				
I hereby certify that the information above is true and complete to the best of my knowledge and belief.				
SIGNATURE	latto- TIT	LE DRILLING	ENGINEER	DATE 03/09/04
/ " "				
Type or print name  (This space for State use)		Manager All A A Lance	<del></del>	me No. 505-324-1090
(This space for State use)	/	deputy oil & gas in	<i>-</i>	MAR 12 2004
APPROVED BY Conditions of approval, if any:	TI1	TLE	DA	ATE