#### District I

P.O. Box 1980, Hobbs, NM

# District II Drawer DD, Artesia, NA

District III

## State of New Mexico Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION P.O. BOX 2088 SANTA FE, NEW MEXICO 87504-2088 SUBMIT I COPY TO
APPROPRIATE
DISTRICT OFFICE
AND I COPY TO
SANTA FE OFFICE

PIT REMEDIATION AND CLOSURE REPORTING

Operator: BP AMERICA P	RODUCTION CO.	Te	lephone: (505) 326-9200
	URT, FARMINGTON	, NM 87401	
	1井211		
Location: Unit or Qtr/Qtr Sec_	6 Sec 32	TAN R AW County	San Juan
Pit Type: Separator Dehy	drator_Other Blow	<u>)</u>	
Land Type: BLM X, Stat	ee, Fee, Oth	er	
Pit Location: Pit	dimensions: length_	NA , width NA	, depth NA
Re	ference: wellhead X		
	otage from reference:		
Di	rection from reference: _		East North of West South
			West South
Depth To Groundwater: (Vertical distance from contaminants to seasonal high water elevation of groundwater)		Less than 50 feet 50 feet to 99 feet Greater than 100 feet	(20 points) (10 points) ( 0 points)
Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources)		Yes No	(20 points) (0 points)0
Distance To Surface Water: (Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)		Less than 100 feet 100 feet to 1000 feet Greater than 1000 feet	(20 points) (10 points) ( 0 points)0
		RANKING SCORE (TOT.	AL POINTS): 0
revised: 03/27/02			bei1202.wpd

Date Remediation Sta	rted:						: 7-3	
Remediation Method:		cavation			Áp	prox. cubic y	ards	NA
(Check all appropriate sections)	La	ındfarmed						
•	Ot	her	CLOSE	AS IS.				
Remediation Location (i.e. landfarmed onsite, name and location of offsite facility)	: Or	nsite X	_ Offsite					
General Description	of Remedia	al Action	: Exca	<u>avation.</u>	Test ho	le advanced	. No remedi	ation necessary
						<del></del>		
			<u> </u>					
Groundwater Encoun	tered:	No _	X Yes	s	Depth			
inal Pit Closure Sampling: (if multiple samples, attach sample results	•		see Atta			hole botton	1)	
and diagram of sample locations and depths)	-						1113	
	Sample C		,					
	-	Benzene		(ppm)	0.654	Water:	Benzene	(ppb)
		otal BTE	X		4.610		Toluene	(ppb)
		ield Head			604		Ethylbenzene	(ppb)
		трн	-		1250		Total Xylenes	(ppb)
II.							-	
Groundwater Sample			⁄es		X	(If ves.	attach sample	results)
Groundwater Sample	e:	<b>Y</b>	Yes	. No	_X_			
Groundwater Sample I HEREBY CERTIF KNOWLEDGE AND	e:  Y THAT T	<b>Y</b>		. No				
I HEREBY CERTIF KNOWLEDGE AND	e:  Y THAT T	<b>Y</b>	ORMATIO	No ON ABOV	VE IS TRU		IPLETE TO T	
I HEREBY CERTIF KNOWLEDGE AND	Y THAT TO BELIEF	THE INFO	ORMATIO	No  NABOV	VE IS TRU	Jeffrey C	IPLETE TO T	HE BEST OF M

30045/1651							
CLIENT: BP	BLAC P.O. BOX 8		NEERING, OMFIELD.			CATION NO:	
	1.0. Box c	(505) 6	32-1199			C.O.C. NO:	9100
FIELD REPORT	r: PIT CL	OSURE	VERIF!	CATION	1	E No:/	
LOCATION: NAME: GC			PM:NT CN		DATE	STARTED:	
QTR/FOOTAGE: /650 2/					ENVIP SPEC	RONMENTAL CIALIST:	NV
EXCAVATION APPROX.	<u> </u>	FT. x	νΑ FT.	DEEP. CU	BIC YA	RDAGE:	NA
DISPOSAL FACILITY:						CLOSE AS	15
LAND USE: RANGE		LEASE:	WE were	783H2	FORMAT	rion:	OK
FIELD NOTES & REMA	RKS: PIT LO	CATED APP	ROXIMATELY	<u> 288</u> F1	~70	<b>€</b> FR□M	WELLHEAD.
DEPTH TO GROUNDWATER: 20	O' NEAREST WA	TER SOURCE:	<u>&gt; 1000'</u>	_ NEAREST SU	RFACE WA	TER: >/>	00'
NMOCD RANKING SCORE:	NMOCD TPH	CLOSURE STD	5000 PP	1 □∨M CALIB	0547	57 (/	·
SOIL AND EXCAVATION	<u>NO</u>					/00 ppm	RF = 0.52
DESCRIPTION:						n DATE: _7/	30/02
SOIL TYPE: SAND / SILTY SOIL COLOR: MOD.	SAND / SILT /	SILTY CLAY	/ CLAY / GF	RAVEL / OTH	ER		
COHESION (ALL OTHERS): (	ION COHESIVE	SLIGHTLY CI	JHESIVE / C[	HESIVE / HI	GHLY CD	HESIVE	
CONSISTENCY (NON COHESIV	E SOILS) (LOOS	D/FIRM/ TLY PLASTI	DENSE / VER	RY DENSE :/ MEDIUM P	LASTIC /	/ HIGHLY PL	ASTIC
DENSITY CONESTVE CLAYS	& SILTS): SOFT	/ FIRM / S	STIFF / VERY	STIFF / HA	RD	CLOSEL	
MOISTURE: DRY / SLIGHTLY MOISD / WET / SATURATED / SUPER SATURATED , DISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION - MED. GRAY & 8-9' BELOW GRADE							
HC DOOR DETECTED YES NO EXPLANATION - WITHIN OUR SAMPLE ONLY							
SAMPLE TYPE: GRAB / COMPOSITE - # OF PTS							
		FI	ELD 418.1 C	ALCULATIONS	\$ .		
SCALE SAMP. T	IME SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING (	CALC. ppm
O FT							
	(DWDD A)		<u> </u>		PIT PI	ROFILE	
PIT PERIM	IETER N	0	VM		11 []	IVOPILL	
			ULTS	_			
52	•	SAMPLE ID	FIELD HEADSPACE PID (ppm)	_			
		1 <b>e 7</b> 2 <b>e</b>	604	_			
T		3 @ 4 @					
	TH	5 <b>e</b>		¬ ,,	ST A	PPLICABL	Æ.
50 04 ~6							
70	8.P. D.			-			
WELL HEAD							
1 - 1			AMPLES				
P.O. ~3		10, ^	VALYSIS TIME 1 (8015B) 1113				
8.6.		- BTE	X(BDZIB) "				
P.D. = PIT DEPRESSION; B.G.	= BELOW GRADE	BOTH	PASSED)				
T.H. = TEST HOLE; ~ = APF	PROX.; B = BELOW			7/2-1-	- M-20		
TRAVEL NOTES: CALLOU	T: 1130/02-	morn.	ONSITE: _	7/30/02	-,,,,,,,		

revised: 02/27/02

bei1005C.skd



#### EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client: Sample ID: Laboratory Number: Chain of Custody No: Sample Matrix: Preservative:	Blagg / BP 1 @ 9' 23431 9100 Soil Cool	Project #: Date Reported: Date Sampled: Date Received: Date Extracted: Date Analyzed:	94034-010 07-31-02 07-30-02 07-30-02 07-30-02 07-31-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	
Gasoline Range (C5 - C10)	264	0.2	
Diesel Range (C10 - C28)	986	0.1	
Total Petroleum Hydrocarbons	1,250	0.2	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

GCU #211 Blow Pit

Grab Sample.

Analyst C. Orbert

Review



### EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 9'	Date Reported:	07-31-02
Laboratory Number:	23431	Date Sampled:	07-30-02
Chain of Custody:	9100	Date Received:	07-30-02
Sample Matrix:	Soil	Date Analyzed:	07-31-02
Preservative:	Cool	Date Extracted:	07-31-02
Condition:	Cool & Intact	Analysis Requested:	BTEX

		Det.
	Concentration	Limit
Parameter	(ug/Kg)	(ug/Kg)
Benzene	54.1	1.8
Toluene	357	1.7
Ethylbenzene	434	1.5
p,m-Xylene	2,580	2.2
o-Xylene	1,180	1.0
Total BTEX	4,610	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98 %
•	1,4-difluorobenzene	98 %
	Bromochlorobenzene	98 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

GCU #211 Blow Pit Grab Sample.

Revie