

District I

P.O. Box 1980, Hobbs, NM

District II

P.O. Box 1980, Artesia, NM

District III

1000 Rio Bravo Rd., Aztec, NM

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

P.O. BOX 2088

SANTA FE, NEW MEXICO 87504-2088

SUBMIT 1 COPY TO

APPROPRIATE

DISTRICT OFFICE

AND 1 COPY TO

SANTA FE OFFICE

PIT REMEDIATION AND CLOSURE REPORT

30-045-25272

Operator: BP AMERICA PRODUCTION CO. Telephone: (505) 326-9200Address: 300 AMOCO COURT, FARMINGTON, NM 87401Facility or Well Name: BCU #134ELocation: Unit or Qtr/Qtr Sec I Sec 17 T 29N R 12W County San JuanPit Type: Separator ☐ Dehydrator ☒ Other ☐Land Type: BLM ☒ State ☐ Fee ☐ Other ☐Pit Location: (Attach diagram) Pit dimensions: length NA, width NA, depth NAReference: wellhead X, other ☐Footage from reference: 147'Direction from reference: 36 Degrees ☒ East ☐ North ☐ West ☒ South

Depth To Groundwater:

(Vertical distance from
contaminants to seasonal
high water elevation of
groundwater)Less than 50 feet (20 points)
50 feet to 99 feet (10 points)
Greater than 100 feet (0 points) 0

Wellhead Protection Area:

(Less than 200 feet from a private
domestic water source, or; less than
1000 feet from all other water sources)Yes (20 points)
No (0 points) 0

Distance To Surface Water:

(Horizontal distance to perennial
lakes, ponds, rivers, streams, creeks,
irrigation canals and ditches)Less than 100 feet (20 points)
100 feet to 1000 feet (10 points)
Greater than 1000 feet (0 points) 0RANKING SCORE (TOTAL POINTS): 0

Dehy Pit B1020

Date Remediation Started: _____

Date Completed: 7-23-02

Remediation Method: Excavation X

Approx. cubic yards NA

(Check all appropriate sections)

Landfarmed _____

In situ Bioremediation _____

Other CLOSE AS IS.

Remediation Location: Onsite X Offsite _____

(i.e. landfarmed onsite, name and location of offsite facility)

General Description of Remedial Action: Excavation. Test hole advanced. No remediation necessary.

Groundwater Encountered: No X Yes _____ Depth _____

Final Pit Closure Sampling:

(if multiple samples, attach sample results and diagram of sample locations and depths)

Sample location see Attached Documents

Sample depth 11' (Test hole bottom)

Sample date 7-19-02 Sample time 0937

Sample Results



Soil: Benzene	(ppm)	<u>ND</u>	Water: Benzene	(ppb)	_____
Total BTEX	(ppm)	<u>5.890</u>	Toluene	(ppb)	_____
Field Headspace	(ppm)	<u>773</u>	Ethylbenzene	(ppb)	_____
TPH	(ppm)	<u>612</u>	Total Xylenes	(ppb)	_____

Groundwater Sample: Yes _____ No X (If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF

DATE 7-23-02 PRINTED NAME Jeffrey C. Blagg

SIGNATURE Jeffrey C. Blagg AND TITLE President P.E. # 11607

CLIENT: <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>B1020</u> C.O.C. NO: <u>9095</u>																																								
FIELD REPORT: PIT CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>																																								
LOCATION: NAME: <u>GCU</u> WELL #: <u>134E</u> TYPE: <u>DEHY</u> QUAD/UNIT: <u>I</u> SEC: <u>17</u> TWP: <u>29N</u> RNG: <u>12W</u> PM: <u>NM</u> CNTY: <u>SJ</u> ST: <u>NM</u> QTR/FOOTAGE: <u>1570'S/840'E</u> NE/SE CONTRACTOR: <u>L&L (SCOTT)</u>		DATE STARTED: <u>7/19/02</u> DATE FINISHED: _____ ENVIRONMENTAL SPECIALIST: <u>NV</u>																																								
EXCAVATION APPROX. <u>NA</u> FT. x <u>NA</u> FT. x <u>NA</u> FT. DEEP. CUBIC YARDAGE: <u>NA</u> DISPOSAL FACILITY: <u>ON-SITE</u> REMEDIATION METHOD: <u>CLOSE AS IS</u> LAND USE: <u>RANGE - BLM</u> LEASE: <u>NM078391C</u> FORMATION: <u>OK</u>																																										
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>147</u> FT. <u>536E</u> FROM WELLHEAD DEPTH TO GROUNDWATER: <u>>100'</u> NEAREST WATER SOURCE: <u>>1000'</u> NEAREST SURFACE WATER: <u>>1000'</u> NMOCD RANKING SCORE: <u>0</u> NMOCD TPH CLOSURE STD: <u>5000</u> PPM																																										
SOIL AND EXCAVATION DESCRIPTION: SOIL TYPE: <u>SAND</u> / SILTY SAND / SILT / SILTY CLAY / CLAY / <u>GRAVEL</u> / OTHER _____ SOIL COLOR: <u>LT. GRAY TO BLACK</u> COHESION (ALL OTHERS): <u>NON COHESIVE</u> / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): <u>LOOSE</u> / <u>FIRM</u> / DENSE / VERY DENSE PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD MOISTURE: DRY / SLIGHTLY MOIST / <u>MOIST</u> / <u>WET</u> / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED: <u>YES</u> / NO EXPLANATION - <u>ENTIRE TEST HOLE</u> HC ODOR DETECTED: <u>YES</u> / NO EXPLANATION - <u>TEST HOLE & OVM SAMPLE</u> SAMPLE TYPE: <u>GRAB</u> / COMPOSITE - # OF PTS. _____ ADDITIONAL COMMENTS: _____		OVM CALIB. READ: <u>53.6</u> ppm OVM CALIB. GAS = <u>100</u> ppm RF = <u>0.52</u> TIME: <u>6:23</u> am/pm DATE: <u>7/19/02</u>																																								
FIELD 418.1 CALCULATIONS <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMP. TIME</th> <th>SAMPLE I.D.</th> <th>LAB No:</th> <th>WEIGHT (g)</th> <th>mL. FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. ppm</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>			SAMP. TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm																																
SAMP. TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm																																			
SCALE  0 FT	PIT PERIMETER <u>IN</u> 	PIT PROFILE OVM RESULTS <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE PID (ppm)</th> </tr> </thead> <tbody> <tr><td>1 @ 11'</td><td>773</td></tr> <tr><td>2 @</td><td> </td></tr> <tr><td>3 @</td><td> </td></tr> <tr><td>4 @</td><td> </td></tr> <tr><td>5 @</td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table> LAB SAMPLES <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr><td>1 @ 11'</td><td>TAH (8015B)</td><td>0937</td></tr> <tr><td>"</td><td>BTEX (8021B)</td><td>"</td></tr> <tr><td colspan="3" style="text-align: center;"><u>BOTH PASSED</u></td></tr> </tbody> </table> NOT APPLICABLE	SAMPLE ID	FIELD HEADSPACE PID (ppm)	1 @ 11'	773	2 @		3 @		4 @		5 @												SAMPLE ID	ANALYSIS	TIME	1 @ 11'	TAH (8015B)	0937	"	BTEX (8021B)	"	<u>BOTH PASSED</u>								
SAMPLE ID	FIELD HEADSPACE PID (ppm)																																									
1 @ 11'	773																																									
2 @																																										
3 @																																										
4 @																																										
5 @																																										
SAMPLE ID	ANALYSIS	TIME																																								
1 @ 11'	TAH (8015B)	0937																																								
"	BTEX (8021B)	"																																								
<u>BOTH PASSED</u>																																										
P.D. = PIT DEPRESSION; B.G. = BELOW GRADE T.H. = TEST HOLE; ~ = APPROX.; B = BELOW TRAVEL NOTES: CALLOUT: <u>7/18/02 - AFTER.</u> ONSITE: <u>7/19/02 - MORN.</u>																																										

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 11'	Date Reported:	07-23-02
Laboratory Number:	23385	Date Sampled:	07-19-02
Chain of Custody No:	9095	Date Received:	07-19-02
Sample Matrix:	Soil	Date Extracted:	07-22-02
Preservative:	Cool	Date Analyzed:	07-23-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	225	0.2
Diesel Range (C10 - C28)	387	0.1
Total Petroleum Hydrocarbons	612	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: GCU #134E Dehydrator Pit Grab Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 11'	Date Reported:	07-23-02
Laboratory Number:	23385	Date Sampled:	07-19-02
Chain of Custody:	9095	Date Received:	07-19-02
Sample Matrix:	Soil	Date Analyzed:	07-23-02
Preservative:	Cool	Date Extracted:	07-22-02
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	1,092	1.7
Ethylbenzene	780	1.5
p,m-Xylene	2,200	2.2
o-Xylene	1,820	1.0
Total BTEX	5,890	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97 %
	1,4-difluorobenzene	97 %
	Bromochlorobenzene	97 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: GCU #134E Dehydrator Pit Grab Sample.


Analyst


Review