• District 1/1 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 **District IV** 1220 S. St. Francis Dr., Santa Fe, NM 87505

### State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144

March 12, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

## Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes No

Type of action: Registration of a pit o	r below-grade tank 🔲 Closure of a pit or below-grad	le tank 🔯	
Operator: Burlington Resources Oil & Gas Company LP Telepholo Address: 3401 E. 30th Street, Farmington, NM 87402	one: 505-326-9700 e-mail address: <u>jclark@br-inc</u>	2.com	
Facility or well name:Thompson #8MAPI #: _30-045-30952U/L o	or Qtr/Qtr <u>B</u> Sec <u>28 T 31N R 12 V</u>	<u>w</u>	
County: San Juan Latitude 36.8710000 Longitude -10			
Pit	Below-grade tank		
Type: Drilling Production Disposal	Volume:bbl Type of fluid:		
Workover    Emergency	Construction material:		
Lined 🛛 Unlined 🗋	Double-walled, with leak detection? Yes  If not, explain why not.		
Liner type: Synthetic ⊠ Thickness 12 mil Clay □	The state of the s		
Volumebbl			
	Less than 50 feet	(20 points)	
Depth to ground water (vertical distance from bottom of pit to seasonal high	İ		
water elevation of ground water.)	50 feet or more, but less than 100 feet		
	100 feet or more	( 0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic	<u>Yes</u>	(20 points) 20 points	
water source, or less than 1000 feet from all other water sources.)	No	( 0 points)	
water source, or less than 1000 feet from an other water sources.)			
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points) 20 points	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)	
inigation canais, diteres, and percinnal and epitemeral watercourses.	1000 feet or more	( 0 points)	
	Ranking Score (Total Points) 50 points		
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indicat	te disposal location:	
onsite O offsite I If offsite, name of facility	(3) Attach a general description of remedial action	on taken including remediation start date and en	
date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth belo	ow ground surfaceft. and attach sample	e results. (5) Attach soil sample results and a	
diagram of sample locations and excavations.			
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines, a Date:6/2/04	general permit . or an (attached) alternative O	CD-approved plan 🔲.	
Printed Name/Title Joni Clark, Regulatory Specialist	Signature Soui (	lark.	
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the regulations.			
Approval UN - 3 2004	1 7		
Printed Name/Title	Signature Deng	send	



#### TRACE METAL ANALYSIS

Client:	Burlington Resource	Project #:	92115-001
Sample ID:	Thompson 8M	Date Reported:	04-24-04
Laboratory Number:	28452	Date Sampled:	04-18-04
Chain of Custody:	12031	Date Received:	04-21-04
Sample Matrix:	Soil	Date Analyzed:	04-24-04
Preservative:	Cool	Date Digested:	04-23-04
Condition:	Cool & Intact	Analysis Needed:	RCRA Metals

Parameter	Concen (mg/	Kg)	Det. Limit (mg/Kg)	TCLP Regulatory Level (mg/Kg)	
		<b>N</b>			
Arsenic	0.017		0.001	5.0	•
Barium	1.19		0.001	100	
Cadmium	, ND		0.001	1.0	,
Chromium	ູ 0.001		0.001	5.0	
Lead	ND		0.001	5.0	
Mercury	ND		0.001	0.2	
Selenium	0.009		0.001	1.0	
Silver	ND		0.001	5.0	

ND - Parameter not detected at the stated detection limit.

References:

Method 3050B, Acid Digestion of Sediments, Sludges and Soils.

SW-846, USEPA, December 1996.

Method 6010B, Analysis of Metals by Inductively Coupled Plasma Atomic Emmision

Spectroscopy, SW-846, USEPA, December 1996.

Note:

Regulatory Limits based on 40 CFR part 261 subpart C

section 261.24, August 24, 1998.

Comments:

**Drilling Pits.** 

Analyst

Nustine m wall



# EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington Resources	Project #:	92115-001
Sample ID:	Thompson 8M	Date Reported:	04-24-04
Laboratory Number:	28452	Date Sampled:	04-18-04
Chain of Custody:	12031	Date Received:	04-21-04
Sample Matrix:	Soil	Date Analyzed:	04-24-04
Preservative:	Cool	Date Extracted:	04-23-04
Condition:	Cool & Intact	Analysis Requested:	BTEX
•			· ·

Parameter		Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	•	ND	1.8
Toluene		76.0	1.7
Ethylbenzene		18.1	1.5
p,m-Xylene	19 <sub>6</sub> .	28.9	2.2
o-Xylene		11.8	1.0
		Control of the property of the	
Total BTEX		135	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	1	Percent Recovery
	Fluorobenzene		95 %
	1,4-difluorobenzene	,	95 %
	Bromochlorobenzene		95 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

**Drilling Pits.** 

Analyst C. Charles

Mustem Mucles
Review



#### **Total Chloride**

Client:
Sample ID:
Lab ID#:
Sample Matrix:
Preservative:

Condition:

Burlington Resources
Thompson 8M
28452
Soil Extract
Cool
Cool and Intact

Project #:
Date Reported:
Date Sampled:
Date Received:
Date Analyzed:
Chain of Custody:

04-24-04 04-18-04 04-21-04 04-23-04 12031

92115-001

**Parameter** 

Concentration (mg/L)

**Total Chloride** 

110

Reference:

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

**Drilling Pits.** 

Mistine m Walters
Analyst

Review