<u>District I.</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Form C-14 March 12, 200

Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office Via.

	de Tank Registration or Closure	
Is pit or below-grade tank of	covered by a "general plan"? Yes 🛛	No 🗀
Type of action: Registration of a pit or	below-grade tank Closure of a pit or below-grade	e tàink 🗵
Operator: Burlington Resources Oil & Gas Company LP Telepho	me: 505-326-9700 e-mail address islank@hr-mo	Com
Address: 3401 E. 30th Street, Farmington, NM 87402	o man address Jenan address.	<u> </u>
Facility or well name: Allison Unit #130S API #: 30-045-31213 U	// or Otr/Otr O Sec 24 T 32N R 07W	
County: San Juan Latitude 36.95892 Longitude -107.51590 N.		te □ Private ⊠ Indian □
County. <u>Juni valin</u> Latitude <u>Jo. 2002</u> Longitude <u>107.21920</u> 112	The room is the room in the ro	
Pit	Below-grade tank	
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	
Workover ⊠ Emergency □	Construction material:	
Lined ☐ Unlined ⊠	Double-walled, with leak detection? Yes If not, explain why not.	
Liner type: Synthetic ☐ Thickness _mil Clay ☐ Volumebbl		•
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)
water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
water elevation of ground water.)	100 feet or more	(0 points) 0 points
	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	No.	(0 points) 0 points
water source, or less than 1000 feet from all other water sources.)		(Pana, openia
	Less than 200 feet	(20 points)
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points) 0 points
	Ranking Score (Total Points) 0 points	1
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indicat	e disposal location:
onsite 🛛 offsite 🗌 If offsite, name of facility	(3) Attach a general description of remedial action	on taken including remediation start date and
end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth	below ground surfaceft. and attach sar	mple results. (5) Attach soil sample results an
a diagram of sample locations and excavations.		
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines, a Date: 6/2/04	my knowledge and belief. I further certify that the segeneral permit , or an (attached) alternative OC	CD-approved plan 🔲.
Printed Name/Title Joni Clark, Regulatory Specialist	Signature Signature	(lark
Your certification and NMOCD approval of this application/closure does not		<u> </u>
otherwise endanger public health or the environment. Nor does it relieve the regulations.	operator of its responsibility for compliance with any	other federal, state, or local laws and/or
Approval UN - 3 2004		
Printed Name/Title SEPUTY CIL & GAS INSPECTOR, DIST.	Signature Leny to	elf
,		



TRACE METAL ANALYSIS

Client:	Burlington Resource	Project #:	92115-001
Sample ID:	Allison Unit 130S	Date Reported:	04-29-04
Laboratory Number:	28512	Date Sampled:	04-22-04
Chain of Custody:	12048	Date Received:	04-27-04
Sample Matrix:	Soil	Date Analyzed:	04-29-04
Preservative:	Cool	Date Digested:	04-28-04
Condition:	Cool & Intact	Analysis Needed:	RCRA Metals

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	TCLP Regulatory Level (mg/Kg)
Arsenic	0.006	0.001	5.0
Barium	0.137	0.001	100
Cadmium	. N D	0.001	1.0
Chromium	0.004	0.001	5.0
Lead	0.002	0.001	5.0
Mercury	ND	0.001	0.2
Selenium	0.002	0.001	1.0
Silver	ND	0.001	5.0

ND - Parameter not detected at the stated detection limit.

References:

Method 3050B, Acid Digestion of Sediments, Sludges and Soils.

SW-846, USEPA, December 1996.

Method 6010B, Analysis of Metals by Inductively Coupled Plasma Atomic Emmision

Spectroscopy, SW-846, USEPA, December 1996.

Note:

Regulatory Limits based on 40 CFR part 261 subpart C

section 261.24, August 24, 1998.

Comments:

Drilling Pits.

Analyst

Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

		The state of the s	*
Client:	Burlington Resources	Project #:	92115-001
Sample ID:	Allison Unit 130S	Date Reported:	04-29-04
Laboratory Number:	28512	Date Sampled:	04-22-04
Chain of Custody:	12048	Date Received:	04-27-04
Sample Matrix:	Soil	Date Analyzed:	04-29-04
Preservative:	Cool	Date Extracted:	04-28-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter		Concentration (ug/Kg)	Det. Limit (ug/Kg)
	,	* * * * * * * * * * * * * * * * * * *	
	•		
Benzene	•	ND	1.8
Toluene		ND	1.7
Ethylbenzene		ND	1.5
p,m-Xylene	***************************************	ND	2.2
o-Xylene		ND	1.0
,	•		·
Total BTEX		ND	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99 %
	1,4-difluorobenzene	99 %
	Bromochlorobenzene	99 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Drilling Pits.

Analyst

Review Malley



Total Chloride

Burlington Resources Project #: 92115-001 Client: 04-29-04 Allison Unit 130S Date Reported: Sample ID: 28512 Date Sampled: 04-22-04 Lab ID#: Soil Extract Date Received: 04-27-04 Sample Matrix: Cool Date Analyzed: 04-29-04 Preservative: Chain of Custody: 12048 Cool and Intact Condition:

Parameter

Concentration (mg/L)

Total Chloride

56.8

Reference:

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Drilling Pits.

Analyst

Review Museller