District 1 . 1525 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico

Form C-144 March 12, 2004

1220 South St. Francis Dr. Santa Fe, NM 87505 Santa Fe, NM 87505

Energy Minerals and Natural Resources

Oil Conservation Division

For drilling and production facilities, submit to appropriate NMOCD District Office.

1220 South St. Francis Dr.

For downstream facilities, submit to Santa Fe office?

1	Pit or	Below-	-Grade	<u>Tank</u>	Reg	gistrati	on or	· Closi	<u>ire</u>
Is pit of	r belov	v-grade	tank co	vered b	ya"	genera	plan'	'? Yes	\boxtimes No

Type of action: Registration of a pit of	r below-grade tank 🔲 Closure of a pit or below-grad	e tank 🛛				
	The state of the s					
Operator: Burlington Resources Oil & Gas Company LP Telephone: 505-326-9700 e-mail address: jclark@br-inc.com						
Address: 3401 E. 30th Street, Farmington, NM 87402						
Facility or well name: <u>Eagle 777S</u> API #: <u>30-045-31791</u> U/L	or Qtr/Qtr_O_Sec_11_T_32N_R_09 W					
County: <u>San Juan</u> Latitude <u>36.9942367</u> Longitude <u>-107.74570</u>	NAD: 1927 🛛 1983 🗌 Surface Owner Federal 🖸	🛮 State 🔲 Private 🔲 Indian 🔲				
<u>Pit</u>	Below-grade tank					
Type: Drilling Production Disposal	Volume:bbl Type of fluid:					
Workover ☑ Emergency ☐	Construction material:					
Lined 🛛 Unlined 🔲	Double-walled, with leak detection? Yes If not,	, explain why not.				
Liner type: Synthetic Thickness 12mil Clay Volumebbl						
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)				
water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points) 10 points				
,	100 feet or more	(0 points)				
	Yes	(20 points) 20 points				
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)				
water source, or less than 1000 feet from all other water sources.)		(• p)				
	Less than 200 feet	(20 points)				
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points) 10 points				
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)				
		` '				
	Ranking Score (Total Points) 40 points					
Visabia in a sid alagana (1) ottoch a diagram of the facility showing the girls		diam11				
If this is a pit closure: (1) attach a diagram of the facility showing the pit's		·				
onsite Offsite If offsite, name of facility						
date. (4) Groundwater encountered: No 🖾 Yes 🔲 If yes, show depth belo	w ground surfaceft. and attach sample	e results. (5) Attach soil sample results and a				
diagram of sample locations and excavations.						
I hereby certify that the information above is true and complete to the best of	my knowledge and belief. I further certify that the	above-described pit or below-grade tank has				
been/will be constructed or closed according to NMOCD guidelines , a Date: 6/2/04						
Printed Name/Title Joni Clark, Regulatory Specialist	SignatureOvi Cla	rik				
Your certification and NMOCD approval of this application/closure does not	/ 1					
otherwise endanger public health or the environment. Nor does it relieve the regulations.						
Approval: 1141 0 000 4						
Date: JUN - 3 2004		2				
Printed Name/Title SEPUTY OIL & GAS INSPECTOR, DIST.	Signature Signature	cel				
		/				
	\mathcal{O}					



TRACE METAL ANALYSIS

	•		•
Client:	Burlington Resource	Project #:	92115-001
Sample ID:	Eagle 777S	Date Reported:	04-24-04
Laboratory Number:	28447	Date Sampled:	04-18-04
Chain of Custody:	12031	Date Received:	04-21-04
Sample Matrix:	Soil	Date Analyzed:	04-24-04
Preservative:	Cool	Date Digested:	04-23-04
Condition:	Cool & Intact	Analysis Needed:	RCRA Metals
		the state of the s	

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	TCLP Regulatory Level (mg/Kg)	
Arsenic	0.016	0.001	5.0	
Barium	1.89	0.001	100	
Cadmium	ND	0.001	1.0	
Chromium	0.001	0.001	5.0	:
Lead	0.001	0.001	5.0	
Mercury	ND	0.001	0.2	
Selenium	0.006	0.001	1.0	
Silver	ND	0.001	5.0	

ND - Parameter not detected at the stated detection limit.

References:

Method 3050B, Acid Digestion of Sediments, Sludges and Soils.

SW-846, USEPA, December 1996.

Method 6010B, Analysis of Metals by Inductively Coupled Plasma Atomic Emmision

Spectroscopy, SW-846, USEPA, December 1996.

Note:

Regulatory Limits based on 40 CFR part 261 subpart C

section 261.24, August 24, 1998.

Comments:

Drilling Pits.

Analyst

Review Malter



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

	•		No. of the second second
Client:	Burlington Resources	Project #:	92115-001
Sample ID:	Eagle 777S	Date Reported:	04-24-04
Laboratory Number:	28447	Date Sampled:	04-18-04
Chain of Custody:	12031	Date Received:	04-21-04
Sample Matrix:	Soil	Date Analyzed:	04-24-04
Preservative:	Cool	Date Extracted:	04-23-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	1.8	
Toluene	ND	1.7	
Ethylbenzene	28.7	1.5	
p,m-Xylene	38.2	2.2	
o-Xylene	23.5	1.0	
Total BTEX	90.4		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery	
	Fluorobenzene	95 %	
	1,4-difluorobenzene	95 %	
	Bromochiorobenzene	95 %	

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Drilling Pits.

Analyst C. Comments

Mistine m Wallers Review



Total Chloride

Burlington Resources Project #: 92115-001 ' Client: Eagle 777S Date Reported: 04-24-04 Sample ID: 28447 Date Sampled: 04-18-04 Lab ID#: Soil Extract Date Received: 04-21-04 Sample Matrix: Cool Date Analyzed: 04-23-04 Preservative: Cool and Intact Chain of Custody: Condition: 12031

Parameter

Concentration (mg/L)

Total Chloride

40.7

Reference:

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Drilling Pits.

Mistine m Wallers
Analyst

Review