District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 8750500

March 12, 2004 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

office

Pit or Below-Grade Tank Registration of Closure Is pit or below-grade tank covered by a "general plan"? Yes 🗵 No 🗌

Type of action: Registration of a pit o	or below-grade tank [/] Closure of a pit or below-grad	le tank 🔼
	a court	
Operator: Burlington Resources Oil & Gas Company LP Telephon	ne: <u>505-326-9700</u> _e-mail address: <u>jclark@br-inc</u>	.com
Address: 3401 E. 30 th Street, Farmington, NM 87402		
Facility or well name: Lewis Park 101S API #: 30-045-32087		
County: San Juan Latitude 36.8971333. Longitude -107.63112	NAD: 1927 ⊠ 1983 ☐ Surface Owner Federal ⊠	State Private Indian
Pit	Below-grade tank	
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	
Workover 🛛 Emergency 🗖	Construction material:	
Lined Unlined	Double-walled, with leak detection? Yes If not	, explain why not.
Liner type: Synthetic ☑ Thickness 12 mil Clay ☐ Volumebbl		
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)
water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points) 10 points
water elevation of ground water.	100 feet or more	(0 points)
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points) 20 points
water source, or less than 1000 feet from all other water sources.)	No	(0 points)
water source, or less man 1000 feet from all other water sources.		
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points) 10 points
The second control of	1000 feet or more	(0 points)
	Ranking Score (Total Points) 40 points	
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indicat	e disposal location:
onsite offsite from If offsite, name of facility		
date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth belo		
diagram of sample locations and excavations. (6) Pit closure date		e results. (3) Attach son sample results and a
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines , a	my knowledge and belief. I further certify that the a general permit , or an (attached) alternative OC	above-described pit or below-grade tank has CD-approved plan .
Date: <u>6/7/04</u> Printed Name/Title <u>Joni Clark, Regulatory Specialist</u>	Signature Down	
Your certification and NMOCD approval of this application/closure does not		the nit or tank contaminate ground water or
otherwise endanger public health or the environment. Nor does it relieve the regulations.		
Approval: JUN 2 5 200 a		
Approval: 25 2004 Date: SEPUTY OIL & GAS INS*ECTOR, DIST. 65	1	
Printed Name/Title	Signature Deny	ey
	. //	/-
	1/	



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington Resources	Project #:	92115-001
Sample ID:	Lewis Park 101S	Date Reported:	06-01-04
Laboratory Number:	28861	Date Sampled:	05-21-04
Chain of Custody:	12222	Date Received:	05-28-04
Sample Matrix:	Drilling Mud	Date Analyzed:	06-01-04
Preservative:	Cool	Date Extracted:	05-28-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	4.0	1.8
Toluene	ND	1.7
Ethylbenzene	1.7	1.5
p,m-Xylene	47.1	2.2
o-Xylene	7.0	1.0
Total BTEX	59.8	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	95 %
	1,4-difluorobenzene	95 %
	Bromochlorobenzene	95 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Drilling Pits.

Analyst C. Oyler

/ Mistine of Walters
Review



TRACE METAL ANALYSIS

Client:	Burlington Resources	Project #:	92115-001
Sample ID:	Lewis Park 101S	Date Reported:	06-01-04
Laboratory Number:	28861	Date Sampled:	05-21-04
Chain of Custody:	12222	Date Received:	05-28-04
Sample Matrix:	Drilling Mud	Date Analyzed:	06-01-04
Preservative:	Cool	Date Digested:	05-28-04
Condition:	Cool & Intact	Analysis Needed:	RCRA Metals

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	TCLP Regulatory Level (mg/Kg)
Arsenic	0.019	0.004	5 0
Barium	1.22	0.001 0.001	5.0
			100
Cadmium	ND	0.001	1.0
Chromium	0.003	0.001	5.0
Lead	0.005	0.001	5.0
Mercury	ND	0.001	0.2
Selenium	0.007	0.001	1.0
Silver	ND	0.001	5.0

ND - Parameter not detected at the stated detection limit.

References:

Method 3050B, Acid Digestion of Sediments, Sludges and Soils.

5796 U.S. Highway 64 • Farmington, NM 87401 • Tel 505 • 632 • 0615 • Fax 505 • 632 • 1865

SW-846, USEPA, December 1996.

Method 6010B, Analysis of Metals by Inductively Coupled Plasma Atomic Emmision

Spectroscopy, SW-846, USEPA, December 1996.

Note:

Regulatory Limits based on 40 CFR part 261 subpart C

section 261.24, August 24, 1998.

Comments:

Drilling Pits.

Analyet



Total Chloride

Client:	Burlington Resources	Project #:	92115-001
Sample ID:	Lewis Park 101S	Date Reported:	05-28-04
Lab ID#:	28861	Date Sampled:	05-21-04
Sample Matrix:	Drilling Mud	Date Received:	05-28-04
Preservative:	Cool	Date Analyzed:	05-28-04
Condition:	Cool and Intact	Chain of Custody:	12222

Parameter	Concentration (mg/Kg)

Total Chloride 315

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Drilling Pits.

Mistane m Wasters