

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: November 30, 2000

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Dry <input type="checkbox"/> Other			5. Lease Serial No. NMSF078201		
b. Type of Completion <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Work Over <input type="checkbox"/> Deepen <input type="checkbox"/> Plug Back <input type="checkbox"/> Diff. Resvr. Other _____			6. If Indian, Allottee or Tribe Name		
2. Name of Operator BP AMERICA PRODUCTION CO			7. Unit or CA Agreement Name and No. NMNM73130		
3. Address 200 ENERGY CT FARMINGTON, NM 87402			8. Lease Name and Well No. FLORANCE 22B		
3a. Phone No. (include area code) Ph: 281.366.4491			9. API Well No. 30-045-32130-00-S1		
4. Location of Well (Report location clearly and in accordance with Federal requirements)* Sec 12 T29N R9W Mer NMP At surface NWNE Lot B 590FNL 1570FEL 36.44700 N Lat, 107.43600 W Lon At top prod interval reported below At total depth			10. Field and Pool, or Exploratory BLANCO MESAVERDE		
14. Date Spudded 05/28/2004			15. Date T.D. Reached 06/03/2004		
16. Date Completed <input type="checkbox"/> D & A <input checked="" type="checkbox"/> Ready to Prod. 07/26/2004			17. Elevations (DF, KB, RT, GL)* 6368 GL		
18. Total Depth: MD 5655 TVD			19. Plug Back T.D.: MD 5583 TVD		
20. Depth Bridge Plug Set: MD TVD			21. Type Electric & Other Mechanical Logs Run (Submit copy of each) CBL		
22. Was well cored? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (Submit analysis) Was DST run? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (Submit analysis) Directional Survey? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (Submit analysis)					

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
12.250	8.875 J-55	20.0	0	136		90		0	
7.875	5.500 J-55	16.0	0	2764		385		0	
4.750	2.875 J-55	7.0	0	5652		139		1800	

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) MESAVERDE	5206	5314	5206 TO 5314	0.200	30	
B)						
C)						
D)						

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
5206 TO 5314	81,607# OF 16/30 BRADY SAND, 70% QUALITY FOAM & N2

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
07/18/2004	07/20/2004	12	→	1.0	543.0	1.0			FLows FROM WELL
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
3/4	SI	75.0	→	2	1086	2		PGW	

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
	SI		→						

(See Instructions and spaces for additional data on reverse side)

ELECTRONIC SUBMISSION #34774 VERIFIED BY THE BLM WELL INFORMATION SYSTEM

** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED **

NMOCD

ACCEPTED FOR RECORD

AUG 19 2004

FARMINGTON FIELD OFFICE
BY

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL •	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

29. Disposition of Gas(Sold, used for fuel, vented, etc.)

FLARED

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth
SAN JOSE	0	544		LEWIS SHALE	3208
NACIMIENTO	544	1899		CLIFF HOUSE	4514
OJO ALAMO	1899	2976		MENEFEE	4716
				POINT LOOKOUT	5185
				MANCOS	5489

32. Additional remarks (include plugging procedure):

Please see attached for well completion subsequent report.

33. Circle enclosed attachments:

- | | | | |
|---|--------------------|---------------|-----------------------|
| 1. Electrical/Mechanical Logs (1 full set req'd.) | 2. Geologic Report | 3. DST Report | 4. Directional Survey |
| 5. Sundry Notice for plugging and cement verification | 6. Core Analysis | 7 Other: | |

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions):

**Electronic Submission #34774 Verified by the BLM Well Information System.
For BP AMERICA PRODUCTION CO, sent to the Farmington
Committed to AFMSS for processing by ADRIENNE BRUMLEY on 08/19/2004 (04AXB3219SE)**

Name (please print) MARY CORLEYTitle AUTHORIZED REPRESENTATIVE

Signature _____ (Electronic Submission)

Date 08/18/2004

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** REVISED ** REVISED ** REVISED ** REVISED ** REVISED ** REVISED ** REVISED ****

FLORANCE 22B
COMPLETION SUBSEQUENT REPORT
08/05/2004

06/16/2004 RU & run CBL. TOC @ 1800'. NU Frac head & Frac valve – test CSG to 5000#. Test OK.

RU & perf Point Lookout/Menefee, w/2 JSPF, .200 inch diameter: 15 Shots / 30 Holes: 5313, 5308, 5293, 5284, 5274, 5264, 5253, 5248, 5243, 5236, 5226, 5222, 5218, 5212, 5206

RU & Frac w/81,607# of 16/30 Brady Sand, 70% Quality Foam & N2.

Open well to pit on ¼" choke & flowed back for 8 hrs. Upsized to ½" choke & flowed back for 8 hrs. Upsized to ¾" choke & flowed back for 8 hrs.

TIH W/Coil TBG & C/O to PBTD @ 5583'. RU & flow back thru ¾" choke for 3 hrs. SI well.

RU & flow test well thru ¾" choke for 12 hrs. 543 MCF gas, trace oil, trace water. FCP 75#.

TIH & tag 0 fill. TOH.

07/27/2004 ND BOP. NUWH. RD & MOSU. Rig Release @ 13:30 hrs.