District I 1625 N. French Dr., Hobbs, NM 88240 811 South First, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM

87505

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Qutstale Submit 1 copy to

appropriate District Office and 1 copy to the Santa Fe Office

(Revised 3/9/94)

PIT REMEDIATION AND CLOSURE REPORT 30-039

Operator: Burlington Resources Telephone: 505-326-9841 Address: 3401 East 30th St., Farmington, NM 87402 Facility Or: SAN JUAN 27-5 UNIT Well No: 23A Pit No: 1 Well Name Location: Unit or Qtr/Qtr Sec D Sec 02 T 027N R 005W County Rio Pit Type: vent (Separator, Dehydrator, Tank, Vent, Other) Land Type: <u>STATE</u> (BLM, State, Fee, Other) Pit Location: Pit Dimension length 20 width 15 depth 3 Reference: wellhead Other Footage from reference: 60 Direction from reference (azimuth): 150 degrees Depth To Ground Water: (Vertical distance from contaminants to seasonal Less than 50 feet (20 points) 50 feet to 99 feet high water elevation of (10 points) ground water.) Greater than 100 feet (0 points) 0Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than Yes 1000 feet from all other water (20 points) (0 points) 0 sources.) Distance to Surface Water: (Horizontal distance to perennial Less than 200 feet (20 points) 200 feet to 1000 feet lakes, ponds, rivers, streams, creeks, (10 points) irrigation canals and ditches.) Greater than 1000 feet (0 points) 0 RANKING SCORE (TOTAL POINTS): 0 27-5 23A

Date Remediation Started	: <u>4/3/2002</u> Date completed:			
(Check all appropriate	Excavation Approx. cubic yards:			
	Landfarmed Insitu Bioremediation			
,	Other			
Remediation Location: (i.e. landfarmed onsite, name and location of offsite facility)	Onsite Offsite			
is detailed below. The	emedial Action: The lab data from the initial assessment of the pit pit is NOT located inside the OCD defined Vulnerable Area. Based X ANALYSIS, it is proposed to close the pit by backfilling with			
Ground Water Encountered	ed: No (yes or no) Depth:			
Final Pit: Closure Sampling: (if multiple samples, attach sample results and diagram of sample locations and depths)	Sample location <u>center of pit</u> Sample depth <u>3</u> Sample Date <u>4/3/2002</u> Sample time <u>12:45:00 PM</u>			
	Sample Results:			
	Benzene(ppm) <5			
	Total BTEX(ppm) 60			
Field Headspace(ppm) 1460				
	TPH <u>108</u>			
Ground Water Sample: N	(If yes, attach sample results)			
I hereby certify that the in belief. Date: 3/31/03	formation above is true and complete to the best of my knowledge and Signature			
Title: Environmental Sp	,			

RISK ANALYSIS FOR EARTHEN PIT CLOSURE

Burlington Resources requests closure of the earthen pit at this location using a limited risk analysis based upon the following conditions:

- 1. The pit is <u>not</u> located inside the NMOCD defined Vulnerable Areas.
- 2. Groundwater is estimated to be at a depth greater than 100 feet.
- 3. The pit is <u>not</u> located within the Wellhead Protection Area within 200 feet of a private domestic water source or within 1000 feet of all other water sources.
- 4. The pit is located greater than 1000 feet to surface water.
- 5. The soils from below the pit bottom were analyzed and the only parameter above NMOCD closure guidelines was total BTEX, which exceeded 50 ppm. The benzene and Total Petroleum Hydrocarbons (TPH) levels were within the NMOCD closure guidelines.

Burlington Resources believes that the earthen pit poses minimal threat to groundwater, human health and the environment.

Client:

Burlington Resources

Project:

Pit Closure

Sample ID:

SJ 27-5 UNIT 23A 5441601

Lab ID:

0302W01413

Matrix:

Soil

Condition:

Cool/Intact

Date Reported: 05/20/02

Date Sampled: 04/03/02

Date Sampled: 04/03/0

Date Received: 04/04/02

Date Extracted: 04/11/02

Date Analyzed: 04/17/02

	Analytical	PQL	Units
Parameter	Result		
BTEX - METHOD 8021B			
Benzene	<5	5	mg/Kg
Toluene	9	5	mg/Kg
Ethylbenzene	5	5	mg/Kg
Kylenes (total)	48	15	mg/Kg
Total BTEX	60	30	mg/Kg
GRO/DRO - METHOD 8015M			
Gasoline Range Organics(C6-C10)	<50	50	mg/Kg
Diesel Range Organics (C10 - C22)	108	50	mg/Kg
Total Petroleum Hydrocarbons (C6-C22)	108	100	mg/Kg

Reference: Method 8021b, Volatile Organic Compounds, Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, United States Environmental

Protection Agency, SW-846, Volume IB.

Reviewed By:

Analyst: