District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 South First, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM

State of New Mexico Energy Minerals and Natural Resources

appropriate District Office and 1 copy to PH the Santa Fe Office

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

(Revised 3/9/94)

Submit 1 copy to

30 -645-20533 PIT REMEDIATION AND CLOSURE REPORT

Operator: Burlington Resources

Telephone: 505-326-984

Address: 3401 East 30th St., Farmington, NM 87402

Facility Or: GRENIER

Well No: 21

Pit No: 1

Well Name

87505

Location: Unit or Qtr/Qtr Sec K

Sec 13 T 031N R 012W

County San Jua

Pit Type: <u>separator</u>

(Separator, Dehydrator, Tank, Vent, Other)

Land Type: FEE

(BLM, State, Fee, Other)

Pit Location:

Pit Dimension length 20

width 20

depth 3

Reference: wellhead

Other

Footage from reference: 45

Direction from reference (azimuth): 180 degrees

Depth To Ground Water:

(Vertical distance from

contaminants to seasonal

Less than 50 feet

(20 points)

high water elevation of

50 feet to 99 feet

(10 points)

ground water.)

Greater than 100 feet

(0 points) 0

Wellhead Protection Area:

(Less than 200 feet from a private domestic water source, or; less than

1000 feet from all other water

(20 points)

sources.)

No (0 points) 0

Distance to Surface Water:

(Horizontal distance to perennial lakes, ponds, rivers, streams, creeks,

irrigation canals and ditches.)

Less than 200 feet 200 feet to 1000 feet (20 points) (10 points)

Greater than 1000 feet

(0 points) 0

RANKING SCORE (TOTAL POINTS): 0

Date Remediation Started	1: <u>3/22/2002</u> Date completed:			
Remediation Method:	Excavation Approx. cubic yards:			
(Check all appropriate sections.)	Landfarmed Insitu Bioremediation			
ĺ	Other			
Remediation Location: (i.e. landfarmed onsite, name and location of offsite facility)	Onsite Offsite			
is detailed below. The upon the attached RIS	temedial Action: The lab data from the initial assessment of the pit pit is NOT located inside the OCD defined Vulnerable Area. Based K ANALYSIS, it is proposed to close the pit by backfilling with tank in the depression.			
Ground Water Encountered: No (yes or no) Depth:				
Final Pit: Closure Sampling: (if multiple samples, attach sample results and diagram of sample locations and depths)	Sample location <u>center of pit</u> Sample depth <u>3</u> Sample Date <u>3/22/2002</u> Sample time <u>1:42:00 PM</u>			
,	Sample Results:			
	Benzene(ppm) 20			
	Total BTEX(ppm) 370			
	Field Headspace(ppm) 396			
	TPH <u>5945</u>			
Ground Water Sample: 1	No (If yes, attach sample results)			
I hereby certify that the i belief. Date: 4/7/03	nformation above is true and complete to the best of my knowledge and Signature 274-sek			
Title: Environmental S				

RISK ANALYSIS FOR EARTHEN PIT CLOSURE

Burlington Resources requests closure of the earthen pit at this location using a limited risk analysis based upon the following conditions:

- 1. The pit is not located inside the NMOCD defined Vulnerable Areas.
- 2. Groundwater is estimated to be at a depth greater than 100 feet.
- 3. The pit is <u>not</u> located within the Wellhead Protection Area within 200 feet of a private domestic water source or within 1000 feet of all other water sources.
- 4. The pit is located greater than 1000 feet to surface water.
- 5. The soils from below the pit bottom were analyzed to provide a record of the benzene, Total BTEX, and Total Petroleum Hydrocarbons (TPH) levels. Total Petroleum Hydrocarbons (TPH) levels were less than 10,000 ppm.

Burlington Resources believes that the earthen pit poses minimal threat to groundwater, human health and the environment.

Client:

Burlington Resources

Project:

Pit Closure

Sample ID:

GRENIER 21 SEP PIT 2564301-1

Lab ID:

0302W01157

Matrix:

Soil

Condition:

Cool/Intact

Date Reported: 04/15/02

Date Sampled: 03/22/02

Date Received: 03/25/02

Date Extracted: N/A

Date Analyzed: 04/04/02

Parameter	Analytical Result	PQL	Units
BTEX - METHOD 8021B			
Benzene	20	5	mg/Kg
Toluene	138	5	mg/Kg
Ethylbenzene	29	5	mg/Kg
Xylenes (total)	179	15	mg/Kg
Total BTEX	370	30	mg/Kg
GRO/DRO - METHOD 8015M			
Gasoline Range Organics(C6-C10)	5,570	50	mg/Kg
Diesel Range Organics (C10 - C22)	375	50	mg/Kg
Total Petroleum Hydrocarbons (C6-C22)	5,945	100	mg/Kg

Reference: Method 8021b, Volatile Organic Compounds, Test Methods for Evaluating

Solid Waste, Physical/Chemical Methods, United States Environmental

Protection Ageney, \$W-846, Volume IB.

Reviewed By:

Analyst: