District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 South First, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM

87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division

1220 South St. Francis Dr.

Santa Fe, NM 87505

BTEX THE

Submit 1 copy to appropriate District Office and 1 copy to the Santa Fe Office

(Revised 3/9/94)

PIT REMEDIATION AND CLOSURE REPORT

Operator: Burlington Resources Telephone: 505-326-9841 Address: 3401 East 30th St., Farmington, NM 87402 Facility Or: HARE Pit No: 2 Well No: <u>19E</u> Well Name Location: Unit or Qtr/Qtr Sec C Sec 23 R 010W T 029N Pit Type: tank (Separator, Dehydrator, Tank, Vent, Other) Land Type: BLM (BLM, State, Fee, Other) Pit Location: Pit Dimension length 13 width 12 depth 3 Reference: wellhead Other Footage from reference: 100 Direction from reference (azimuth): 185 degrees Depth To Ground Water: (Vertical distance from contaminants to seasonal Less than 50 feet (20 points) 50 feet to 99 feet high water elevation of (10 points) ground water.) Greater than 100 feet (0 points) 0 Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than Yes (20 points) 1000 feet from all other water No (0 points) 0 sources.) Distance to Surface Water: (Horizontal distance to perennial Less than 200 feet (20 points) 200 feet to 1000 feet lakes, ponds, rivers, streams, creeks, (10 points) Greater than 1000 feet irrigation canals and ditches.) (0 points) 0

RANKING SCORE (TOTAL POINTS): 0

belief.

4/7/03 Date:___

Signature _

Title: Environmental Specialist

Printed Name: Ed Hasely

RISK ANALYSIS FOR EARTHEN PIT CLOSURE

Burlington Resources requests closure of the earthen pit at this location using a limited risk analysis based upon the following conditions:

- 1. The pit is <u>not</u> located inside the NMOCD defined Vulnerable Areas.
- 2. Groundwater is estimated to be at a depth greater than 100 feet.
- 3. The pit is <u>not</u> located within the Wellhead Protection Area within 200 feet of a private domestic water source or within 1000 feet of all other water sources.
- 4. The pit is located greater than 1000 feet to surface water.
- 5. The soils from below the pit bottom were analyzed to provide a record of the benzene, Total BTEX, and Total Petroleum Hydrocarbons (TPH) levels. Total Petroleum Hydrocarbons (TPH) levels were less than 10,000 ppm.

Burlington Resources believes that the earthen pit poses minimal threat to groundwater, human health and the environment.

Client:

Burlington Resources

Project: Sample ID: Hare 19E

Lab ID:

2724701-**1** 0302W00642

Matrix:

Soil

Condition:

Cool/Intact

Date Reported: 03/22/02

Date Sampled: 03/04/02

Date Received: 03/05/02

Date Extracted: N/A

Parameter	Analytical Result	PQL	Units
BTEX - Method 8021B			
Benzene	17	5	mg/Kg
Toluene	134	5	mg/Kg
Ethylbenzene	39	5	mg/Kg
(ylenes (total)	462	15	mg/Kg
Total BTEX	653	30	mg/Kg
GRO/DRO - Method 8015M			5 5
Gasoline Range Organics(C6-C10)	3,644	50	mg/Kg
Diesel Range Organics (C10 - C22)	3,813	50	mg/Kg
otal Petroleum Hydrocarbons (C6-C22)	7,457	100	mg/Kg

Reference: Method 8021b, Volatile Organic Compounds, Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, United States Environmental

Protection Agency, SW-846, Volume IB.

Reviewed By:

William Lipps

Analyst: