Submit 3 Copies to Appropriate District Office

District I

State of New Mexico Energy, Minerals and Natural Resources

1625 N. French Dr., Hobbs, NM 87240

81	1 Soum	ırsı,
Di	strict III	

District II 811 South First, Artesia, NM 87210 OIL CONSERVATION DIVISION OF CONSERVATION OF CONSERVATION DIVISION OF CONSERVATION OF CONSERVATIO	ON		
District III 2040 South Pacheco	-		
1000 RIO Brazos Rd., Aztec, NM 8/410			
2040 South Pacheco, Santa Fe, NM 87505 Santa Fe, NM 87505			
ОСТ 2000	WELL API NO.		
TO PROPERTY OF THE PROPERTY OF	30-045-30358		
	5. Indicate Type of Lease STATE X FEE		
	6. State Oil & Gas Lease No. E-3150		
SUNDRY NOTICES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name		
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A			
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH			
PROPOSALS.)	WF State 36		
1. Type of Well:			
Oil Well X Gas Well Other			
2. Name of Operator	8. Well No.		
Richardson Operating Company #019219	#3 9. Pool name or Wildcat		
3. Address of Operator 1700 Lincoln Street, Suite 1700, Denver, CO 80203	9. Fool name of windcat Basin Fruitland Coal		
4. Well Location			
Unit Letter N: 1385 feet from the South line and 1805 feet from the West line			
Section 36 Township 30 Range 15W	NMPM San Juan County		
10. Elevation (Show whether DR, RKB, RT, GF	R, etc.)		
5275' GR 11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data			
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:			
PERFORM REMEDIAL PLUG AND ABANDON REMEDIAL WO			
TEMPORARILY CHANGE PLANS X COMMENCE DI			
ABANDON PULL OR ALTER MULTIPLE X CASING TEST.	ABANDONMENT		
CASING COMPLETION CEMENT JOB	AND		
OTHER:			
12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or			
recompilation. 9/15/00 Spud 8 3/4" surface hole. Drill to 135'. Ran 3 its 7" 20# su	rface casing to 130' Pump 10 bbls water to		
9/15/00 Spud 8 3/4" surface hole. Drill to 135'. Ran 3 jts 7" 20# surface casing to 130'. Pump 10 bbls water to establish circulation. Cemented with 50 sx of Class "B". Displaced with 4 bbls fresh water.			
9/16/00 Well TD at 800'. Ran 19 jts 4 1/2" 10# casing to 793,72'. Pr	ecede cement with 10 bbls water		
Cemented with 50 sx (103 cuft) Class "B". Tail with 30 sx (
cement with 12.5 bbls water. Plug down at 2:30 p.m. Circul	-		
Test BOP to 2000 psi.	are to both definent to builded.		
7 A			
Ketalt Sulface life Cenert TRP			
I hereby certify that the information above is true and complete to the best of my			
SIGNATURE Colley TITLE Land Manager DATE 10/5/00			
Type or print name Cathleen Colby	Telephone No. 303-830-8000		
(This space for State use)			
CRIGINAL SIONED BY CHARLE T. PERFEN	INSPECTOR, DIST. (79 OCT 1 0 2000		
Conditions of approval, if any:	DATE		