

FORM 3160-5  
(June 1990)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

RECEIVED

2003 APR -3 PM 2:25

070 Farmington, NM

FORM APPROVED

Budget Bureau No. 1004-0135

Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reenter a different reservoir.

Use "APPLICATION FOR PERMIT -" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Gas  
☐ Well ☒ Well ☐ Other

2. Name of Operator

Calpine Natural Gas Company, L.P.

3. Address and Telephone No.

1200 17th St., Suite 770, Denver, CO 80202

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1880' FSL & 850' FEL Sec. 22-30N-14W

5. Lease Designation and Serial No.

NM 20214

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Roosevelt #3

9. API Well No.

30-045-31223

10. Field and Pool, or Exploratory Area

Basin Fruit Coal Gas & Harper Hill FS/PC

11. County or Parish, State

San Juan County, New Mexico

12. CHECK APPROPRIATE BOX(es) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☒ Notice of Intent  
☐ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION

☐ Abandonment  
☒ Recompletion  
☐ Plugging Back  
☐ Casing Repair  
☐ Altering Casing  
☐ Other  
☐ Change of Plans  
☐ New Construction  
☐ Non-Routine Fracturing  
☐ Water Shut-Off  
☐ Conversion to Injection  
☐ Dispose Water

(Note: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Attached please find notice given to New Mexico OCD for proposed surface commingling and off lease measurement.

14. I hereby certify that the foregoing is true and correct

Signed Jim Lovato

Title OPERATIONS MANAGER

Date 03/31/03

(This space for Federal or State office use)

Approved by Jim Lovato

Title

Date APR 23 2003

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*See Instructions on Reverse Side

NMOCD



**CALPINE**

CALPINE NATURAL GAS L.P.

TABOR CENTER

1200 17TH STREET, SUITE 770

DENVER, COLORADO 80202

720.359.9144

720.359.9140 (FAX)

March 31, 2003

State of New Mexico  
Energy Minerals and Natural Resources  
Oil Conservation Division  
1220 South St. Francis Drive  
Santa Fe, New Mexico

Re: Surface Commingling Rule 19.15.5.303

Dear Sir or Madam:

Calpine Natural Gas Company, L.P. wishes to apply for an exception to Rule 303A to permit commingling in common facilities of commonly owned production from two or more common sources of supply.

Calpine Natural Gas Company, L.P. currently operates 2 wells in Section 23-30N-14W and one well in Section 22-30N-14W. The two wells in Section 23 are the Morton #3 and Morton #4. The well in Section 22 is the Roosevelt #3. All three wells are newly drilled wells which are scheduled to be completed in the near future.

The Morton #3 (API No. 30-045-31215) is located in NW/4 Section 23-30N-14W, San Juan County, New Mexico. The well will be completed in the Basin Fruitland Coal (Pool No.71629) and the Harper Hill FS/PC (Pool No.78160). El Paso will install a CPD meter at or near this location. Calpine will install an allocation meter for this well. Calpine will install a low-pressure gas pipeline to gather gas from the three wells. Calpine will install a compressor at this location to compress gas from the three wells to be delivered into El Paso.

The Morton #4 (API No. 30-045-31214) is located in SW/4 Section 23-30N-14W, San Juan County, New Mexico. The well will be completed in the Basin Fruitland Coal (Pool No.71629) and the Harper Hill FS/PC (Pool No.78160). Calpine will install a low-pressure natural gas pipeline to the Morton #3 and connect to the compressor at the Morton #3. Calpine will install an allocation meter for this well.

The Roosevelt #3 (API No. 30-045-31223) is located in SE/4 Section 22-30N-14W, San Juan County, New Mexico. The well will be completed in the Basin Fruitland Coal (Pool No.71629) and the Harper Hill FS/PC (Pool No.78160). Calpine will install a low-pressure natural gas pipeline to the Morton #3 and connect to the compressor at the Morton #3. Calpine will install an allocation meter for this well.


Calpine Natural Gas Company, L.P. proposes the following:

- 1.) El Paso Natural Gas will install a new central delivery point meter at or near the Morton #3. This will serve as the sales meter for the Morton #3 and the Morton #4 and Roosevelt #3..
- 2.) Calpine will install a low-pressure gas pipeline to connect the Morton #4 and the Roosevelt #3 to the new compressor at the Morton #3 location.
- 3.) Utilize the compression facility at the Morton #3 location to compress and surface commingle the gas from the Morton #3 and Morton #4 and Roosevelt #3.
- 4.) Install an allocation meter at the Morton #3.
- 5.) Install an allocation meter at the Morton #4.
- 6.) Install an allocation meter at the Roosevelt #3.
- 7.) The compressor fuel use will be determined by the compressor rating and allocated based on the individual well production.
- 8.) The allocated sales for each well will be based on the gas sales from the central delivery point adjusted for BTU content and allocated back based on each well's allocation meter volume adjusted for BTU content.

Attached please find a diagram of the surface commingling proposal.

Calpine Natural Gas Company, L.P. is requesting administrative approval to grant an exception to Rule 303A. Please feel free to call me if you have any questions.


Sincerely,

A handwritten signature in black ink, appearing to read "Hugo Cartaya". The signature is fluid and cursive, with the first name "Hugo" and last name "Cartaya" clearly distinguishable.

Hugo Cartaya  
Rocky Mountains Production Manager

**E/2 Section 22-30N-14W**  
**San Juan County, New Mexico**  
(not to scale)

**W/2 Section 23-30N-14W**





CALPINE

CALPINE NATURAL GAS L.P.  
TABOR CENTER  
1200 17TH STREET, SUITE 770  
DENVER, COLORADO 80202  
720.359.9144  
720.359.9140 (FAX)

March 31, 2003

Re: Application for Surface Commingling for San Juan County, New Mexico wells.

Subject: Morton #3 – NW/4 Section 23-30N-14W  
Morton #4 – SW/4 Section 23-30N-14W  
Roosevelt #3 – SE/4 Section 22-30N-14W

Dear Interest Owner:

Calpine Natural Gas Company, L.P. has applied for surface commingling with the State of New Mexico Oil Conservation Division for the subject wells. Attached please find a copy of the application submitted.

As a result of the proposed commingling, Calpine Natural Gas Company, L.P. anticipates the following:

- 1.) A reduction in operating expenses as a result of utilizing more efficient compressors which will reduce the per well rental fees as the cost is allocated over several wells.
- 2.) A reduction in the gas use to operate the compressor as gas use will be allocated over more wells.
- 3.) More efficient operations as compressors can be optimized for specific needs.

According to New Mexico Oil Conservation Division regulations, you have 20 days to file a protest with the New Mexico Oil Conservation Division at 1220 South St. Francis Drive, Santa Fe, New Mexico, 87505.

Please feel free to call me if you have any questions.

Sincerely,

Hugo Cartaya  
Rocky Mountains Production Manager



**CALPINE**

CALPINE NATURAL GAS L.P.  
TABOR CENTER  
1200 17TH STREET, SUITE 770  
DENVER, COLORADO 80202  
720.359.9144  
720.359.9140 (FAX)

March 31, 2003

State of New Mexico  
Energy Minerals and Natural Resources  
Oil Conservation Division  
1220 South St. Francis Drive  
Santa Fe, New Mexico

Re: Surface Commingling Rule 19.15.5.303

Dear Sir or Madam:

This letter is to notify you that Calpine Natural Gas Company, L.P. has sent letters via certified mail notifying all of the working interest owners, royalty owners and overriding royalty interest owners of Calpine's proposed surface commingling proposal for the application for the Morton #3 and Morton #4 and Roosevelt #3. Attached please find copies of the letters and packages sent to the interested partners.

Sincerely,

Hugo Cartaya  
Director - Rocky Mountain Production



CALPINE

CALPINE NATURAL GAS L.P.  
TABOR CENTER  
1200 17TH STREET, SUITE 770  
DENVER, COLORADO 80202  
720.359.9144  
720.359.9140 (FAX)

RECEIVED  
2003 APR 21 AM 9:10  
070 Farmington, NM

April 18, 2003

Bureau of Land Management  
1235 La Plata Hwy  
Suite A  
Farmington, New Mexico 87401

Re: Additional Information for Surface Commingling and Off Lease Measurement  
Roosevelt #3 (API No. 30-045-31223)  
Morton #3 (API No. 30-045-31215)  
Morton #4 (API No. 30-045-31214)

MINERAL RESOURCES	
AFM	<i>DM</i>
NATV AM MIN COORD	
SOLID MIN TEAM	
PETRO TEAM	2
OFF LEASE MEASUREMENT	
ALL TEAM LEADERS	
LAND RESOURCES	
ENVIRONMENT	
FILES	

Dear Mr. Lovato

In response to your request for additional information, Calpine Natural Gas Company, L.P. wishes provide the following:

**EQUIPMENT ON FACILITIES**

Each of the referenced wells have been equipped as follows:

Equipment	Description	Gas Utilization (MCFPD)	Source of Gas Used
Separator	24" x 10' Horizontal 500#	0	No burners necessary, therefore no gas used.
Pumping Unit	114 Powered by C- 46 Arrow Engine	4	Manufacturer's Rating
Barton Meter	Chart meter recorder	0	

In addition, there will be a compressor located at the Morton #3 which will compress the gas from the three wells and delivered into El Paso at a CPD meter. We anticipate that the compressor will be approximately 300 horsepower (HP) to discharge at 325# and deliver approximately 600 MCFPD. Based on 300 HP with a 10% reduction for altitude the useable HP would be 270. Assuming fuel usage of 10 cf/hr multiplied by the useable HP, the anticipated fuel usage would be 64.8 MCFPD. Once the wells are completed and more accurate production volumes are known, a compressor will be selected for the CPD location. We will use the actual manufacturer's rating for fuel usage for the specific engine at that time.

**NATURAL GAS PIPELINE**

A mechanical integrity test will be performed on the pipeline prior to utilization. The pipeline will be tested using Nitrogen to 250# and held for a period of 4 hours. Upon completion of the test, we will provide documentation.

### **ESTIMATED MONTHLY GAS PRODUCTION AND GAS ANALYSIS**

The Morton #1 is the nearest well in the NE/4 Section 22-30N-14W. It is completed and produces from the PC and the Fruitland coals commingled. The well has produced an average of 141 MCFPD in 14 days in April. Attached is the monthly gauge sheet. We anticipate that production will increase to approximately 200 MCFPD as the well is dewatered. We anticipate that all three wells will produce similar to the Morton #1.

Attached is gas analysis taken by El Paso on 1/27/03 on the Morton #1. The dry BTU was calculated to be 1009. We anticipate that all three wells will have a similar BTU analysis for each well.

### **ALLOCATION FORMULA**

We will be installing meter recorders at each well and a gas analysis will be taken on each well when production begins. Gas samples will be subsequently taken according to BLM's On Shore Order No. 5.

The individual well production, allocated individual well BTU's and the allocated individual well gas revenues will be allocated according to the allocation formula attached.

Please feel free to call if you have any questions.

Sincerely,

A handwritten signature in black ink, appearing to read "Hugo Cartaya", with a stylized flourish at the end.

Hugo Cartaya  
Director – Rocky Mountains Operations



## Proposed Allocation Formula

### **Base Data:**

W= Volume (MCF) from Well Allocation Meter

X = Volume (MCF) from CPD Sales Meter

Y= BTU's From CPD Sales Meter

Z= Gas Revenue (\$) from CPD Sales Meter

1. Individual Well Production = A+B+C+D+E

A= Allocated Sales Volume, MCF  
= (W/SUM W) x X

B = On lease fuel usage, MCF. Determined from equipment specification and operating conditions.

C = Purged and/or vented gas from well and/or lease equipment, MCF.  
Calculated using equipment specifications and pressures.

D = Allocated fuel from gathering system equipment, MCF. The total fuel required to operate gathering system equipment will be allocated to the individual wells benefiting from the equipment using allocation factors determined by (W/SUM W) for the wells involved.

E = Allocated volume of gas lost and/or vented from the gathering system and/or gathering system equipment, MCF. The total volumes will be determined using industry accepted procedures for the conditions existing at the time of the loss. All volumes corresponding to liquid condensation within the gathering system will also be determined. The total volume lost and/or vented will be allocated to the individual wells affected using factors determined by (W/SUM W).

2. Allocated Individual Well BTU's = ((W x Individual well BTU)/Sum (W x individual well BTU)) x Y  
Individual well gas heating values to be determined in accordance with BLM's On Shore Order No. 5.

3. Allocated Individual Well Gas Revenues = (Allocated Individual well BTU's/ Sum Allocated Individual Well BTU's) x Z.

Month : 4 Year : 2003

Well Name : **Morton #1**

Pool : Twin Mounds - PC

Tank #	17752
Size	400 Bbl.
Bbls./In.	1.67

Meter : 3 1/4"		Range :		150	Spring :		500#	Office :		0.625	Meter Coefficient :	
Day	Pre.	MCFPD	FTP	FCP	Line Pressure	Suction	Discharge	Ft	Inches	Water gauge	Water Hauled	Water Prod
								3	0.00	60	Bbls.	Bbls.
1	117				285			3	0.00	60		0
2	173	0	6		291	6	270	3	0.00	60		0
3	224				294			3	0.00	60		0
4	131				286			3	0.00	60		0
5	136				292			3	0.00	60		0
6	162				305			3	0.00	60		0
7	118				331			3	0.00	60		0
8	123				336			3	0.00	60		0
9	171				349			3	0.00	60		0
10	182				351			3	0.00	60		0
11	120				356			3	0.00	60		0
12	65	0	13		348	13	338	3	0.00	60		0
13	35				343			3	0.00	60		0
14	215				273			3	0.00	60		0
15								3	0.00	60		0
16								3	0.00	60		0
17								3	0.00	60		0
18								3	0.00	60		0
19								3	0.00	60		0
20								3	0.00	60		0
21								3	0.00	60		0
22								3	0.00	60		0
23								3	0.00	60		0
24								3	0.00	60		0
25								3	0.00	60		0
26								3	0.00	60		0
27								3	0.00	60		0
28								3	0.00	60		0
29								3	0.00	60		0
30								3	0.00	60		0
31								3	0.00	60		0
Totals	1972		Days Produced :	14							0	0
Average	141		Average Line Pressure:	317								

109050.

Statement  
0 (832)676-7958

Reporting Basis: MCF @ 14.730

#1

Device: (No spec equip)

GPA Version: GPAEP97

ple Date Dry BTU Wet BTU Gravity

27/2003	1009	991	0.5651
---------	------	-----	--------

Methane Ethane Prop

	Iso	Iso	Neo
1	0.00	0.00	0.00
2	0.00	0.00	0.00
3	0.00	0.00	0.00
4	0.00	0.00	0.00
5	0.00	0.00	0.00
6	0.00	0.00	0.00
7	0.00	0.00	0.00
8	0.00	0.00	0.00
9	0.00	0.00	0.00
10	0.00	0.00	0.00
11	0.00	0.00	0.00
12	0.00	0.00	0.00
13	0.00	0.00	0.00
14	0.00	0.00	0.00
15	0.00	0.00	0.00
16	0.00	0.00	0.00
17	0.00	0.00	0.00
18	0.00	0.00	0.00
19	0.00	0.00	0.00
20	0.00	0.00	0.00
21	0.00	0.00	0.00
22	0.00	0.00	0.00
23	0.00	0.00	0.00
24	0.00	0.00	0.00
25	0.00	0.00	0.00
26	0.00	0.00	0.00
27	0.00	0.00	0.00
28	0.00	0.00	0.00
29	0.00	0.00	0.00
30	0.00	0.00	0.00
31	0.00	0.00	0.00
32	0.00	0.00	0.00
33	0.00	0.00	0.00
34	0.00	0.00	0.00
35	0.00	0.00	0.00
36	0.00	0.00	0.00
37	0.00	0.00	0.00
38	0.00	0.00	0.00
39	0.00	0.00	0.00
40	0.00	0.00	0.00
41	0.00	0.00	0.00
42	0.00	0.00	0.00
43	0.00	0.00	0.00
44	0.00	0.00	0.00
45	0.00	0.00	0.00
46	0.00	0.00	0.00
47	0.00	0.00	0.00
48	0.00	0.00	0.00
49	0.00	0.00	0.00
50	0.00	0.00	0.00
51	0.00	0.00	0.00
52	0.00	0.00	0.00
53	0.00	0.00	0.00
54	0.00	0.00	0.00
55	0.00	0.00	0.00
56	0.00	0.00	0.00
57	0.00	0.00	0.00
58	0.00	0.00	0.00
59	0.00	0.00	0.00
60	0.00	0.00	0.00
61	0.00	0.00	0.00
62	0.00	0.00	0.00
63	0.00	0.00	0.00
64	0.00	0.00	0.00
65	0.00	0.00	0.00
66	0.00	0.00	0.00
67	0.00	0.00	0.00
68	0.00	0.00	0.00
69	0.00	0.00	0.00
70	0.00	0.00	0.00
71	0.00	0.00	0.00
72	0.00	0.00	0.00
73	0.00	0.00	0.00
74	0.00	0.00	0.00
75	0.00	0.00	0.00
76	0.00	0.00	0.00
77	0.00	0.00	0.00
78	0.00	0.00	0.00
79	0.00	0.00	0.00
80	0.00	0.00	0.00
81	0.00	0.00	0.00
82	0.00	0.00	0.00
83	0.00	0.00	0.00
84	0.00	0.00	0.00
85	0.00	0.00	0.00
86	0.00	0.00	0.00
87	0.00	0.00	0.00
88	0.00	0.00	0.00
89	0.00	0.00	0.00
90	0.00	0.00	0.00
9			

H2S	CO2	Nitrogen	Total
-----	-----	----------	-------

[illegible]

カキ

Device: (No spec equip)

GPA version: GPAEP97

Sample Date	Dry BTU	Wet BTU	Gravity
10/1/2023	1000	1000	1.000
10/2/2023	1000	1000	1.000
10/3/2023	1000	1000	1.000
10/4/2023	1000	1000	1.000
10/5/2023	1000	1000	1.000
10/6/2023	1000	1000	1.000
10/7/2023	1000	1000	1.000
10/8/2023	1000	1000	1.000
10/9/2023	1000	1000	1.000
10/10/2023	1000	1000	1.000
10/11/2023	1000	1000	1.000
10/12/2023	1000	1000	1.000
10/13/2023	1000	1000	1.000
10/14/2023	1000	1000	1.000
10/15/2023	1000	1000	1.000
10/16/2023	1000	1000	1.000
10/17/2023	1000	1000	1.000
10/18/2023	1000	1000	1.000
10/19/2023	1000	1000	1.000
10/20/2023	1000	1000	1.000
10/21/2023	1000	1000	1.000
10/22/2023	1000	1000	1.000
10/23/2023	1000	1000	1.000
10/24/2023	1000	1000	1.000
10/25/2023	1000	1000	1.000
10/26/2023	1000	1000	1.000
10/27/2023	1000	1000	1.000
10/28/2023	1000	1000	1.000
10/29/2023	1000	1000	1.000
10/30/2023	1000	1000	1.000
10/31/2023	1000	1000	1.000

03/2002	1116	1097	0.6347
---------	------	------	--------

Methane Ethane Prop

	Iso	Iso	Neo
1	0.00	0.00	0.00
2	0.00	0.00	0.00
3	0.00	0.00	0.00
4	0.00	0.00	0.00
5	0.00	0.00	0.00
6	0.00	0.00	0.00
7	0.00	0.00	0.00
8	0.00	0.00	0.00
9	0.00	0.00	0.00
10	0.00	0.00	0.00
11	0.00	0.00	0.00
12	0.00	0.00	0.00
13	0.00	0.00	0.00
14	0.00	0.00	0.00
15	0.00	0.00	0.00
16	0.00	0.00	0.00
17	0.00	0.00	0.00
18	0.00	0.00	0.00
19	0.00	0.00	0.00
20	0.00	0.00	0.00
21	0.00	0.00	0.00
22	0.00	0.00	0.00
23	0.00	0.00	0.00
24	0.00	0.00	0.00
25	0.00	0.00	0.00
26	0.00	0.00	0.00
27	0.00	0.00	0.00
28	0.00	0.00	0.00
29	0.00	0.00	0.00
30	0.00	0.00	0.00
31	0.00	0.00	0.00
32	0.00	0.00	0.00
33	0.00	0.00	0.00
34	0.00	0.00	0.00
35	0.00	0.00	0.00
36	0.00	0.00	0.00
37	0.00	0.00	0.00
38	0.00	0.00	0.00
39	0.00	0.00	0.00
40	0.00	0.00	0.00
41	0.00	0.00	0.00
42	0.00	0.00	0.00
43	0.00	0.00	0.00
44	0.00	0.00	0.00
45	0.00	0.00	0.00
46	0.00	0.00	0.00
47	0.00	0.00	0.00
48	0.00	0.00	0.00
49	0.00	0.00	0.00
50	0.00	0.00	0.00
51	0.00	0.00	0.00
52	0.00	0.00	0.00
53	0.00	0.00	0.00
54	0.00	0.00	0.00
55	0.00	0.00	0.00
56	0.00	0.00	0.00
57	0.00	0.00	0.00
58	0.00	0.00	0.00
59	0.00	0.00	0.00
60	0.00	0.00	0.00
61	0.00	0.00	0.00
62	0.00	0.00	0.00
63	0.00	0.00	0.00
64	0.00	0.00	0.00
65	0.00	0.00	0.00
66	0.00	0.00	0.00
67	0.00	0.00	0.00
68	0.00	0.00	0.00
69	0.00	0.00	0.00
70	0.00	0.00	0.00
71	0.00	0.00	0.00
72	0.00	0.00	0.00
73	0.00	0.00	0.00
74	0.00	0.00	0.00
75	0.00	0.00	0.00
76	0.00	0.00	0.00
77	0.00	0.00	0.00
78	0.00	0.00	0.00
79	0.00	0.00	0.00
80	0.00	0.00	0.00
81	0.00	0.00	0.00
82	0.00	0.00	0.00
83	0.00	0.00	0.00
84	0.00	0.00	0.00
85	0.00	0.00	0.00
86	0.00	0.00	0.00
87	0.00	0.00	0.00
88	0.00	0.00	0.00
89	0.00	0.00	0.00
90	0.00	0.00	0.00
9			

H2S	CO2	Nitrogen	Total
-----	-----	----------	-------

[illegible]