


COPY TO O. C. C.

(SUBMIT IN TRIPLICATE)



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. N.M. 02851-4
Unit San Juan 32-5 Unit
Southwest 1/3 Section 5
Designated Drilling Unit

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Farmington, New Mexico May 27, 1953

Well No. 1 is located 330 ft. from S line and 330 ft. from EW line of sec. 1
SW 1/4 of Section 14 T-32-N R-5-W NMPM
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat Rio Arriba New Mexico
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is _____ ft. (To be reported later)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to drill the above well to approximately 2700 feet. Rotary tools will be used to total depth. Two drill stem tests will be run over the Fruitland pay section and three drill stem tests will be run over the Pictured Cliffs pay section. Casing will be set on top of the pictured cliffs pay section. If stimulation is necessary the pay will be shot open with SNG and clean out will be with cable tools.

The following casing program is proposed:

Size	Depth	Cement	Remarks
8 5/8"	250	220'	200% of theoretical amount to circulate.
5 1/2"	3300	350	150% theoretical amount to fill to surface casing

Copies of location plats are attached. A copy of any survey taken will be submitted upon completion of well.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Stanolind Oil and Gas CompanyAddress Box 487Farmington, New MexicoBy E. P. Holt

Title _____

Field Superintendent