
Form 3160-3 (April 2004)

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT



 Lease Serial No. NM-17015

6. If Indian, Allotee or Tribe Name

la. Type of work:	ER C	% O = 1 C	, c, 33	7. If Unit or CA Agree	ement, Name and No.	
lb. Type of Well: Oil Well Gas Well Other	✓ Single Zo	$S_{i}$	مُسَمَّسُمُ ple Zone	8. Lease Name and V Herry Monster		
2. Name of Operator  Dugan Production Corp.			. ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	9. API Well No. 30-045-32706		
Ba. Address P. O. Box 420, Farmington, NM 87499-0420	3b. Phone No. (include (505)325-182	,		10. Field and Pool, or Exploratory  Basin Fruitland Coal		
At surface 1650' FSL & 1800' FWL (NE/4 SW At proposed prod. zone	• • •			11. Sec., T. R. M. or B!  Unit K, Sec. 12	•	
4. Distance in miles and direction from nearest town or post office*  8 miles west of Blanco Trading Post, NM	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			12. County or Parish San Juan	13. State	
5. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any)  1650'	16. No. of acres in 960.0	lease	17. Spacin	g Unit dedicated to this w	vell	
8. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft.  Approx. 2500'	19. Proposed Depth		20. BLM/I	BIA Bond No. on file		
1. Elevations (Show whether DF, KDB, RT, GL, etc.) 6584' GL	22. Approximate da	ite work will sta 20/2005	urt*	23. Estimated duration 6 days	i	
	24. Attachmen					
he following, completed in accordance with the requirements of Onsho  Well plat certified by a registered surveyor.  A Drilling Plan.  A Surface Use Plan (if the location is on National Forest System SUPO shall be filed with the appropriate Forest Service Office).	Lands, the 5. 6.	Bond to cover to tem 20 above). Operator certifi	the operation	is form:  ns unless covered by an  ormation and/or plans as	· ·	
5. Signature Kunt Faguli	Name (Printe Kurt I	d/Typed) Fagrelius			Date 02/24/2005	
itle Geologist						
pproved by (Signature)	Name (Printe	ed/Typed)			Date 2-15 0	
AFN	Office					
pplication approval does not warrant or certify that the applicant hole onduct operations thereon. onditions of approval, if any, are attached.	ds legal or equitable ti	tle to those righ	nts in the sub	ject lease which would e	ntitle the applicant to	

\*(Instructions on page 2)

District I . PO Box 1980, Hobbs, NM 88241-1980

District II PO Drawer DD, Artesia, NM 88211-0719

District III 1000 Rio Brazos Rd., Aztec, NM 87410

District IV PO Box 2088, Santa Fe, NM 87504-2088

State of New Mexico Energy. Minerals & Natural Resources Department

OIL CONSERVATION DIVISION PO Box 2088 Santa Fe, NM 87504-2088

Form C-102 Revised February 21, 1994 Instructions on back Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

AMENDED REPORT

		•	WELL	LOCAT	ON AND A	CREAGE DED	ICA	TION PL	_AT		
30-04	API Numbe	32706		*Pool Coo 71629		BA	SIN	'POO1 Nam		AL	
Property 370 k		100	<u> </u>		*Property HERRY M	Name	<del></del>				91 Number
'0GRID   00651				DUGAN	*Operator PRODUCTIO	Name ON CORPORATI	ON				levation 6584
					<sup>10</sup> Surface	Location			<u>-</u>		
UL or lot no.	Section 12	Township 24N	Range 11W	Lot Idn	Feet from the 1650	North/South line SOUTH	Fe	1800	East/We		SAN JUAN
	·		ottom		ocation I			om Surf		<del></del> -	
UL or lot no.	Section	Township	Range	Lot Idn	Fest from the	North/South line	Fe	et from the	East/We	st line	County
<sup>12</sup> Dedicated Acres	320	.0 Acres	- (S/	/2)	<sup>13</sup> Joint or Infill	<sup>14</sup> Consolidation Code	<sup>15</sup> Orde	r No.			
NO ALLOW	IABLE W	ILL BE A	SSIGNED NON-ST	O TO THE	IS COMPLETION OF THE PROPERTY	ON UNTIL ALL EN APPROVED	INT	ERESTS H	AVE BE	EN CON	SOLIDATED
5273.40°	300'		D.	12 UGAN 4-17015			2624.16	I hereby containe to the to th	Recertify the second of the se	t Fagr logy . 20, CERTIF t the well was plotte eys made that the se eys made that the se PTEMBE f Profess	relius  2004  FICATION 1 location 1 from field by me or under same is true belief ER 11, 2004 ional Surveyor
	 	1650	52	1 69.44				JASC Certifi	A Coate Num	ED	<u>VARDS</u> 15269

Submit 3 Copies To Appropriate District	State of New Mexic	00	Form C-103
Office District I	Energy, Minerals and Natural	Resources	March 4, 2004
1625 N. French Dr., Hobbs, NM 88240 District II		WELL API NO	•
1301 W. Grand Ave., Artesia, NM 88210	OIL CONSERVATION D	5 Indicate Tyn	e of Lease
<u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Francis Santa Fe, NM 8750	SIAIE	☐ FEE ☐ FED XX
<u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM		15 6. State Oil & ( DEC 1 PM 4 Federal	
97505		- 1	
(DO NOT USE THIS FORM FOR PROPOS DIFFERENT RESERVOIR. USE "APPLIC PROPOSALS.)	CES AND REPORTS ON WELLS ALS TO DRILL OR TO DEEPEN OR PLUG IS ATION FOR PERMIT (FORM C 101) FOR S		
1. Type of Well: Oil Well Gas Well	Other Other	8. Well Numbe 91	r
2. Name of Operator Dugan Pro	oduction Corp.	9. OGRID Nun 006515	ber
3. Address of Operator 709 East	Murray Drive, Farmington,	NM 87401 10. Pool name of Basin Fr	or Wildcat uitland Coal
4. Well Location			
Unit Letter K :	1650 feet from the South	line and 1800 feet fr	om the West line
Section 12	Township 24N Range	11W <sub>NMPM</sub>	<sub>County</sub> San Juan
	11. Elevation (Show whether DR, RI 6584 G.L.		
Pit or Below-grade Tank Application (For	pit or below-grade tank closures, a form C-1	44 must be attached)	11000
Pit Location: UL K Sect 12 Twp 24	AN Rng 11W Pit type Drlg. Depth	to Groundwater Distance from	nearest fresh water well
Distance from nearest surface water	<del></del>	SectTwpRng	;
feet from theline and	feet from theline		
12. Check A	ppropriate Box to Indicate Natu		
PERFORM REMEDIAL WORK		SUBSEQUENT RI EMEDIAL WORK	ALTERING CASING
TEMPORARILY ABANDON	CHANGE PLANS	OMMENCE DRILLING OPNS.	PLUG AND
PULL OR ALTER CASING		ASING TEST AND	ABANDONMENT
OTHER:		THER:	
13. Describe proposed or compl of starting any proposed wor or recompletion.	eted operations. (Clearly state all pertrk). SEE RULE 1103. For Multiple C	inent details, and give pertinent date completions: Attach wellbore diag	tes, including estimated date ram of proposed completion
Earthen pits wi	-mud will be used to drill	surface and production vious material. Pits w	n casing hole. ill be constructed
and abandoned a	s per BLM stipulations.		
and the second s	de transfer and the second	enterrologic to produce the second se	and the second of the second o
I hereby certify that the information a grade tank has been/will be constructed or or the domain of the constructed or or	above is true and complete to the best of closed according to NMOCD guidelines [], a liber constructed and abance	of my knowledge and belief. I furt general permit or an (attached) alter	her certify that any pit or below- native OCD-approved plan .
SIGNATURE Kurt F2	TITLE Geo		DATE 11/30/04
Type or print name Kurt Fagre	lius E-mail addre	gfagrelius@duganproduct	ion com elephone No. 325-1821
(This space for State use)	The Contract of the Contract o	PUTY OIL & GAS INSPECTOR, DIS	Www.accommon
APPPROVED BY  Conditions of approval if any	TITLE	J11987	DATE DATE

NMOCD

Form 3160-5 (June 1990)

#### UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED

Budget Bureau No. 1004-0135 Expires: March 31,1993

<b>4LS</b> )5	ON WE	<b>DRTS</b>	AND REP	NOTICES	SUNDRY
<b>4LS</b> )5	ON WE	<b>DRTS</b>	AND REP	NOTICES	SUNDRY

5. Lease Designation and Serial No.

SUNDRY NOTICES A	MA KEEAKIS ON!	AERTS 2		MM-17015
Do not use this form for proposals to o Use "APPLICATION FOR	6. If Indian, Allotted or Tribe Name			
SUBMIT IN	TRIPLICATE AING	TON NM		
1. Type of Well Oil Gas Well Well Well	Other			7. If Unit or CA, Agreement Designation
2. Name of Operator				8. Well Name and No.
Dugan Production Corp.				Herry Monster #91
3. Address and Telephone No. P.O. Box 420, Farmington, NM 87499 (	505) 325 - 1821			9. API Well No. 30 045 32704
Location of Well (Footage, Sec., T., R., M., or Survey Description)				10. Field and Pool, or Exploratory Area
1650' FSL & 1800' FWL (NE/4 SW/4)				Basin Fruitland Coal
Unit K, Sec. 12, T24N, R11W, NMPM		·		11. County or Parish, State San Juan, NM
12. CHECK APPROPRIATE BOX(s) TO INDI	CATE NATURE OF	NOTICE, REPORT, (	OR 01	HER DATA
TYPE OF SUBMISSION		TYPE OF ACTIO	N	
Notice of Intent	☐ Abandonment			Change of Plans
	Recompletion			New Construction
Subsequent Report	Plugging Back			Non-Routine Fracturing
	Casing Repair			Water Shut-Off
Final Abandonment Notice	Altering Casing			Conversion to Injection
		Change casing size		Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
13. Describe Proposed or Completed Operations (Clearly state all pertinengive subsurface locations and measured and true vertical depti			g any prop	osed work If well is directionally drilled,

Casing sizes are changed as follows (setting depths will remain the same):

Surface - hole size 11", casing size 8-5/8", 24#

Production - hole size 7", casing size 5-1/2", 14#



14. I hereby certify that the foregoing is true and correct  Signed    Signed   Signed   Signed   Signed   Signed   Signed   Signed    Signed   Signed   Signed   Signed   Signed   Signed   Signed    Signed   Signed   Signed   Signed   Signed   Signed   Signed    Signed   Signed   Signed   Signed   Signed   Signed   Signed	Title	Geologist	Date	12/01/2004
(This space for Federal or State office use)  Approved by  Conditions of approval, if any:	OS Title	1FM	Date	2-15-05

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements

or cables on well pad and/or access road at least two (2) working days prior to construction

## EXHIBIT B OPERATIONS PLAN

Herry Monster #91

#### APPROXIMATE FORMATION TOPS:

Total Depth	1360'
Pictured Cliffs	1205′
Fruitland	915′
Kirtland	380′
Ojo Alamo	305′

Catch samples every 10 feet from 1100 feet to total depth.

#### LOGGING PROGRAM:

Run cased hole GR-CCL-CNL from total depth to surface.

#### CASING PROGRAM:

Hole	Casing		Setting	Grade and
Size	Size	Wt./ft.	Depth	Condition
9-7/8"	7"	20#	120'	J-55
6-1/4"	4-1/2"	10.5#	1360′	J-55

Plan to drill a 9-7/8" hole and set 120' of 7" OD, 20#, J-55 surface casing. Then plan to drill a 6-1/4" hole to total depth with gel-water mud program to test the Fruitland Coal. 4-1/2", 10.5#, J-55 production casing will be run and cemented. Cased hole GR-CCL-CNL log will be run. Productive zone will be perforated and fractured. After frac, the well will be cleaned out and production equipment will be installed.

#### CEMENTING PROGRAM:

Surface: Cement to surface with 70 cf Class B + 2% CaCl<sub>2</sub>. Circulate to surface.

Production Stage-Cement with 140 cf 2%lodense with

%# celloflake/sx followed by 70 cf Class "B" with

%# celloflake/sx.

Total cement slurry for production stage is 210 cf

Circulate cement to surface.

An adequate spacer will be pumped ahead of the cement slurry to help prevent mud contamination of the cement. An adequate number of casing centralizers will be run through usable water zones to ensure that casing is centralized through these zones. The adequate number of centralizers will be determined based on

API standards. Centralizers to impart a swirling action around the casing will be used just below and into the base of the lowest usable water zone. These devices will assist mud displacement, increase cement bonding potential and create an effective hydraulic seal. A chronological log will be kept which records the pump rate, pump pressure, slurry density, and slurry volume for the cement job. The log will be sent to the BLM after completion of the job.

#### WELLHEAD EQUIPMENT:

Huber 7"x4-1/2" casing head, 1000# WP, tested to 2000#. Huber 4-1/2"x2-7/8" tubing head, 1000# WP, tested to 2000#.

BOP and Related Equipment will include for a 2000 psi system: (Exhibit D)

Annular preventer, double ram, or 2 rams with one being blind and one being a pipe ram.

Kill line (2" minimum)

1 kill line valve (2" minimum)

1 choke line valve

2 chokes

Upper kelly cock valve with handle available Safety valve and subs to fit all drill string connections in use.

Pressure gauge on choke manifold.

2" minimum choke line.


Fill-up line.

#### Contacts:

Dugan Prod.Corp. Office & Radio Dispatch: 325-1821

Mark	Brown	327-3632 320-8247	
Kurt	Fagrelius	325-4327 320-8248	
John	Alexander	325-6927 320-1935	

### EXHIBIT D.



**BOP DIAGRAM** 

BOP and Related Equipment will include for a 2000 poi system:

2000 PSI DOUBLE BAM BLOWOUT PREVENTER

Kill line (2" minimum)

kill line valve (2" minimum)

1 choke line valve

Upper kelly cock valve with handle available


Safety valve and subs to fit all drill string connections in use

Pressure gauge on choke manifold

2" minimum choke line

Fill-up lime above the uppermost preventer

BOP equipment will be tested as required in Section III A.1 of Onshore Order 2, plus a 30% safety factor.



2M Choke Manifeld Equipment - Canfiguration May Very

**DUGAN PRODUCTION CORP. HERRY MONSTER #91**