District I

1625 N French Dr , Hobbs, NM 88240

1301 W Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd , Aztec, NM 87410

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe

District IV 1220 S St. Francis Dr., Santa Fe, NM 87505	Environmental Bureau office and provide a copy to the appropriate NMOCD District Office
Pit, Closed-Loop System, Below-Gra	ade Tank, or
Proposed Alternative Method Permit or Clo	osure Plan Application
Type of action: Permit of a pit, closed-loop system, below-grade X Closure of a pit, closed-loop system, below-grade Modification to an existing permit Closure plan only submitted for an existing permit below-grade tank, or proposed alternative method	mitted or non-permitted pit, closed-loop system,
Instructions: Please submit one application (Form C-144) per individual pit, closed-losed Please be advised that approval of this request does not relieve the operator of liability should operations	result in pollution of surface water, ground water or the
environment Nor does approval relieve the operator of its responsibility to comply with any other applicable	le governmental authority's rules, regulations or ordinances
Operator: Burlington Resources Oil & Gas Company, LP	OGRID#. <u>14538</u>
Address PO Box 4289, Farmington, NM 87499	
Facility or well name: GARLAND B 1R	
API Number OCD Permit Num	nber
U/L or Qtr/Qtr: M(SW/SW) Section: 27 Township: 29N Range: Center of Proposed Design: Latitude. 36.4130012 °N Longitude: Surface Owner. X Federal State Private Tribal Trust or Ind	11W County: San Juan 107.59456 °W NAD: X 1927 1983 nan Allotment "W NAD: X 1927 1983
Pit: Subsection F or G of 19 15 17 11 NMAC Temporary Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type Thickness mil LLDPE String-Reinforced Liner Seams Welded Factory Other Volume	HDPE
notice of intent) Drying Pad X Above Ground Steel Tanks Haul-off Bins Other	to activities which require prior approval of a permit or HDPE PVD Other
Below-grade tank: Subsection 1 of 19 15 17 11 NMAC Volume bbl Type of fluid Tank Construction material Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and at Visible sidewalls and liner Visible sidewalls only Other Liner Type Thickness mil HDPE PVC Other	THOPE PVD Other PVD Other PVD
5 Alternative Method: Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Envir	

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution of the light, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	ution or church)
8	
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC	
9	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance	
Please check a box if one or more of the following is requested, if not leave blank:	
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration (Fencing/BGT Liner)	leration of approval
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	
Siting Criteria (regarding permitting) 19 15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.	
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. NM Office of the State Engineer - 1WATERS database search, USGS, Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA
- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	Yes No
- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes No
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes No
 Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes No
Within the area overlying a subsurface mine.	Yes No
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area. Engineering measures incomperated into the design. NIM Purson of Gooleans & Mineral Resources LISCS: NIM Gooleans and Conference and Confere	Yes No
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society, Topographic map	
Within a 100-year floodplain - FEMA man	Yes No

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached		
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC		
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC		
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17.12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC		
Previously Approved Design (attach copy of design) API or Permit		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9		
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC		
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, 1f applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC		
Previously Approved Design (attach copy of design) API		
Previously Approved Operating and Maintenance Plan API		
13		
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17 10 NMAC		
Climatological Factors Assessment		
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC		
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC		
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC		
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC Quality Control/Quality Assurance Construction and Installation Plan		
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC		
Gerating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC		
Nuisance or Hazardous Odors, including H2S, Prevention Plan		
Emergency Response Plan		
Oil Field Waste Stream Characterization		
Monitoring and Inspection Plan		
Erosion Control Plan		
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC		
14		
Proposed Closure: 19 15 17 13 NMAC		
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.		
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System		
Alternative Proposed Closure Method Weste Evacuation and Removal		
Proposed Closure Method Waste Excavation and Removal Waste Removal (Closed-loop systems only)		
On-site Closure Method (only for temporary pits and closed-loop systems)		
In-place Burial On-site Trench		
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)		
Waste Excavation and Removal Closure Plan Checklist (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.		
Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17 13 NMAC		
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)		
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC		
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC		
Ke-vegetation Fian - based upon the appropriate requirements of Subsection For 19,13,17,13 NWAC		

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Ste	eel Tanks or Haul-off Bins Only:(19 15 17 13 D NMAC)	
Instructions Please identify the facility or facilities for the disposal of liquids, drilling facilities are required	g fluids and drill cuttings. Use attachment if more than two	
Disposal Facility Name	Disposal Facility Permit #	
	Disposal Facility Permit #	
Will any of the proposed closed-loop system operations and associated activ		
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subse Site Reclamation Plan - based upon the appropriate requirements of Su	ction I of 19 15 17 13 NMAC	MAC
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMA Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recertain siting criteria may require administrative approval from the appropriate district office of office for consideration of approval Justifications and/or demonstrations of equivalency are rec	ecommendations of acceptable source material are provided below r may be considered an exception which must be submitted to the Si	
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS Data ob	tained from nearby wells	Yes No
	·	
Ground water is between 50 and 100 feet below the bottom of the buried wa - NM Office of the State Engineer - iWATERS database search, USGS, Data obt		∐Yes ∐No ∏N/A
Ground water is more than 100 feet below the bottom of the buried waste		Yes No
- NM Office of the State Engineer - ıWATERS database search, USGS, Data obt	ained from nearby wells	□N/A
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signifumeasured from the ordinary high-water mark)	icant watercourse or lakebed, sinkhole, or playa lake	Yes No
- Topographic map, Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or church in - Visual inspection (certification) of the proposed site, Aerial photo, satellite image	••	Yes No
		Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less the purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exist - NM Office of the State Engineer - iWATERS database, Visual inspection (certif	stence at the time of the initial application	
Within incorporated municipal boundaries or within a defined municipal fresh water we pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval ob	·	Yes No
Within 500 feet of a wetland	· ·	Yes No
 US Fish and Wildlife Wetland Identification map, Topographic map Visual ins Within the area overlying a subsurface mine 	pection (certification) of the proposed site	
- Written confirmation or verification or map from the NM EMNRD-Mining and	Mineral Division	∐Yes ∐No
Within an unstable area		Yes No
- Engineering measures incorporated into the design, NM Bureau of Geology & M Topographic map	Ineral Resources, USGS, NM Geological Society,	
Within a 100-year floodplain - FEMA map		Yes No
18		***
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached.	h of the following items must bee attached to the clo	sure plan. Please indicate,
Siting Criteria Compliance Demonstrations - based upon the appropri	ate requirements of 19 15 17 10 NMAC	
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC		
Construction/Design Plan of Burnal Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC		
Construction/Design Plan of Temporary Pit (for in place burial of a di		of 19 15 17 11 NMAC
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC		
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC		
Disposal Facility Name and Permit Number (for liquids, drilling fluid	-	ls cannot be achieved)
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC		
Site Reclamation Plan - based upon the appropriate requirements of Subsection 1 of 19 15 17 13 NMAC		

Form C-144 Oil Conservation Division Page 4 of 5

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief		
Name (Print) Title		
Signature Date		
e-mail address Telephone		
V men dedress		
OCD Approval: Permit Application (including flosure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 5/26/2011 Title: Compliance Officer OCD Permit Number:		
21 Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure		
report is required to be submitted to the division within 60 days of the completion of the closure activities Please do not complete this section of the form until an		
approved closure plan has been obtained and the closure activities have been completed		
X Closure Completion Date: 8/9/2010		
22 Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only) If different from approved plan, please explain		
23		
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.		
Disposal Facility Name Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number NM-01-0011 / NM-01-0010B		
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number NM-01-005		
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?		
Yes (If yes, please demonstrate complilane to the items below)		
Required for impacted areas which will not be used for future service and operations Site Reclamation (Photo Documentation)		
Soil Backfilling and Cover Installation		
Re-vegetation Application Rates and Seeding Technique		
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location Latitude Longitude NAD 1927 1983		
25		
Operator Closure Certification:		
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.		
Name (Print) CRYSTAL TAFOYA, Title STAFF REGULATORY TECHNICIAN		
Signature Signature Date 3/24/2011		
e-mail address <u>crystal tafoya@conocophillips com</u> Telephone (505) 326-9837		