

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells

1. Type of Well
GAS

2005 FEB 28 AM 11 43

RECEIVED

070 FARMINGTON NM

2. Name of Operator

BURLINGTON

RESOURCES OIL & GAS COMPANY LP

3. Address & Phone No. of Operator

PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M

1050' FSL, 900' FEL, Sec. 21, T-31-N, R-9-W, NMPM

5. Lease Number
NMSF-078386A

6. If Indian, All. or
Tribe Name

7. Unit Agreement Name

8. Well Name & Number
Sunray G #2A

9. API Well No.
30-045-22754

10. Field and Pool
Blanco ~~Pictured Cliffs/~~
Blanco Mesaverde

11. County and State
San Juan Co, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

☒ Notice of Intent

☐ Subsequent Report

☐ Final Abandonment

Type of Action

☐ Abandonment

☒ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☒ Other -

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut off

☐ Conversion to Injection

13. Describe Proposed or Completed Operations

It is intended to recomplate the subject well to the Pictured Cliffs formation according to the procedure below and the attached wellbore diagrams. The well will then be commingled. A down hole commingle application will be submitted for approval.

Move in, rig up. Trip out of hole with tubing. Trip in hole, set cast iron bridge plug at approximately 4510'. Test casing to 3000 psi for 15 minutes. Perforate and fracture stimulate the Pictured Cliffs formation. Trip in hole and mill out cast iron bridge plug. Clean out well to PBTD. Land tubing. Rig down. Return well to production.

CONDITIONS OF APPROVAL

Adhere to previously issued stipulations.

14. I hereby certify that the foregoing is true and correct.

Signed Nancy Oltmanns Title Senior Staff Specialist Date 2/24/05

(This space for Federal or State Office use)

APPROVED BY Jim Laval Title Petr. Eng Date 3/11/05
CONDITION OF APPROVAL, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

NMOCDD

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV1220 S. St Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form C-102


Permit 7346

WELL LOCATION AND ACREAGE DEDICATION PLAT

| | | |
|----------------------------|--|--|
| API Number 30-045-22754 | Pool Name <i>Blanco</i> AZTEC PICTURED CLIFFS (GAS) | Pool Code 71280 <i>72389</i> |
| Property Code 7569 | Property Name SUNRAY G | Well No. 002A |
| OGRID No. 14538 | Operator Name BURLINGTON RESOURCES OIL & GAS CO | Elevation 6178 |

Surface And Bottom Hole Location

| | | | | | | | | | |
|---------------------------|---------------|-----------------|--------------|--------------------|-------------------|---------------|------------------|---------------|--------------------|
| UL or Lot P | Section 21 | Township 31N | Range 09W | Lot Idn | Feet From 1050 | N/S Line S | Feet From 900 | E/W Line E | County San Juan |
| Dedicated Acres 157.08 | | Joint or Infill | | Consolidation Code | | Order No. | | | |

**OPERATOR CERTIFICATION**

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

Electronically Signed By: *Nancy Olthmann*

Title: Senior Staff Regulatory Specialist

Date: 2/24/05

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: David Vilven

Date of Survey: 08/11/1977

Certificate Number: 1760

Sunray G #2A
1050' S, 900' E
P-21-31N-9W
San Juan County, NM

LAT: 36 deg 52.77'
GL = 6,181'

LONG: 107 deg 46.78'
KB= 6,192'

Current Wellbore

Surface Casing:

9-5/8" 32.3# H-40
Cement: 190 TOC @ Circ to surf
Set @ 217'

Intermediate Casing:

7" 20# K-55
Cement: 400 sx TOC @ 800' TS
Set @ 3,387'

Current Tubing:

2 3/8" 4.7# J-55
Set @ 5594
Seat Nipple @ 5562

Production Liner:

4-1/2" liner 10.5# K-55
Cement: 301 sx TOC @ 4400' CBL
Set @ 3206'-5712'

Ojo Alamo 1,425'
Kirtland 1,605'
Fruitland Coal 2,670'
Pictured Cliffs 3,030'
Lewis 3,250'
Huer Bent
Navajo City
Chacra
Cliff House 4,550'
Menefee 4,885'
Point Lookout 5,252'
Mancos
Gallup
Greenhorn
Graneros
Dakota

CH/MN

4560' - 5161'
Frac'd w/173,000 gal wtr and 86,500# sd

PLO

5211' - 5666'
Frac'd w/178,000 gal wtr and 89,000# sd

3206'-5712'

PBTD= 5,690'
TD= 5,712'

ARI

01/25/05

Sunray G #2A

1050' S, 900' E

P-21-31N-9W

San Juan County, NM

LAT: 36 deg 52.77'

LONG: 107 deg 46.78'

GL = 6,181'

KB= 6,192'

Proposed Wellbore

Surface Casing:

9-5/8" 32.3#

H-40

Cement: 190

TOC @ Circ to surf

Set @ 217'

Intermediate Casing:

7" 20#

K-55

Cement: 400 sx

TOC @ 800' TS

Set @ 3,387'

Current Tubing:

2 3/8" 4.7#

J-55

Set @ 5594

Seat Nipple@ 5562

Production Liner:

4-1/2" liner 10.5#

K-55

Cement: 301 sx

TOC @ 4400' CBL

Set @ 3206'-5712'

| | |
|-----------------|--------|
| Ojo Alamo | 1,425' |
| Kirtland | 1,605' |
| Fruitland Coal | 2,670' |
| Pictured Cliffs | 3,030' |
| Lewis | 3,250' |
| Huer Bent | |
| Navajo City | |
| Chacra | |
| Cliff House | 4,550' |
| Menefee | 4,885' |
| Point Lookout | 5,252' |
| Mancos | |
| Gallup | |
| Greenhorn | |
| Graneros | |
| Dakota | |

PROPOSED PC:

+/-3030' - +/-3070'

100,000 lbs 70 Q 20# LG foam

CH/MN


4560' - 5161'

Frac'd w/173,000 gal wtr and 86,500# sd

PLO

5211' - 5666'

Frac'd w/178,000 gal wtr and 89,000# sd



3206'-5712'

PBTD= 5,690'

TD= 5,712'

ARI

01/25/05