

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-141  
Revised August 8, 2011

Submit 1 Copy to appropriate District Office in  
accordance with 19.15.29 NMAC.

**Release Notification and Corrective Action**

**OPERATOR**

☐ Initial Report ☒ Final Report

Name of Company ConocoPhillips Company	Contact Rick Greiner	
Address 600 N. Dairy Ashford, MA 1004, Houston, TX 77079	Telephone No. 281-293-3264	
Facility Name Northeast Haynes No. 1	Facility Type Natural Gas Well	
Surface Owner Jicarilla Apache	Mineral Owner Jicarilla Apache	API No. 3003905565

**LOCATION OF RELEASE**

Unit Letter L	Section 9	Township 24N	Range 5W	Feet from the 1850	North/South Line South	Feet from the 790	East/West Line West	County Rio Arriba
------------------	--------------	-----------------	-------------	-----------------------	---------------------------	----------------------	------------------------	----------------------

Latitude 36.32465 Longitude -107.37175

**NATURE OF RELEASE**



Type of Release Hydrocarbons	Volume of Release unknown	Volume Recovered 0
Source of Release Production Tank	Date and Hour of Occurrence unknown	Date and Hour of Discovery 10/28/13
Was Immediate Notice Given? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom?	<b>OIL CONS. DIV DIST. 3</b>
By Whom?	Date and Hour	<b>JUN 10 2015</b>
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.\*

Describe Cause of Problem and Remedial Action Taken.\* Contaminated soil associated with an historical release was discovered during equipment reset 10/28/2013. A third party environmental contractor conducted site assessment

Describe Area Affected and Cleanup Action Taken.\* Excavation was 35' x 45' x 25' Deep. 868 c/yds of soil was transported to TNT Land Farm and 868 c/yds of clean soil was transported from TNT, and placed in the excavation site. Laboratory analytical results indicated confirmation composite sidewall TPH concentrations were below above the regulatory standards for all four sidewalls. The lab sample collected at the bottom (total excavated depth) was above the regulatory standard for TPH. Four soil borings were drilled at the site Nov. 10-12, 2014. Soils were field screened and samples were collected for laboratory analysis of BTEX and TPH. One sample, from the boring placed in the center of the previous excavation displayed a detectable laboratory result but below regulatory action levels. The borings were completed as groundwater monitoring wells and analyzed for BTEX constituents. All groundwater results were below the laboratory detection limits for BTEX constituents.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 	<b>OIL CONSERVATION DIVISION</b>	
Printed Name: Jeff Walker	Approved by Environmental Specialist: 	
Title: Sr. Project Manager	Approval Date: <u>7/17/15</u>	Expiration Date:
E-mail Address: jwalker@croworld.com	Conditions of Approval:	Attached <input type="checkbox"/>
Date: 6/9/2015 Phone: 505-884-0672		

\* Attach Additional Sheets If Necessary

#NCS1424743236



John F. (Rick) Greiner, CPG, P.G.  
ConocoPhillips Company  
Risk Management & Remediation  
Program Manager/Director Corp.  
Waste Management Program  
600 N. Dairy Ashford, MA 1004  
Houston, TX 77079  
Phone: 281-293-3264  
E-mail: Rick.Greiner@conocophillips.com

Mr. Cory Smith  
Environmental Specialist  
New Mexico Oil Conservation Division  
Energy, Minerals, & Natural Resources Department  
1000 Rio Brazos  
Aztec, NM 87410

April 16, 2015

**Re: API No. 30-039-05565, 2014 Site Assessment Report**

Dear Mr. Smith:

Enclosed is the 2014 Site Assessment Report for the Northeast Haynes No. 1 site. This report, prepared by Conestoga-Rovers & Associates (CRA), contains the results of the site assessment and groundwater monitoring events conducted during 2014 at the referenced site.

Please let me know if you have any questions.

Sincerely,



A handwritten signature in blue ink, reading "John F. Greiner".

Rick Greiner

Enc



[www.CRAworld.com](http://www.CRAworld.com)



## Report

# 2014 Site Assessment Report

ConocoPhillips Northeast Haynes No. 1  
Rio Arriba County, New Mexico  
API# 30-039-05565

Prepared for: ConocoPhillips Company

## Conestoga-Rovers & Associates

6121 Indian School Road, NE Suite 200  
Albuquerque, New Mexico 87110

February 2015 • 084272-2AS00/01 • Report No. 2



## Table of Contents

	Page
<b>Section 1.0 Introduction.....</b>	<b>1</b>
<b>Section 2.0 Site History .....</b>	<b>1</b>
<b>Section 3.0 Monitoring Well Installation.....</b>	<b>2</b>
3.1 Soil Analytical Results .....	3
<b>Section 4.0 Groundwater Monitoring and Sampling.....</b>	<b>3</b>
4.1 Groundwater Monitoring Methodology.....	3
4.2 Groundwater Monitoring Analytical Results .....	4
<b>Section 5.0 Conclusion and Recommendations .....</b>	<b>4</b>

## List of Figures (Following Text)

Figure 1	Site Location Map
Figure 2	Site Detail Map
Figure 3	December 2014 Groundwater Potentiometric Map

## List of Tables (Following Text)

Table 1	Soil Analytical Summary
Table 2	Monitoring Well Specifications and Groundwater Elevations
Table 3	Groundwater Analytical Summary

## List of Appendices

Appendix A	AES Initial Release Assessment and Excavation Report, January 23, 2014
Appendix B	Boring Logs
Appendix C	Analytical Results

## Section 1.0 Introduction

Subsurface assessment activities were performed at the ConocoPhillips Company (COP) Northeast Haynes No. 1 site from November 10, 2014 to November 12, 2014 and on December 16, 2014. The Northeast Haynes No. 1 site (hereafter referred to as the “Site”), is located on land owned by the Jicarilla Apache Nation in the NW ¼, SW ¼, Section 9, Township 24N, Range 5W, within Rio Arriba County, New Mexico (36.32514N, 107.37221W, see **Figure 1**).

Conestoga-Rovers and Associates (CRA) performed project management, general oversight of the remediation activities, soil and groundwater sampling, and documentation of the field work. Drilling and monitoring well installation was performed by National Exploration, Wells, and Pumps (National EWP) of Peralta, New Mexico. The agreed upon scope of services included:

- Obtaining site specific training, permits, and involving appropriate stakeholders needed to complete the scope of work;
- Installing four monitoring wells to assess the extent of hydrocarbons in the groundwater (see **Figure 2**); and
- Conducting an initial groundwater monitoring and sampling event.

## Section 2.0 Site History

Impacts to soil are believed to be associated with a historical release discovered beneath site storage tanks during an October 2013 construction project. An excavation to remove and dispose of impacted soils with dimensions 31 feet (ft) by 32 ft by 25 ft deep was completed by a COP San Juan Business Unit (SJB�) contractor in November 2013. Hydrocarbon-impacted soils were confirmed by Animas Environmental Services, LLC (AES) at the total depth of excavation of 25 ft during the November excavation. A concentration of total petroleum hydrocarbons (TPH) of 1370 milligrams per kilogram (parts per million-ppm) was detected. The appearance of saturated soil conditions at the 25 ft below ground surface (bgs) prevented the SJB� from further excavation and the excavation was backfilled with clean soils in November 2013. The AES Site assessment is summarized in their January 23, 2014 Initial Release Assessment and Excavation Report and is included as **Appendix A**.

A previous excavation was conducted in 1998 to remove hydrocarbon impacted soils from beneath and surrounding a closed dehydrator pit. Site information obtained from the New Mexico Oil Conservation Division (NMOCD) website indicates the excavation had dimensions of 21 ft by 24 ft by 17 ft deep. Laboratory data associated with the excavation indicates a concentration of 1,090 milligrams per kilogram (parts per million, ppm) of total petroleum hydrocarbons (TPH) was detected from a side wall sample collected at a depth of 12 ft bgs. The December 1, 1998 Pit Remediation and Closure Report

from the Jicarilla Apache Tribe Environmental Protection Office indicated that 317 cubic yards of soil was excavated and land-farmed on site.

The center of the 63 ft by 110 ft land-farmed area was located 216 ft northwest of the Site wellhead. A subsequent report by this office, dated June 3, 1999, summarizes final closure sampling and deems the on-site remediation to be complete.

The depth to groundwater at the Site was unknown during initial site assessments. However, documentation from the 1998 pit closure report indicated a depth of less than 50 ft bgs was used in Jicarilla Apache Nation Oil and Gas Administration (JANOGA) ranking to assign soil contaminant threshold values. This JANOGA Site ranking is consistent with the NMOCD ranking method. The distance to the nearest ephemeral stream, lake, playa or watering pond was listed as greater than 100 ft. The release Site was listed as being greater than 200 ft. from a private, domestic water source and greater than 1000 feet from all other water sources. The horizontal distance to the nearest perennial surface water body is greater than 1000 ft. The resulting Site ranking score of 20 points specifies recommended remediation action levels (RRALs) of 10 ppm for benzene, 50 ppm for total BTEX (benzene, toluene, ethylbenzene, xylenes) and 100 ppm for TPH.

### **Section 3.0    Monitoring Well Installation**

Between November 10, 2014 and November 12, 2014, National EWP installed four groundwater monitoring wells, MW-1, MW-2, MW-3, and MW-4, under CRA oversight. All boring locations were marked and cleared for subsurface utilities using the New Mexico One Call system and pre-drilled to a depth of 5 ft bgs by hydroexcavation. Borings were advanced using a CME-85 drill rig using hollow stem augers. Monitoring well MW-1 was installed at the approximate center of the November 2013 excavation, where a confirmation sample during the November 2013 excavation indicated impacted soils. Monitoring wells MW-2 and MW-3 were located in the presumptive down-gradient direction-in the direction of surface water flow in the adjacent ephemeral arroyo, or wash. Monitoring well MW-4 was installed in the presumptive up-gradient direction (please refer to **Figure 2**). Soil samples were collected in five ft increments using a 2-inch diameter by 24-inch long split spoon sampler. Samples were logged by CRA personnel according to the Unified Soil Classification System. One sample from each boring was submitted for laboratory analysis (see Section 3.1 below). All cuttings generated during monitoring well installation were screened using a calibrated photo-ionization detector for appropriate disposal determination.

The soils mainly consisted of tan or brown, fine-grained, silty and poorly-graded sands. The sands were observed to be mostly non-cemented and contained varying concentrations of silt. A faint petroleum odor was observed in soil samples from the MW-1 boring above the water table at approximately 25 ft bgs and some staining was observed at 30 ft bgs. There were no soil cuttings or recovered split-spoon soil samples, however, that exceeded the 100 ppm RRAL threshold concentration and therefore cuttings



were thin spread across the site. Boring logs from monitoring well installation activities are presented as **Appendix B**.

Saturated soils, indicating the apparent water table, were encountered at approximately 30 to 32 ft bgs. Monitoring wells MW-1, MW-2, MW-3, and MW-4 were installed at a total depth of approximately 40 ft bgs. Each well was constructed of 2-in diameter, schedule 40 PVC casing and screen. The monitoring wells consist of a 0.5-ft long, threaded PVC bottom plug and 15 feet of slotted (0.020-inch) well screen. The annular space around the well screen was filled with 10/20 gradation silica sand to approximately two feet above the well screen, followed by approximately 3 feet of 3/8-in hydrated bentonite pellets. A 95% cement/ 5% bentonite grout mix was placed from the top of the bentonite pellets to ground surface. Each monitoring well was completed with an above-ground locking well vault placed within a 24-in by 24-in by 4-in thick concrete pad and protected by steel bollards.

After installation, each well was developed by National EWP using a decontaminated stainless steel bailer until turbidity significantly decreased and/or the well was purged dry.

### **3.1 Soil Analytical Results**

Soil samples were placed in laboratory-supplied containers, placed on ice, and transported under chain of custody documentation via overnight delivery. Soil samples were submitted to Pace Analytical (Pace) of Lenexa, Kansas for analysis of BTEX constituents and TPH-gasoline range organics by EPA Method 8260, and for TPH-diesel range organics by EPA Method 8015. Soil samples returned analytical results below JANOGA/NMOCD RRALs for all analytes (see **Table 1**) with the only detected concentration of 69.7 ppm in the boring 1 (MW-1) at 25 ft bgs sample-below the 100 ppm RRAL. Laboratory analytical results are presented in **Appendix C**.

## **Section 4.0 Groundwater Monitoring and Sampling**

CRA returned to the site on December 16, 2014 to conduct groundwater sampling and to establish wellhead top-of-casing elevations to generate a potentiometric surface map.

### **4.1 Groundwater Monitoring Methodology**

Prior to collection of groundwater samples, depth to groundwater in each well was measured using an oil/water interface probe (see **Table 2**). During groundwater monitoring events, Site monitoring wells were purged of at least three casing volumes of groundwater using a 1.5-inch diameter, polyethylene, dedicated bailer. While purging each well, groundwater parameters were recorded using a YSI 556 multi-parameter sonde.

Groundwater samples were placed in laboratory-supplied containers, labeled, placed on ice, and transported via overnight delivery under chain of custody documentation. Groundwater samples were sent to Pace for analysis of TPH using EPA method 8015B, benzene, toluene, ethylbenzene and xylenes (BTEX) by EPA method 8260. A summary of analytical results is presented as **Table 3** and complete laboratory analytical reports are present in **Appendix B**.

## **4.2 Groundwater Monitoring Analytical Results**

The New Mexico Water Quality Control Commission (NMWQCC) mandates that groundwater quality in New Mexico be protected, and has issued groundwater quality standards in Title 20, Chapter 6, Part 2, Section 3103 of the New Mexico Administrative Code (20.6.2.3103 NMAC). Results of the groundwater monitoring event are discussed below:

### **December 2014**

- Data collected during December 2014 indicate that the local groundwater gradient is to the – west southwest. Depth to groundwater was found to be approximately 30 feet bgs in Site monitor wells. The groundwater gradient was approximately 0.007 feet per foot. A groundwater potentiometric surface map reflecting December 2014 groundwater elevations is presented as **Figure 3**.
- BTEX: The NMWQCC domestic water supply groundwater quality standards for benzene, toluene, ethylbenzene, and xylenes are 0.01 mg/L, 0.75 mg/L, 0.75 mg/L, and 0.62 mg/L, respectively. In December 2014, all Site groundwater monitoring wells returned analytical results that were below laboratory detection limits for all BTEX constituents.

## **Section 5.0 Conclusion and Recommendations**

Hydrocarbon impacted soils above the JANOGA/NMOCD RRALs were noted in a composite sample collected November 7, 2013 (sample SC-5, Figure 4-AES summary report, **Appendix A**) at the base of the approximately 918 cubic foot excavation. Soils from this excavation were transported to a regional land farming facility by the SJBUR for remediation and the excavation was backfilled with clean soils.

CRA in November 2014 installed a groundwater monitoring well (MW-1) located in the approximate center of the November 2013 excavation, where the previous confirmation sample collected by AES indicated above standard concentrations of TPH. The 25 ft bgs sample submitted to the analytical laboratory by CRA during the monitoring well installation was below the JANOGA/NMOCD RRAL for TPH. Groundwater samples collected from MW-1, from the two down-gradient wells (MW-2 and MW-3) and from the up-gradient well (MW-4) were analyzed for BTEX constituents. Groundwater laboratory



analytical results indicated that all monitoring well samples were non-detect for these constituents with concentrations below the laboratory detection limits for EPA Method 8260.

The results of the November 2014 CRA Site soil and groundwater assessment indicate there are no impacts to groundwater at the Site and no remaining hydrocarbon impacts above JANOGA/NMOCD action levels in subsurface soils. CRA therefore recommends the Site be granted a No Further Action status by JANOGA and NMOCD.

Please feel free to contact the CRA Albuquerque office if there are any questions or additional information is required.

Respectfully,

CONESTOGA ROVERS & ASSOCIATES




Cale Kanack  
Staff Scientist



Jeff Walker, C.P.G, PMP  
Sr. Project Manager

## Figures



SOURCE: USGS 7.5 MINUTE QUAD  
"TAFOYA CANYON AND OTERO STORE, NEW MEXICO"

LAT/LONG: 36.3251° NORTH, 107.3722° WEST  
COORDINATE: NAD83 DATUM, U.S. FOOT  
STATE PLANE ZONE - NEW MEXICO CENTRAL

Figure 1

SITE LOCATION MAP  
NORTHEAST HAYNES No.1  
SECTION 9, T24N, R5W, RIO ARRIBA COUNTY, NEW MEXICO  
*ConocoPhillips Company*






Figure 2

MONITOR WELL LOCATIONS  
NORTHEAST HAYNES No.1

SECTION 9, T24N, R5W, RIO ARRIBA COUNTY, NEW MEXICO

*ConocoPhillips Company*








Figure 3

GROUNDWATER CONTOUR MAP - DECEMBER 2014  
NORTHEAST HAYNES No.1

SECTION 9, T24N, R5W, RIO ARRIBA COUNTY, NEW MEXICO

*ConocoPhillips Company*



## Tables



Table 1  
Soil Analytical Summary  
Northeast Haynes No. 1  
Rio Arriba County, New Mexico

<i>Well ID</i>	<i>Sample ID</i>	<i>Sample Date</i>	<i>Benzene (mg/kg)</i>	<i>Toluene (mg/kg)</i>	<i>Ethylbenzene (mg/kg)</i>	<i>Xylenes (mg/kg)</i>	<i>Total BTEX (mg/kg)</i>	<i>TPH-GRO (mg/kg)</i>	<i>TPH-DRO (mg/kg)</i>
MW-1	SS-084272-11102014-B1-25-JW	11/10/2014	< 0.0051	< 0.0051	< 0.0051	< 0.01	< 0.0253	< 0.51	69.7
MW-2	SS-084272-11102014-B2-25-JW	11/10/2014	< 0.0052	< 0.0052	< 0.0052	< 0.01	< 0.0256	< 0.52	< 10.3
MW-3	SS-084272-11112014-B3-25-JW	11/11/2014	< 0.0051	< 0.0051	< 0.0051	< 0.01	< 0.0253	< 0.51	< 10.3
MW-4	SS-084272-11112014-B4-25-JW	11/11/2014	< 0.0052	< 0.0052	< 0.0052	< 0.01	< 0.0256	< 0.52	< 10.5
<b>NMOCD RRAL</b>			<b>10</b>	--	--	--	<b>50</b>	--	--

**Notes:**

TPH = Total petroleum hydrocarbons

GRO/DRO/ORO = Gasoline/diesel/oil organics

NMOCD RRAL = New Mexico Oil Conservation Division Recommended Remedial Action Limit

mg/kg = milligrams per kilogram (parts per million)

< 10.4 = Below Laboratory Detection Limit of 10.4 mg/kg

< = Below Laboratory Detection Limit

**BOLD** = Concentrations that exceed the NMWQCC groundwater quality standard

Table 2  
Monitoring Well Specifications and Groundwater Elevations  
Northeast Haynes No. 1  
Rio Arriba County, New Mexico

<i>Well ID</i>	<i>Total Depth (ft below TOC)</i>	<i>Top of Casing Elevation*</i>	<i>Screen Interval (ft bgs)</i>	<i>Date Measured</i>	<i>Depth to Groundwater (ft below TOC)</i>	<i>Relative Water Level (ft)</i>
MW-1	43.64	100.00	25-40	12/16/2014	33.67	66.33
MW-2	42.97	99.26	25-40	12/16/2014	33.03	66.23
MW-3	43.46	99.34	25-40	12/16/2014	33.34	66.00
MW-4	43.73	101.64	25-40	12/16/2014	35.04	66.60

Table 3  
Groundwater Analytical Summary  
Northeast Haynes No. 1  
Rio Arriba County, New Mexico

<i>Well ID</i>	<i>Sample ID</i>	<i>Sample Date</i>	<i>Benzene (mg/L)</i>	<i>Toluene (mg/L)</i>	<i>Ethylbenzene (mg/L)</i>	<i>Xylenes (mg/L)</i>
MW-1	GW-084272-121614-JWMW-1	12/16/2014	< 0.001	< 0.001	< 0.001	< 0.003
MW-2	GW-084272-121614-JWMW-2	12/16/2014	< 0.001	< 0.001	< 0.001	< 0.003
MW-3	GW-084272-121614-JWMW-3	12/16/2014	< 0.001	< 0.001	< 0.001	< 0.003
MW-4	GW-084272-121614-JWMW-4	12/16/2014	< 0.001	< 0.001	< 0.001	< 0.003
<b>NMWQCC Groundwater Quality Standards</b>			<b>0.01</b>	<b>0.75</b>	<b>0.75</b>	<b>0.62</b>

**Notes:**

NMWQCC = New Mexico Water Quality Control Commission

mg/L = milligrams per liter (parts per million)

< 0.001 = Below Laboratory Detection Limit of 0.001 mg/L

< = Below Laboratory Detection Limit

## **Appendix A**

### **AES Initial Release Assessment and Excavation Report, January 23, 2014**



Animas Environmental Services, LLC

[www.animasenvironmental.com](http://www.animasenvironmental.com)

624 E. Comanche  
Farmington, NM 87401  
505-564-2281

Durango, Colorado  
970-403-3084

January 23, 2014

Lindsay Dumas  
ConocoPhillips  
San Juan Business Unit  
Office 214-07  
5525 Hwy 64  
Farmington, New Mexico 87401

*Via electronic mail to:*

[SJBUE-Team@ConocoPhillips.com](mailto:SJBUE-Team@ConocoPhillips.com)

**RE: Initial Release Assessment and Excavation Report  
Northeast Haynes #1  
Rio Arriba County, New Mexico**

Dear Ms. Dumas:

On October 28, 2013 and November 7, 8, and 11, 2013, Animas Environmental Services, LLC (AES) completed an initial release assessment and evaluation of the excavation limits at the ConocoPhillips (CoP) Northeast Haynes #1, located in Rio Arriba County, New Mexico. The historic release was discovered during facility reset activities at the location. The initial release assessment was completed by AES on October 28, 2013, and the excavation was completed by CoP contractors prior to AES' arrival at the location on November 11, 2013.

---

## 1.0 Site Information

### 1.1 Location

Location – NW¼ SW¼, Section 9, T24N, R5W, Rio Arriba County, New Mexico  
Well Head Latitude/Longitude – N36.32514 and W107.37221, respectively  
Release Location Latitude/Longitude – N36.32595 and W107.37266, respectively  
Land Jurisdiction – Jicarilla Apache Nation  
Figure 1. Topographic Site Location Map  
Figure 2. Aerial Site Map

### 1.2 Risk Ranking

The Northeast Haynes #1 is located on Jicarilla Apache Nation lands, and soil remediation action levels are determined by the Jicarilla Apache Nation Oil and Gas Administration (JANOGA). JANOGA action levels for soils currently follow the New

Mexico Oil Conservation Division (NMOCD) *Guidelines for Remediation of Leaks, Spills, and Releases* (August 1993). Per JANOGA, all locations within Jicarilla Apache Nation lands receive a ranking score of 20:

- 100 ppm volatile organic compounds (VOCs) or 10 mg/kg benzene and 50 mg/kg total BTEX (benzene, toluene, ethylbenzene, and xylenes); and
- 100 mg/kg total petroleum hydrocarbons (TPH).

### **1.3 Assessment**

AES was initially contacted by Lisa Hunter of CoP on October 28, 2013, and on the same day, Kelsey Christiansen and Corwin Lameman of AES completed the release assessment field work. The assessment included collection and field screening of 30 soil samples from 8 assessment trenches (TH-1 to TH-8) in and around the release area. Based on the field screening results, AES recommended excavation of the release area. Sample locations are shown on Figure 3.

On November 7, 2013, AES returned to the location to collect confirmation soil samples of the excavation. The field screening activities included collection of five confirmation soil samples from the walls and base of the excavation. Based on field screening results, the excavation was extended an additional 5 feet in depth to a total of 18 feet below ground surface (bgs) followed by additional excavation which extended the final base of the excavation to 25 feet bgs. The final dimensions of the excavation were approximately 32 feet by 31 feet by 25 feet in depth. Sample locations and final excavation extents are presented on Figure 4.

---

## **2.0 Soil Sampling**

A total of 30 soil samples from 8 assessment trenches (TH-1 through TH-8) and 5 composite samples (SC-1 through SC-5) were collected during the assessments. All soil samples were field screened for volatile organic compounds (VOCs), and selected samples were also analyzed for total petroleum hydrocarbons (TPH). Two samples (TH-3 and TH-5) collected during the initial assessment and five composite samples (SC-1 to SC-5) collected during the excavation clearance were submitted for confirmation laboratory analysis.

### **2.1 Field Screening**

#### **2.1.1 Volatile Organic Compounds**

Field screening for VOC vapors was conducted with a photo-ionization detector (PID) organic vapor meter (OVM). Before beginning field screening, the PID-OVM was first calibrated with 100 parts per million (ppm) isobutylene gas.



### 2.1.2 Total Petroleum Hydrocarbons

Field TPH samples were analyzed per USEPA Method 418.1 using a Buck Scientific Model HC-404 Total Hydrocarbon Analyzer Infrared Spectrometer (Buck). A 3-point calibration was completed prior to conducting soil analyses. Field analytical protocol followed AES's *Standard Operating Procedure: Field Analysis Total Petroleum Hydrocarbons per EPA Method 418.1*.

## 2.2 Laboratory Analyses

The soil samples collected for laboratory analysis were placed into new, clean, laboratory-supplied containers, which were then labeled, placed on ice, and logged onto a sample chain of custody record. Samples were maintained on ice until delivery to the analytical laboratory, Hall Environmental Analysis Laboratory (Hall) in Albuquerque, New Mexico. All soil samples were laboratory analyzed for:

- Benzene, toluene, ethylbenzene, and xylene (BTEX) per U.S. Environmental Protection Agency (USEPA) Method 8021B; and
- TPH for gasoline range organics (GRO) and diesel range organics (DRO) per USEPA Method 8015D.

## 2.3 Field Screening and Laboratory Analytical Results

On October 28, 2013, initial assessment field screening results for VOCs via OVM showed concentrations ranging from 0.3 ppm in TH-6 up to 4,165 ppm in TH-2. Field TPH concentrations ranged from 43.3 mg/kg in TH-4 up to 1,330 mg/kg in TH-3.

Excavation field screening results for VOCs via OVM ranged from 0.5 ppm in SC-1 and SC-4 up to 2,621 ppm in SC-5. Field TPH concentrations ranged from 20.3 mg/kg in SC-4 up to 2,430 mg/kg in SC-5. Results are included below in Table 1 and on Figures 3 and 4. The AES Field Screening Reports are attached.

Table 1. Field Screening VOCs and TPH Results  
 Northeast Haynes #1 Initial Release Assessment and Excavation  
 October and November 2013

<i>Sample ID</i>	<i>Date Sampled</i>	<i>Sample Depth (ft bgs)</i>	<i>VOCs via OVM (ppm)</i>	<i>Field TPH (mg/kg)</i>
<i>JANOGA Action Level*</i>			<i>100</i>	<i>100</i>
TH-1	10/28/13	3	18.0	72.9
		5	7.3	NA
		7	23.2	NA
		9	30.8	71.5

<i>Sample ID</i>	<i>Date Sampled</i>	<i>Sample Depth (ft bgs)</i>	<i>VOCs via OVM (ppm)</i>	<i>Field TPH (mg/kg)</i>
<i>JANOGA Action Level*</i>			<i>100</i>	<i>100</i>
TH-2	10/28/13	3	<b>2,148</b>	<b>1,260</b>
		5	<b>4,165</b>	NA
		7	12.1	<b>112</b>
		9	22.2	NA
TH-3	10/28/13	3	<b>4,147</b>	<b>1,330</b>
		5	<b>989</b>	NA
		7	20.1	<b>163</b>
		9	19.1	NA
		12	6.3	<b>914</b>
TH-4	10/28/13	3	5.7	43.3
		5	2.1	NA
		7	40.3	NA
		9	1.2	NA
TH-5	10/28/13	0	1.2	NA
		3	80.3	<b>172</b>
		5	1.5	NA
		8	0.6	NA
TH-6	10/28/13	3	0.6	NA
		5	0.4	NA
		8	0.3	NA
TH-7	10/28/13	3	3.8	NA
		5.5	<b>879</b>	<b>364</b>
		9	5.9	NA
TH-8	10/28/13	3	1.6	NA
		5.5	0.8	NA
		9	0.9	NA
SC-1	11/7/13	1 to 18	0.5	73.4
SC-2	11/7/13	1 to 18	128	<b>156</b>
SC-3	11/7/13	1 to 18	0.6	85.6
SC-4	11/7/13	1 to 18	0.5	20.3

<i>Sample ID</i>	<i>Date Sampled</i>	<i>Sample Depth (ft bgs)</i>	<i>VOCs via OVM (ppm)</i>	<i>Field TPH (mg/kg)</i>
<i>JANOGA Action Level*</i>			<b>100</b>	<b>100</b>
SC-5	11/7/13	13	<b>1,028</b>	<b>2,430</b>
	11/8/13	18	<b>2,621</b>	<b>953</b>
	11/11/13	25	<b>2,577</b>	<b>317</b>

NA – Not Analyzed

\*Action level determined by JANOGA (Ref. NMOCD ranking score of 20 per NMOCD Guidelines for Remediation of Leaks, Spills, and Releases (August 1993).

Laboratory analyses for TH-3 and TH-5 were used to confirm field screening results of the initial release assessment. Benzene concentrations were reported below laboratory detection limits in both samples. Total BTEX concentrations were reported below laboratory detection limits in TH-3 and at 0.856 mg/kg in TH-5. TPH concentrations as GRO/DRO were detected in TH-3 (1,200 mg/kg) and TH-5 (262 mg/kg).

Laboratory analyses for SC-1 through SC-5 were used to confirm field screening results of the final excavation. Benzene concentrations were reported below laboratory detection limits in each sample. Total BTEX concentrations were reported below laboratory detection limits for samples SC-1 through SC-4, and at 17 mg/kg in SC-5. TPH concentrations as GRO/DRO were reported in SC-2 (19 mg/kg) and SC-5 (1,370 mg/kg). Results are presented in Table 2 and on Figure 4. The laboratory analytical reports are attached.

Table 2. Laboratory Analytical Results – Benzene, Total BTEX, and TPH  
 Northeast Haynes #1 Initial Release Assessment and Excavation  
 October and November 2013

<i>Sample ID</i>	<i>Date Sampled</i>	<i>Sample Depth (ft bgs)</i>	<i>Benzene (mg/kg)</i>	<i>Total BTEX (mg/kg)</i>	<i>GRO (mg/kg)</i>	<i>DRO (mg/kg)</i>
<i>JANOGA Action Level*</i>			<b>10</b>	<b>50</b>	<b>100</b>	
TH-3	10/28/13	12	<0.12	<1.12	<b>&lt;25</b>	<b>1,200</b>
TH-5	10/28/13	3	<0.050	0.856	<b>12</b>	<b>250</b>
SC-1	11/7/13	1 to 18	<0.050	<0.25	<5.0	<10
SC-2	11/7/13	1 to 18	<0.050	<0.25	<5.0	19
SC-3	11/7/13	1 to 18	<0.050	<0.25	<5.0	<10
SC-4	11/7/13	1 to 18	<0.050	<0.25	<5.0	<10
SC-5	11/11/13	25	<0.12	17	<b>490</b>	<b>880</b>

NA – Not Analyzed

\*Action level determined by JANOGA (Ref. NMOCD ranking score of 20 per *NMOCD Guidelines for Remediation of Leaks, Spills, and Releases* (August 1993)).

---

### 3.0 Conclusions and Recommendations

On October 28, 2013, AES conducted an initial assessment of petroleum contaminated soils associated with a historic release at the Northeast Haynes #1. Action levels for releases are determined by JANOGA and currently reflect a site ranking of 20 per *NMOCD Guidelines for Remediation of Leaks, Spills, and Releases* (August 1993).

Initial assessment field screening results above the JANOGA (NMOCD) action level of 100 ppm VOCs and 100 mg/kg TPH were reported in TH-2, TH-3, TH-5, and TH-7. The highest VOC concentration was reported in TH-2 with 4,165 ppm, and the highest field TPH concentration was reported in TH-3 with 1,330 mg/kg.

Laboratory analyses for TH-3 and TH-5 were used to confirm field screening results. Benzene and total BTEX concentrations were reported below the JANOGA action levels of 10 mg/kg and 50 mg/kg, respectively, in each sample. TPH concentrations as GRO/DRO exceeded the JANOGA action level of 100 mg/kg in TH-3 (1,200 mg/kg) and TH-5 (262 mg/kg).

On November 11, 2013, assessment of the excavation area was completed. Field screening results of the excavation extents showed that VOC concentrations were below applicable JANOGA action levels for the final walls of the excavation; however, the base exceeded JANOGA action levels with 2,577 ppm. Field TPH concentrations were below the applicable JANOGA action level of 100 mg/kg for three of the final walls of the excavation; however, JANOGA action levels were exceeded in SC-2 (south wall) with 156 mg/kg and SC-5 (base) with 317 mg/kg. Laboratory analytical results reported benzene and total BTEX concentrations in all samples to be below JANOGA action levels. TPH concentrations as GRO/DRO were reported below the applicable JANOGA action level in SC-1 through SC-4 but were above the action level in SC-5 with 1,370 mg/kg.

Based on the final field screening and laboratory analytical results of the excavation of petroleum contaminated soils at the Northeast Haynes #1, benzene, total BTEX, and TPH concentrations were below the applicable JANOGA (NMOCD) action levels for the final sidewalls. However, the base of the excavation exceeded applicable JANOGA (NMOCD) action levels for TPH (as GRO/DRO). Additional remedial actions are recommended for the Northeast Haynes #1 release location.

If you have any questions about this report or site conditions, please do not hesitate to contact Deborah Watson at (505) 564-2281.

Sincerely,



David J. Reese  
Environmental Scientist





Elizabeth McNally, PE

Attachments:

- Figure 1. Topographic Site Location Map
- Figure 2. Aerial Site Map
- Figure 3. Initial Assessment Sample Locations and Results, October 2013
- Figure 4. Final Excavation Sample Locations and Results, November 2013
- AES Field Screening Report 102813
- AES Field Screening Report 110713
- AES Field Screening Report 110813
- AES Field Screening Report 111113
- Hall Laboratory Analytical Report 1310D74
- Hall Laboratory Analytical Report 1311312
- Hall Laboratory Analytical Report 1311431

R:\Animas 2000\Dropbox\0000 Animas Server Dropbox EM\2014 Projects\ConocoPhillips\Northeast Haynes #1\Northeast Haynes #1 Release and Final Excavation Report 012314.docx



	<b>DRAWN BY:</b> S. Glasses		<b>DATE DRAWN:</b> November 18, 2013	<b>FIGURE 1</b>  <b>TOPOGRAPHIC SITE LOCATION MAP</b> ConocoPhillips NORTHEAST HAYNES #1 NW¼ SW¼, SECTION 9, T24N, R5W RIO ARRIBA COUNTY, NEW MEXICO N36.32514, W107.37221
	<b>REVISIONS BY:</b> C. Lameman		<b>DATE REVISED:</b> November 18, 2013	
	<b>CHECKED BY:</b> D. Watson		<b>DATE CHECKED:</b> January 23, 2014	
	<b>APPROVED BY:</b> E. McNally		<b>DATE APPROVED:</b> January 23, 2014	






 <p><b>AES</b></p> <p>Animas Environmental Services, LLC</p>	<p><b>DRAWN BY:</b> S. Glasses</p>	<p><b>DATE DRAWN:</b> November 18, 2013</p>	<p><b>FIGURE 2</b></p> <p><b>AERIAL SITE MAP</b> ConocoPhillips NORTHEAST HAYNES #1 NW¼ SW¼, SECTION 9, T24N, R5W RIO ARRIBA COUNTY, NEW MEXICO N36.32514, W107.37221</p>
	<p><b>REVISIONS BY:</b> C. Lameman</p>	<p><b>DATE REVISED:</b> November 18, 2013</p>	
	<p><b>CHECKED BY:</b> D. Watson</p>	<p><b>DATE CHECKED:</b> January 23, 2014</p>	
	<p><b>APPROVED BY:</b> E. McNally</p>	<p><b>DATE APPROVED:</b> January 23, 2014</p>	

FIGURE 3

INITIAL ASSESSMENT SAMPLE  
LOCATIONS AND RESULTS  
OCTOBER 2013  
ConocoPhillips  
NORTHEAST HAYNES #1  
NW¼ SW¼, SECTION 9, T24N, R5W  
RIO ARriba COUNTY, NEW MEXICO  
N36.32514, W107.37221





Animas Environmental Services, LLC

<b>DRAWN BY:</b> C. Lameman	<b>DATE DRAWN:</b> October 30, 2013
<b>REVISIONS BY:</b> C. Lameman	<b>DATE REVISED:</b> January 23, 2014
<b>CHECKED BY:</b> D. Watson	<b>DATE CHECKED:</b> January 23, 2014
<b>APPROVED BY:</b> E. McNally	<b>DATE APPROVED:</b> January 23, 2014

LEGEND

===== SECONDARY CONTAINMENT BERM



Field Screening Results				
Sample ID	Date	Depth (ft)	OVM-PID (ppm)	TPH (mg/kg)
JANOGA ACTION LEVEL			100	100
TH-1	10/28/13	3	18.0	72.9
		5	7.3	NA
		7	23.2	NA
		9	30.8	71.5
TH-2	10/28/13	3	2,148	1,260
		5	4,165	NA
		7	12.1	112
		9	22.2	NA
TH-3	10/28/13	3	4,147	1,330
		5	989	NA
		7	20.1	163
		9	19.1	NA
		12	6.3	914
TH-4	10/28/13	3	5.7	43.3
		5	2.1	NA
		7	40.3	NA
		9	1.2	NA
TH-5	10/28/13	0	1.2	NA
		3	80.3	172
		5	1.5	NA
		8	0.6	NA
TH-6	10/28/13	3	0.6	NA
		5	0.4	NA
		8	0.3	NA
TH-7	10/28/13	3	3.8	NA
		5.5	879	364
		9	5.9	NA
TH-8	10/28/13	3	1.6	NA
		5.5	0.8	NA
		9	0.9	NA
NA - NOT ANALYZED				

Laboratory Analytical Results						
Sample ID	Date	Depth (ft)	Benzene (mg/kg)	Total BTEX (mg/kg)	TPH - GRO (mg/kg)	TPH - DRO (mg/kg)
JANOga ACTION LEVEL			10	50	100	
TH-3	10/28/13	12	<0.12	<1.12	<25	1,200
TH-5	10/28/13	3	<0.050	0.856	12	250

ALL SAMPLES WERE ANALYZED PER EPA METHOD 8021B AND 8015D.

### FIGURE 4

## EXCAVATION SAMPLE LOCATIONS AND RESULTS NOVEMBER 2013



ConocoPhillips  
NORTHEAST HAYNES #1  
NW $\frac{1}{4}$  SW $\frac{1}{4}$ , SECTION 9, T24N, R5W  
RIO ARriba COUNTY, NEW MEXICO  
N36.32514, W107.37221




Animas Environmental Services, LLC


<b>DRAWN BY:</b> C. Lameman	<b>DATE DRAWN:</b> November 18, 2013
<b>REVISIONS BY:</b> C. Lameman	<b>DATE REVISED:</b> January 23, 2014
<b>CHECKED BY:</b> D. Watson	<b>DATE CHECKED:</b> January 23, 2014
<b>APPROVED BY:</b> E. McNally	<b>DATE APPROVED:</b> January 23, 2014

### LEGEND

-  SAMPLE LOCATIONS
-  SECONDARY CONTAINMENT BERM



Field Screening Results				
Sample ID	Date	Depth (ft)	OVM-PID (ppm)	TPH (mg/kg)
JANOGA ACTION LEVEL			100	100
SC-1	11/7/13	1 to 18	0.5	73.4
SC-2	11/7/13	1 to 18	128	156
SC-3	11/7/13	1 to 18	0.6	85.6
SC-4	11/7/13	1 to 18	0.5	20.3
SC-5	11/7/13	13	1,028	2,430
	11/8/13	18	2,621	953
	11/11/13	25	2,577	317
NA - NOT ANALYZED				



Laboratory Analytical Results						
Sample ID	Date	Depth (ft)	Benzene (mg/kg)	Total BTEX (mg/kg)	TPH - GRO (mg/kg)	TPH - DRO (mg/kg)
JANOGA ACTION LEVEL			10	50	100	
SC-1	11/7/13	1 to 18	<0.050	<0.25	<5.0	<10
SC-2	11/7/13	1 to 18	<0.050	<0.25	<5.0	19
SC-3	11/7/13	1 to 18	<0.050	<0.25	<5.0	<10
SC-4	11/7/13	1 to 18	<0.050	<0.25	<5.0	<10
SC-5	11/11/13	25	<0.12	17	490	880
ALL SAMPLES WERE ANALYZED PER EPA METHOD 8021B AND 8015D.						



# AES Field Screening Report



Animas Environmental Services, LLC

www.animasenvironmental.com

Client: ConocoPhillips

Project Location: Northeast Haynes #1

Date: 10/28/2013

Matrix: Soil

624 E. Comanche  
Farmington, NM 87401  
505-564-2281

Durango, Colorado  
970-403-3084

Sample ID	Collection Date	Collection Time	OMV (ppm)	Field TPH* (mg/kg)	Field TPH Analysis Time	TPH PQL (mg/kg)	DF	TPH Analysts Initials
TH-1 @ 3'	10/28/2013	10:38	18.0	72.9	11:08	20.0	1	KC
TH-1 @ 5'	10/28/2013	11:00	7.3	Not Analyzed for TPH				
TH-1 @ 7'	10/28/2013	11:05	23.2	Not Analyzed for TPH				
TH-1 @ 9'	10/28/2013	11:08	30.8	71.5	11:20	20.0	1	KC
TH-2 @ 3'	10/28/2013	10:40	2,148	1,260	11:11	20.0	1	KC
TH-2 @ 5'	10/28/2013	11:11	4,165	Not Analyzed for TPH				
TH-2 @ 7'	10/28/2013	11:14	12.1	112	12:44	20.0	1	KC
TH-2 @ 9'	10/28/2013	11:15	22.2	Not Analyzed for TPH				
TH-3 @ 3'	10/28/2013	10:43	4,147	1,330	11:14	20.0	1	KC
TH-3 @ 5'	10/28/2013	11:19	989	Not Analyzed for TPH				
TH-3 @ 7'	10/28/2013	11:21	20.1	163	12:46	20.0	1	KC
TH-3 @ 9'	10/28/2013	11:23	19.1	Not Analyzed for TPH				
TH-3 @ 12'	10/28/2013	11:25	6.3	914	12:37	20.0	1	KC
TH-4 @ 3'	10/28/2013	10:45	5.7	43.3	11:17	20.0	1	KC
TH-4 @ 5'	10/28/2013	11:30	2.1	Not Analyzed for TPH				
TH-4 @ 7'	10/28/2013	11:33	40.3	Not Analyzed for TPH				
TH-4 @ 9'	10/28/2013	11:34	1.2	Not Analyzed for TPH				
TH-5 @ surface	10/28/2013	11:40	1.2	Not Analyzed for TPH				
TH-5 @ 3'	10/28/2013	11:42	80.3	172	12:35	20.0	1	KC
TH-5 @ 5'	10/28/2013	11:44	1.5	Not Analyzed for TPH				
TH-5 @ 8'	10/28/2013	11:45	0.6	Not Analyzed for TPH				
TH-6 @ 3'	10/28/2013	11:50	0.6	Not Analyzed for TPH				
TH-6 @ 5'	10/28/2013	11:52	0.4	Not Analyzed for TPH				

Sample ID	Collection Date	Collection Time	OVM (ppm)	Field TPH* (mg/kg)	Field TPH Analysis Time	TPH PQL (mg/kg)	DF	TPH Analysts Initials
TH-6 @ 8'	10/28/2013	11:54	0.3	Not Analyzed for TPH				
TH-7 @ 3'	10/28/2013	11:57	3.8	Not Analyzed for TPH				
TH-7 @ 5.5'	10/28/2013	11:59	879	364	12:41	20.0	1	KC
TH-7 @ 9'	10/28/2013	12:01	5.9	Not Analyzed for TPH				
TH-8 @ 3'	10/28/2013	12:03	1.6	Not Analyzed for TPH				
TH-8 @ 5.5'	10/28/2013	12:05	0.8	Not Analyzed for TPH				
TH-8 @ 9'	10/28/2013	12:09	0.9	Not Analyzed for TPH				

Total Petroleum Hydrocarbons - USEPA 418.1

DF Dilution Factor  
NA Not Analyzed  
ND Not Detected at the Reporting Limit  
PQL Practical Quantitation Limit

\*Field TPH concentrations recorded may be below PQL.

Analyst:



# AES Field Screening Report



Animas Environmental Services, LLC

www.animasenvironmental.com

624 E. Comanche  
Farmington, NM 87401  
505-564-2281

Durango, Colorado  
970-403-3084

Client: ConocoPhillips

Project Location: Northeast Haynes #1

Date: 11/7/2013

Matrix: Soil

Sample ID	Collection Date	Time of Sample Collection	Sample Location	OVM (ppm)	Field TPH Analysis Time	Field TPH* (mg/kg)	TPH PQL (mg/kg)	DF	TPH Analysts Initials
SC-1	11/7/2013	10:40	North Wall	0.5	11:22	73.4	20.0	1	DAW
SC-2	11/7/2013	12:20	South Wall	128	12:52	156	20.0	1	DAW
SC-3	11/7/2013	11:45	East Wall	0.6	12:14	85.6	20.0	1	DAW
SC-4	11/7/2013	10:42	West Wall	0.5	11:31	20.3	20.0	1	DAW
SC-5	11/7/2013	13:30	Base @ 13'	1,028	13:55	2,430	20.0	1	DAW

Total Petroleum Hydrocarbons - USEPA 418.1

DF Dilution Factor

NA Not Analyzed

ND Not Detected at the Reporting Limit

PQL Practical Quantitation Limit

\*Field TPH concentrations recorded may be below PQL.

Analysts:



# AES Field Screening Report



Animas Environmental Services, LLC

[www.animasenvironmental.com](http://www.animasenvironmental.com)

624 E. Comanche  
Farmington, NM 87401  
505-564-2281

Durango, Colorado  
970-403-3084

Client: ConocoPhillips

Project Location: Northeast Haynes #1

Date: 11/8/2013

Matrix: Soil

Sample ID	Collection Date	Time of Sample Collection	Sample Location	OVM (ppm)	Field TPH Analysis Time	Field TPH* (mg/kg)	TPH PQL (mg/kg)	DF	TPH Analysts Initials
SC-5	11/8/2013	11:07	Base @ 18'	2,621	11:39	953	20.0	1	DAW

Total Petroleum Hydrocarbons - USEPA 418.1

DF Dilution Factor

NA Not Analyzed

ND Not Detected at the Reporting Limit

PQL Practical Quantitation Limit

*\*Field TPH concentrations recorded may be below PQL.*

Analyst:

*Debrah Wata*

# AES Field Screening Report



Animas Environmental Services, LLC

[www.animasenvironmental.com](http://www.animasenvironmental.com)

624 E. Comanche  
Farmington, NM 87401  
505-564-2281

Durango, Colorado  
970-403-3084

Client: ConocoPhillips

Project Location: Northeast Haynes #1

Date: 11/11/2013

Matrix: Soil

Sample ID	Collection Date	Time of Sample Collection	Sample Location	OVN (ppm)	Field TPH Analysis Time	Field TPH* (mg/kg)	TPH PQL (mg/kg)	DF	TPH Analysts Initials
SC-5	11/11/2013	12:25	Base @ 25'	2,577	12:56	317	20.0	1	SL

Total Petroleum Hydrocarbons - USEPA 418.1

DF Dilution Factor

NA Not Analyzed

ND Not Detected at the Reporting Limit

PQL Practical Quantitation Limit

*\*Field TPH concentrations recorded may be below PQL.*

Analyst:



Hall Environmental Analysis Laboratory  
4901 Hawkins NE  
Albuquerque, NM 87109  
TEL: 505-345-3975 FAX: 505-345-4107  
Website: [www.hallenvironmental.com](http://www.hallenvironmental.com)

January 24, 2014

Debbie Watson

Animas Environmental Services  
624 East Comanche  
Farmington, NM 87401  
TEL: (505) 486-4071  
FAX (505) 324-2022

RE: CoP NE Haynes #1

OrderNo.: 1310D74

Dear Debbie Watson:

Hall Environmental Analysis Laboratory received 2 sample(s) on 10/29/2013 for the analyses presented in the following report.

This report is a revised report and it replaces the original report issued November 14, 2013.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to [www.hallenvironmental.com](http://www.hallenvironmental.com) or the state specific web sites. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. All samples are reported as received unless otherwise indicated.

Please don't hesitate to contact HEAL for any additional information or clarifications.

Sincerely,

A handwritten signature in black ink, appearing to read 'Andy Freeman', is written over a horizontal line.

Andy Freeman  
Laboratory Manager  
4901 Hawkins NE  
Albuquerque, NM 87109

# Hall Environmental Analysis Laboratory, Inc.

## Analytical Report

Lab Order 1310D74

Date Reported: 1/24/2014

**CLIENT:** Animas Environmental Services

**Client Sample ID:** TH-3 @ 12'

**Project:** CoP NE Haynes #1

**Collection Date:** 10/28/2013 11:25:00 AM

**Lab ID:** 1310D74-001

**Matrix:** MEOH (SOIL)

**Received Date:** 10/29/2013 10:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
<b>EPA METHOD 8015D: DIESEL RANGE ORGANICS</b>							Analyst: <b>BCN</b>
Diesel Range Organics (DRO)	1200	100		mg/Kg	10	10/31/2013 12:30:34 PM	10100
Surr: DNOP	0	66-131	S	%REC	10	10/31/2013 12:30:34 PM	10100
<b>EPA METHOD 8015D: GASOLINE RANGE</b>							Analyst: <b>NSB</b>
Gasoline Range Organics (GRO)	ND	25		mg/Kg	5	10/30/2013 4:32:32 PM	R14452
Surr: BFB	96.1	74.5-129		%REC	5	10/30/2013 4:32:32 PM	R14452
<b>EPA METHOD 8021B: VOLATILES</b>							Analyst: <b>NSB</b>
Benzene	ND	0.12		mg/Kg	5	10/30/2013 4:32:32 PM	R14452
Toluene	ND	0.25		mg/Kg	5	10/30/2013 4:32:32 PM	R14452
Ethylbenzene	ND	0.25		mg/Kg	5	10/30/2013 4:32:32 PM	R14452
Xylenes, Total	ND	0.50		mg/Kg	5	10/30/2013 4:32:32 PM	R14452
Surr: 4-Bromofluorobenzene	101	80-120		%REC	5	10/30/2013 4:32:32 PM	R14452

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

<b>Qualifiers:</b>	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	O	RSD is greater than RSDlimit	P	Sample pH greater than 2 for VOA and TOC only.
	R	RPD outside accepted recovery limits	RL	Reporting Detection Limit
	S	Spike Recovery outside accepted recovery limits		

# Hall Environmental Analysis Laboratory, Inc.

## Analytical Report

Lab Order 1310D74

Date Reported: 1/24/2014

**CLIENT:** Animas Environmental Services

**Client Sample ID:** TH-5 @ 3'

**Project:** CoP NE Haynes #1

**Collection Date:** 10/28/2013 11:45:00 AM

**Lab ID:** 1310D74-002

**Matrix:** MEOH (SOIL)

**Received Date:** 10/29/2013 10:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
<b>EPA METHOD 8015D: DIESEL RANGE ORGANICS</b>					Analyst: <b>BCN</b>		
Diesel Range Organics (DRO)	250	9.9		mg/Kg	1	10/31/2013 12:52:38 PM	10100
Surr: DNOP	97.3	66-131		%REC	1	10/31/2013 12:52:38 PM	10100
<b>EPA METHOD 8015D: GASOLINE RANGE</b>					Analyst: <b>NSB</b>		
Gasoline Range Organics (GRO)	12	5.0		mg/Kg	1	10/30/2013 5:36:15 PM	R14452
Surr: BFB	173	74.5-129	S	%REC	1	10/30/2013 5:36:15 PM	R14452
<b>EPA METHOD 8021B: VOLATILES</b>					Analyst: <b>NSB</b>		
Benzene	ND	0.050		mg/Kg	1	10/30/2013 5:36:15 PM	R14452
Toluene	ND	0.050		mg/Kg	1	10/30/2013 5:36:15 PM	R14452
Ethylbenzene	0.066	0.050		mg/Kg	1	10/30/2013 5:36:15 PM	R14452
Xylenes, Total	0.79	0.10		mg/Kg	1	10/30/2013 5:36:15 PM	R14452
Surr: 4-Bromofluorobenzene	108	80-120		%REC	1	10/30/2013 5:36:15 PM	R14452

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

<b>Qualifiers:</b>	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	O	RSD is greater than RSDlimit	P	Sample pH greater than 2 for VOA and TOC only.
	R	RPD outside accepted recovery limits	RL	Reporting Detection Limit
	S	Spike Recovery outside accepted recovery limits		

# QC SUMMARY REPORT

## Hall Environmental Analysis Laboratory, Inc.

WO#: 1310D74

24-Jan-14

Client: Animas Environmental Services

Project: CoP NE Haynes #1

Sample ID	MB-10100		SampType: MBLK		TestCode: EPA Method 8015D: Diesel Range Organics					
Client ID:	PBS		Batch ID: 10100		RunNo: 14468					
Prep Date:	10/30/2013		Analysis Date: 10/31/2013		SeqNo: 415904		Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	9.1		10.00		91.4	66	131			

Sample ID	LCS-10100		SampType: LCS		TestCode: EPA Method 8015D: Diesel Range Organics					
Client ID:	LCSS		Batch ID: 10100		RunNo: 14468					
Prep Date:	10/30/2013		Analysis Date: 10/31/2013		SeqNo: 416005		Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	47	10	50.00	0	93.2	77.1	128			
Surr: DNOP	4.4		5.000		88.7	66	131			

### Qualifiers:

\* Value exceeds Maximum Contaminant Level.  
E Value above quantitation range  
J Analyte detected below quantitation limits  
O RSD is greater than RSDlimit  
R RPD outside accepted recovery limits  
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
P Sample pH greater than 2 for VOA and TOC only.  
RL Reporting Detection Limit

# QC SUMMARY REPORT

## Hall Environmental Analysis Laboratory, Inc.

WO#: 1310D74

24-Jan-14

Client: Animas Environmental Services

Project: CoP NE Haynes #1

Sample ID	MB-10085 MK		SampType: MBLK		TestCode: EPA Method 8015D: Gasoline Range					
Client ID:	PBS		Batch ID: R14452		RunNo: 14452					
Prep Date:			Analysis Date: 10/30/2013		SeqNo: 415568		Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	950		1000		95.3	74.5	129			

Sample ID	LCS-10085 MK		SampType: LCS		TestCode: EPA Method 8015D: Gasoline Range					
Client ID:	LCSS		Batch ID: R14452		RunNo: 14452					
Prep Date:			Analysis Date: 10/30/2013		SeqNo: 415570		Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	23	5.0	25.00	0	90.9	74.5	126			
Surr: BFB	1000		1000		105	74.5	129			

### Qualifiers:

\* Value exceeds Maximum Contaminant Level.  
E Value above quantitation range  
J Analyte detected below quantitation limits  
O RSD is greater than RSDlimit  
R RPD outside accepted recovery limits  
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
P Sample pH greater than 2 for VOA and TOC only.  
RL Reporting Detection Limit

# QC SUMMARY REPORT

## Hall Environmental Analysis Laboratory, Inc.

WO#: 1310D74

24-Jan-14

Client: Animas Environmental Services

Project: CoP NE Haynes #1

Sample ID	MB-10085 MK	SampType: MBLK			TestCode: EPA Method 8021B: Volatiles					
Client ID:	PBS	Batch ID: R14452			RunNo: 14452					
Prep Date:		Analysis Date: 10/30/2013			SeqNo: 415590		Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.050								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.0		1.000		100	80	120			

Sample ID	LCS-10085 MK		SampType: LCS		TestCode: EPA Method 8021B: Volatiles					
Client ID:	LCSS		Batch ID: R14452		RunNo: 14452					
Prep Date:			Analysis Date: 10/30/2013		SeqNo: 415591		Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.93	0.050	1.000	0	93.2	80	120			
Toluene	0.94	0.050	1.000	0	93.7	80	120			
Ethylbenzene	0.97	0.050	1.000	0	96.6	80	120			
Xylenes, Total	3.0	0.10	3.000	0	101	80	120			
Surr: 4-Bromofluorobenzene	1.0		1.000		99.8	80	120			

### Qualifiers:

*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
O	RSD is greater than RSDlimit	P	Sample pH greater than 2 for VOA and TOC only.
R	RPD outside accepted recovery limits	RL	Reporting Detection Limit
S	Spike Recovery outside accepted recovery limits		



# Sample Log-In Check List

Client Name: Animas Environmental

Work Order Number: 1310D74

RcptNo: 1

Received by/date:

AG 10/29/13

Logged By: Anne Thorne

10/29/2013 10:00:00 AM


Anne Thorne

Completed By: Anne Thorne

10/29/2013

Anne Thorne

Reviewed By:



10/30/13

## Chain of Custody

1. Custody seals intact on sample bottles? Yes ☐ No ☐ Not Present ☒
2. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
3. How was the sample delivered? Courier

## Log In

4. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
5. Were all samples received at a temperature of >0° C to 6.0°C Yes ☒ No ☐ NA ☐
6. Sample(s) in proper container(s)? Yes ☒ No ☐
7. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
8. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
9. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
10. VOA vials have zero headspace? Yes ☐ No ☐ No VOA Vials ☒
11. Were any sample containers received broken? Yes ☐ No ☒
12. Does paperwork match bottle labels?  
(Note discrepancies on chain of custody) Yes ☒ No ☐
13. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
14. Is it clear what analyses were requested? Yes ☒ No ☐
15. Were all holding times able to be met?  
(If no, notify customer for authorization.) Yes ☒ No ☐

# of preserved  
bottles checked  
for pH:

(&lt;2 or &gt;12 unless noted)

Adjusted?

Checked by:

## Special Handling (if applicable)

16. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified:

Date

By Whom:

Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person

Regarding:

Client Instructions:

17. Additional remarks:

## 18. Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	2.4	Good	Yes			

Turn-Around Time: Standard per Dept YMS 10/2/11

Mailing Address: 624 E. Conancho  
Farmington NM 87401  
Phone #: 505-524-2281

QA/QC Package:

☐ Standard

☐ Level 4 (Full Validation)

Date	Time	Matrix	Sample Request
------	------	--------	----------------

--	--	--	--	--	--	--

[illegible]

Date:	Time:	Relinquished by:
-------	-------	------------------

12/13/13 US / JCT Waters

Turn-Around Time: Not Done  
Stanper WMS 10/26/11  
☒ Standard ✓ Rush Same Day

Project Name:	CoP NE Haynes #1
Project #:	

Project Manager:

D. Watson	
Sampler:	KE/CH

On Ice:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
Sample Temperature:	2.4	

Container Type and #	Preservative Type	HEAL No.
		1310014

402 jar	non	-001	4
402 jar	non	-002	5

--	--	--	--	--	--



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Received by:	Date	Time	R
<i>Chen + 1/1/1</i>	<i>1/1/1</i>	<i>10:00</i>	

Received by: Alfred W. Lee Date 10/29/12 Time 630

contracted to other accredited laboratories. This serves as notice of this post

4901 Hawkins NE - Albuquerque, NM 87109  
Tel. 505-345-3975 Fax 505-345-4107  
www.hallenvironmental.com

[illegible]

Remarks:

Received by:	Date	Time
--------------	------	------

Received by: Christ Weale Date 14/29/13 Time 630

F

10/29/13 1056

if necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.



Hall Environmental Analysis Laboratory  
4901 Hawkins NE  
Albuquerque, NM 87109  
TEL: 505-345-3975 FAX: 505-345-4107  
Website: [www.hallenvironmental.com](http://www.hallenvironmental.com)

January 24, 2014

Debbie Watson

Animas Environmental  
624 East Comanche  
Farmington, NM 87401  
TEL: (505) 486-4071  
FAX

RE: COP Northeast Haynes #1

OrderNo.: 1311312

Dear Debbie Watson:

Hall Environmental Analysis Laboratory received 4 sample(s) on 11/8/2013 for the analyses presented in the following report.

This report is a revised report and it replaces the original report issued November 11, 2013.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to [www.hallenvironmental.com](http://www.hallenvironmental.com) or the state specific web sites. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. All samples are reported as received unless otherwise indicated.

Please don't hesitate to contact HEAL for any additional information or clarifications.

Sincerely,

A handwritten signature in black ink, appearing to read 'Andy Freeman', is written over a horizontal line.

Andy Freeman  
Laboratory Manager  
4901 Hawkins NE  
Albuquerque, NM 87109

# Hall Environmental Analysis Laboratory, Inc.

## Analytical Report

Lab Order 1311312

Date Reported: 1/24/2014

**CLIENT:** Animas Environmental

**Client Sample ID:** SC-1

**Project:** COP Northeast Haynes #1

**Collection Date:** 11/7/2013 10:40:00 AM

**Lab ID:** 1311312-001

**Matrix:** MEOH (SOIL)

**Received Date:** 11/8/2013 10:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
<b>EPA METHOD 8015D: DIESEL RANGE ORGANICS</b>							Analyst: <b>BCN</b>
Diesel Range Organics (DRO)	ND	10		mg/Kg	1	11/8/2013 1:39:50 PM	10249
Surr: DNOP	100	66-131		%REC	1	11/8/2013 1:39:50 PM	10249
<b>EPA METHOD 8015D: GASOLINE RANGE</b>							Analyst: <b>NSB</b>
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	11/8/2013 11:59:02 AM	R14664
Surr: BFB	97.1	74.5-129		%REC	1	11/8/2013 11:59:02 AM	R14664
<b>EPA METHOD 8021B: VOLATILES</b>							Analyst: <b>NSB</b>
Benzene	ND	0.050		mg/Kg	1	11/8/2013 11:59:02 AM	R14664
Toluene	ND	0.050		mg/Kg	1	11/8/2013 11:59:02 AM	R14664
Ethylbenzene	ND	0.050		mg/Kg	1	11/8/2013 11:59:02 AM	R14664
Xylenes, Total	ND	0.10		mg/Kg	1	11/8/2013 11:59:02 AM	R14664
Surr: 4-Bromofluorobenzene	115	80-120		%REC	1	11/8/2013 11:59:02 AM	R14664

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

<b>Qualifiers:</b>	*	Value exceeds Maximum Contaminant Level.
	E	Value above quantitation range
	J	Analyte detected below quantitation limits
	O	RSD is greater than RSDlimit
	R	RPD outside accepted recovery limits
	S	Spike Recovery outside accepted recovery limits

B	Analyte detected in the associated Method Blank
H	Holding times for preparation or analysis exceeded
ND	Not Detected at the Reporting Limit
P	Sample pH greater than 2 for VOA and TOC only.
RL	Reporting Detection Limit

# Hall Environmental Analysis Laboratory, Inc.

## Analytical Report

Lab Order 1311312

Date Reported: 1/24/2014

**CLIENT:** Animas Environmental

**Client Sample ID:** SC-2

**Project:** COP Northeast Haynes #1

**Collection Date:** 11/7/2013 12:20:00 PM

**Lab ID:** 1311312-002

**Matrix:** MEOH (SOIL)

**Received Date:** 11/8/2013 10:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
<b>EPA METHOD 8015D: DIESEL RANGE ORGANICS</b>							Analyst: <b>BCN</b>
Diesel Range Organics (DRO)	19	9.9		mg/Kg	1	11/8/2013 2:10:53 PM	10249
Surr: DNOP	95.1	66-131		%REC	1	11/8/2013 2:10:53 PM	10249
<b>EPA METHOD 8015D: GASOLINE RANGE</b>							Analyst: <b>NSB</b>
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	11/8/2013 12:27:30 PM	R14664
Surr: BFB	93.9	74.5-129		%REC	1	11/8/2013 12:27:30 PM	R14664
<b>EPA METHOD 8021B: VOLATILES</b>							Analyst: <b>NSB</b>
Benzene	ND	0.050		mg/Kg	1	11/8/2013 12:27:30 PM	R14664
Toluene	ND	0.050		mg/Kg	1	11/8/2013 12:27:30 PM	R14664
Ethylbenzene	ND	0.050		mg/Kg	1	11/8/2013 12:27:30 PM	R14664
Xylenes, Total	ND	0.10		mg/Kg	1	11/8/2013 12:27:30 PM	R14664
Surr: 4-Bromofluorobenzene	111	80-120		%REC	1	11/8/2013 12:27:30 PM	R14664

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

<b>Qualifiers:</b>	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	O	RSD is greater than RSDlimit	P	Sample pH greater than 2 for VOA and TOC only.
	R	RPD outside accepted recovery limits	RL	Reporting Detection Limit
	S	Spike Recovery outside accepted recovery limits		

# Hall Environmental Analysis Laboratory, Inc.

## Analytical Report

Lab Order 1311312

Date Reported: 1/24/2014

**CLIENT:** Animas Environmental

**Client Sample ID:** SC-3

**Project:** COP Northeast Haynes #1

**Collection Date:** 11/7/2013 11:45:00 AM

**Lab ID:** 1311312-003

**Matrix:** MEOH (SOIL)

**Received Date:** 11/8/2013 10:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
<b>EPA METHOD 8015D: DIESEL RANGE ORGANICS</b>							Analyst: <b>BCN</b>
Diesel Range Organics (DRO)	ND	10		mg/Kg	1	11/8/2013 3:14:23 PM	10249
Surr: DNOP	98.0	66-131		%REC	1	11/8/2013 3:14:23 PM	10249
<b>EPA METHOD 8015D: GASOLINE RANGE</b>							Analyst: <b>NSB</b>
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	11/8/2013 12:56:10 PM	R14664
Surr: BFB	93.6	74.5-129		%REC	1	11/8/2013 12:56:10 PM	R14664
<b>EPA METHOD 8021B: VOLATILES</b>							Analyst: <b>NSB</b>
Benzene	ND	0.050		mg/Kg	1	11/8/2013 12:56:10 PM	R14664
Toluene	ND	0.050		mg/Kg	1	11/8/2013 12:56:10 PM	R14664
Ethylbenzene	ND	0.050		mg/Kg	1	11/8/2013 12:56:10 PM	R14664
Xylenes, Total	ND	0.10		mg/Kg	1	11/8/2013 12:56:10 PM	R14664
Surr: 4-Bromofluorobenzene	111	80-120		%REC	1	11/8/2013 12:56:10 PM	R14664

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

<b>Qualifiers:</b>	*	Value exceeds Maximum Contaminant Level.
	E	Value above quantitation range
	J	Analyte detected below quantitation limits
	O	RSD is greater than RSDlimit
	R	RPD outside accepted recovery limits
	S	Spike Recovery outside accepted recovery limits

B	Analyte detected in the associated Method Blank
H	Holding times for preparation or analysis exceeded
ND	Not Detected at the Reporting Limit
P	Sample pH greater than 2 for VOA and TOC only.
RL	Reporting Detection Limit

# Hall Environmental Analysis Laboratory, Inc.

## Analytical Report

Lab Order 1311312

Date Reported: 1/24/2014

**CLIENT:** Animas Environmental

**Client Sample ID:** SC-4

**Project:** COP Northeast Haynes #1

**Collection Date:** 11/7/2013 10:42:00 AM

**Lab ID:** 1311312-004

**Matrix:** MEOH (SOIL)

**Received Date:** 11/8/2013 10:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
<b>EPA METHOD 8015D: DIESEL RANGE ORGANICS</b>							Analyst: <b>BCN</b>
Diesel Range Organics (DRO)	ND	10		mg/Kg	1	11/8/2013 3:12:20 PM	10249
Surr: DNOP	104	66-131		%REC	1	11/8/2013 3:12:20 PM	10249
<b>EPA METHOD 8015D: GASOLINE RANGE</b>							Analyst: <b>NSB</b>
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	11/8/2013 1:24:49 PM	R14664
Surr: BFB	91.9	74.5-129		%REC	1	11/8/2013 1:24:49 PM	R14664
<b>EPA METHOD 8021B: VOLATILES</b>							Analyst: <b>NSB</b>
Benzene	ND	0.050		mg/Kg	1	11/8/2013 1:24:49 PM	R14664
Toluene	ND	0.050		mg/Kg	1	11/8/2013 1:24:49 PM	R14664
Ethylbenzene	ND	0.050		mg/Kg	1	11/8/2013 1:24:49 PM	R14664
Xylenes, Total	ND	0.10		mg/Kg	1	11/8/2013 1:24:49 PM	R14664
Surr: 4-Bromofluorobenzene	109	80-120		%REC	1	11/8/2013 1:24:49 PM	R14664

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

<b>Qualifiers:</b>	*	Value exceeds Maximum Contaminant Level.
	E	Value above quantitation range
	J	Analyte detected below quantitation limits
	O	RSD is greater than RSDlimit
	R	RPD outside accepted recovery limits
	S	Spike Recovery outside accepted recovery limits

B	Analyte detected in the associated Method Blank
H	Holding times for preparation or analysis exceeded
ND	Not Detected at the Reporting Limit
P	Sample pH greater than 2 for VOA and TOC only.
RL	Reporting Detection Limit



# QC SUMMARY REPORT

## Hall Environmental Analysis Laboratory, Inc.

WO#: 1311312

24-Jan-14

**Client:** Animas Environmental  
**Project:** COP Northeast Haynes #1

Sample ID <b>MB-10249</b>	SampType: <b>MBLK</b>		TestCode: <b>EPA Method 8015D: Diesel Range Organics</b>							
Client ID: <b>PBS</b>	Batch ID: <b>10249</b>		RunNo: <b>14634</b>							
Prep Date: <b>11/8/2013</b>	Analysis Date: <b>11/8/2013</b>		SeqNo: <b>421930</b>		Units: <b>mg/Kg</b>					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	8.8		10.00		87.6	66	131			

Sample ID <b>LCS-10249</b>	SampType: <b>LCS</b>		TestCode: <b>EPA Method 8015D: Diesel Range Organics</b>							
Client ID: <b>LCSS</b>	Batch ID: <b>10249</b>		RunNo: <b>14634</b>							
Prep Date: <b>11/8/2013</b>	Analysis Date: <b>11/8/2013</b>		SeqNo: <b>421931</b>		Units: <b>mg/Kg</b>					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	43	10	50.00	0	86.4	62.1	127			
Surr: DNOP	4.8		5.000		95.8	66	131			

### Qualifiers:

- |                                                   |                                                      |
|---------------------------------------------------|------------------------------------------------------|
| * Value exceeds Maximum Contaminant Level.        | B Analyte detected in the associated Method Blank    |
| E Value above quantitation range                  | H Holding times for preparation or analysis exceeded |
| J Analyte detected below quantitation limits      | ND Not Detected at the Reporting Limit               |
| O RSD is greater than RSDlimit                    | P Sample pH greater than 2 for VOA and TOC only.     |
| R RPD outside accepted recovery limits            | RL Reporting Detection Limit                         |
| S Spike Recovery outside accepted recovery limits |                                                      |

# QC SUMMARY REPORT

## Hall Environmental Analysis Laboratory, Inc.

WO#: 1311312

24-Jan-14

**Client:** Animas Environmental  
**Project:** COP Northeast Haynes #1

Sample ID <b>MB-10237 MK</b>	SampType: <b>MBLK</b>			TestCode: <b>EPA Method 8015D: Gasoline Range</b>						
Client ID: <b>PBS</b>	Batch ID: <b>R14664</b>			RunNo: <b>14664</b>						
Prep Date:	Analysis Date: <b>11/8/2013</b>			SeqNo: <b>422498</b>		Units: <b>mg/Kg</b>				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	950		1000		94.8	74.5	129			

Sample ID <b>LCS-10237 MK</b>	SampType: <b>LCS</b>			TestCode: <b>EPA Method 8015D: Gasoline Range</b>						
Client ID: <b>LCSS</b>	Batch ID: <b>R14664</b>			RunNo: <b>14664</b>						
Prep Date:	Analysis Date: <b>11/8/2013</b>			SeqNo: <b>422499</b>		Units: <b>mg/Kg</b>				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	22	5.0	25.00	0	87.4	74.5	126			
Surr: BFB	1000		1000		102	74.5	129			

### Qualifiers:

- |                                                   |                                                      |
|---------------------------------------------------|------------------------------------------------------|
| * Value exceeds Maximum Contaminant Level.        | B Analyte detected in the associated Method Blank    |
| E Value above quantitation range                  | H Holding times for preparation or analysis exceeded |
| J Analyte detected below quantitation limits      | ND Not Detected at the Reporting Limit               |
| O RSD is greater than RSDlimit                    | P Sample pH greater than 2 for VOA and TOC only.     |
| R RPD outside accepted recovery limits            | RL Reporting Detection Limit                         |
| S Spike Recovery outside accepted recovery limits |                                                      |

# QC SUMMARY REPORT

## Hall Environmental Analysis Laboratory, Inc.

WO#: 1311312

24-Jan-14

**Client:** Animas Environmental  
**Project:** COP Northeast Haynes #1

Sample ID <b>MB-10237 MK</b>	SampType: <b>MBLK</b>		TestCode: <b>EPA Method 8021B: Volatiles</b>							
Client ID: <b>PBS</b>	Batch ID: <b>R14664</b>		RunNo: <b>14664</b>							
Prep Date:	Analysis Date: <b>11/8/2013</b>		SeqNo: <b>422527</b>		Units: <b>mg/Kg</b>					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.050								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.1		1.000		113	80	120			

Sample ID <b>LCS-10237 MK</b>	SampType: <b>LCS</b>		TestCode: <b>EPA Method 8021B: Volatiles</b>							
Client ID: <b>LCSS</b>	Batch ID: <b>R14664</b>		RunNo: <b>14664</b>							
Prep Date:	Analysis Date: <b>11/8/2013</b>		SeqNo: <b>422528</b>		Units: <b>mg/Kg</b>					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.0	0.050	1.000	0	102	80	120			
Toluene	1.0	0.050	1.000	0	104	80	120			
Ethylbenzene	1.0	0.050	1.000	0	105	80	120			
Xylenes, Total	3.2	0.10	3.000	0	106	80	120			
Surr: 4-Bromofluorobenzene	1.2		1.000		118	80	120			

### Qualifiers:

* Value exceeds Maximum Contaminant Level.	B Analyte detected in the associated Method Blank
E Value above quantitation range	H Holding times for preparation or analysis exceeded
J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
O RSD is greater than RSDlimit	P Sample pH greater than 2 for VOA and TOC only.
R RPD outside accepted recovery limits	RL Reporting Detection Limit
S Spike Recovery outside accepted recovery limits	

# Sample Log-In Check List

Client Name: Animas Environmental

Work Order Number: 1311312

RcptNo: 1

Received by/date:

*ME* 11/6/13

Logged By: Lindsay Mangin

11/8/2013 10:00:00 AM

*Lindsay Mangin*

Completed By: Lindsay Mangin

11/8/2013 10:19:47 AM

*Lindsay Mangin*

Reviewed By:

*mg*

11/08/13

## Chain of Custody

1. Custody seals intact on sample bottles? Yes ☐ No ☐ Not Present ☒
2. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
3. How was the sample delivered? Courier

## Log In

4. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
5. Were all samples received at a temperature of  $>0^{\circ}\text{C}$  to  $6.0^{\circ}\text{C}$ ? Yes ☒ No ☐ NA ☐
6. Sample(s) in proper container(s)? Yes ☒ No ☐
7. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
8. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
9. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
10. VOA vials have zero headspace? Yes ☐ No ☐ No VOA Vials ☒
11. Were any sample containers received broken? Yes ☐ No ☒
12. Does paperwork match bottle labels?  
(Note discrepancies on chain of custody) Yes ☒ No ☐
13. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
14. Is it clear what analyses were requested? Yes ☒ No ☐
15. Were all holding times able to be met?  
(If no, notify customer for authorization.) Yes ☒ No ☐

# of preserved  
bottles checked  
for pH:

( $<2$  or  $>12$  unless noted)

Adjusted? \_\_\_\_\_

Checked by: \_\_\_\_\_

## Special Handling (if applicable)

16. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified:

Date:

By Whom:

Via:

☐ eMail

☐ Phone

☐ Fax

☐ In Person

Regarding:

Client Instructions:

17. Additional remarks:

## 18. Cooler Information

Cooler No	Temp $^{\circ}\text{C}$	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	1.0	Good	Yes			





Hall Environmental Analysis Laboratory  
4901 Hawkins NE  
Albuquerque, NM 87109  
TEL: 505-345-3975 FAX: 505-345-4107  
Website: [www.hallenvironmental.com](http://www.hallenvironmental.com)

January 24, 2014

Debbie Watson

Animas Environmental  
624 East Comanche  
Farmington, NM 87401  
TEL: (505) 486-4071  
FAX

RE: CoP NE Haynes #1

OrderNo.: 1311431

Dear Debbie Watson:

Hall Environmental Analysis Laboratory received 1 sample(s) on 11/12/2013 for the analyses presented in the following report.

This report is a revised report and it replaces the original report issued November 13, 2013.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to [www.hallenvironmental.com](http://www.hallenvironmental.com) or the state specific web sites. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. All samples are reported as received unless otherwise indicated.

Please don't hesitate to contact HEAL for any additional information or clarifications.

Sincerely,

A handwritten signature in black ink, appearing to read 'Andy Freeman', is written over a horizontal line.

Andy Freeman  
Laboratory Manager  
4901 Hawkins NE  
Albuquerque, NM 87109

# Hall Environmental Analysis Laboratory, Inc.

## Analytical Report

Lab Order 1311431

Date Reported: 1/24/2014

**CLIENT:** Animas Environmental

**Client Sample ID:** SC-5 @ 25'

**Project:** CoP NE Haynes #1

**Collection Date:** 11/11/2013 12:25:00 PM

**Lab ID:** 1311431-001

**Matrix:** MEOH (SOIL)

**Received Date:** 11/12/2013 10:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
<b>EPA METHOD 8015D: DIESEL RANGE ORGANICS</b>							Analyst: <b>BCN</b>
Diesel Range Organics (DRO)	880	99		mg/Kg	10	11/12/2013 1:00:12 PM	10292
Surr: DNOP	0	66-131	S	%REC	10	11/12/2013 1:00:12 PM	10292
<b>EPA METHOD 8015D: GASOLINE RANGE</b>							Analyst: <b>NSB</b>
Gasoline Range Organics (GRO)	490	25		mg/Kg	5	11/12/2013 12:55:54 PM	R14740
Surr: BFB	993	74.5-129	S	%REC	5	11/12/2013 12:55:54 PM	R14740
<b>EPA METHOD 8021B: VOLATILES</b>							Analyst: <b>NSB</b>
Benzene	ND	0.12		mg/Kg	5	11/12/2013 12:55:54 PM	R14740
Toluene	ND	0.25		mg/Kg	5	11/12/2013 12:55:54 PM	R14740
Ethylbenzene	ND	0.25		mg/Kg	5	11/12/2013 12:55:54 PM	R14740
Xylenes, Total	17	0.50		mg/Kg	5	11/12/2013 12:55:54 PM	R14740
Surr: 4-Bromofluorobenzene	153	80-120	S	%REC	5	11/12/2013 12:55:54 PM	R14740

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

<b>Qualifiers:</b>	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	O	RSD is greater than RSDlimit	P	Sample pH greater than 2 for VOA and TOC only.
	R	RPD outside accepted recovery limits	RL	Reporting Detection Limit
	S	Spike Recovery outside accepted recovery limits		



# QC SUMMARY REPORT

## Hall Environmental Analysis Laboratory, Inc.

WO#: 1311431

24-Jan-14

Client: Animas Environmental

Project: CoP NE Haynes #1

Sample ID	MB-10292	SampType:	MBLK		TestCode:	EPA Method 8015D: Diesel Range Organics				
Client ID:	PBS	Batch ID:	10292		RunNo:	14724				
Prep Date:	11/12/2013	Analysis Date:	11/12/2013		SeqNo:	424197		Units:	mg/Kg	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	8.8		10.00		87.6	66	131			

Sample ID	LCS-10292		SampType: LCS		TestCode: EPA Method 8015D: Diesel Range Organics					
Client ID:	LCSS		Batch ID: 10292		RunNo: 14724					
Prep Date:	11/12/2013		Analysis Date: 11/12/2013		SeqNo: 424198		Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	47	10	50.00	0	94.4	62.1	127			
Surr: DNOP	4.7		5.000		94.1	66	131			

Sample ID	1311337-001AMS		SampType: MS		TestCode: EPA Method 8015D: Diesel Range Organics					
Client ID:	BatchQC		Batch ID: 10292		RunNo: 14753					
Prep Date:	11/12/2013		Analysis Date: 11/13/2013		SeqNo: 425368		Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	44	10	50.20	0	86.8	47.4	148			
Surr: DNOP	5.4		5.020		108	66	131			

Sample ID	1311337-001AMSD		SampType: MSD		TestCode: EPA Method 8015D: Diesel Range Organics					
Client ID:	BatchQC		Batch ID: 10292		RunNo: 14753					
Prep Date:	11/12/2013		Analysis Date: 11/13/2013		SeqNo: 425394		Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	43	10	49.80	0	85.6	47.4	148	2.25	22.7	
Surr: DNOP	5.1		4.980		103	66	131	0	0	

### Qualifiers:

- |                                                   |                                                      |
|---------------------------------------------------|------------------------------------------------------|
| * Value exceeds Maximum Contaminant Level.        | B Analyte detected in the associated Method Blank    |
| E Value above quantitation range                  | H Holding times for preparation or analysis exceeded |
| J Analyte detected below quantitation limits      | ND Not Detected at the Reporting Limit               |
| O RSD is greater than RSDlimit                    | P Sample pH greater than 2 for VOA and TOC only.     |
| R RPD outside accepted recovery limits            | RL Reporting Detection Limit                         |
| S Spike Recovery outside accepted recovery limits |                                                      |

# QC SUMMARY REPORT

## Hall Environmental Analysis Laboratory, Inc.

WO#: 1311431

24-Jan-14

Client: Animas Environmental

Project: CoP NE Haynes #1

Sample ID	MB-10281 MK		SampType: MBLK		TestCode: EPA Method 8015D: Gasoline Range					
Client ID:	PBS		Batch ID: R14740		RunNo: 14740					
Prep Date:			Analysis Date: 11/12/2013		SeqNo: 424557		Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	920		1000		92.4	74.5	129			

Sample ID	LCS-10281 MK		SampType: LCS		TestCode: EPA Method 8015D: Gasoline Range					
Client ID:	LCSS		Batch ID: R14740		RunNo: 14740					
Prep Date:			Analysis Date: 11/12/2013		SeqNo: 424558		Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	25	5.0	25.00	0	99.9	74.5	126			
Surr: BFB	980		1000		98.2	74.5	129			

### Qualifiers:

\* Value exceeds Maximum Contaminant Level.  
E Value above quantitation range  
J Analyte detected below quantitation limits  
O RSD is greater than RSDlimit  
R RPD outside accepted recovery limits  
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
P Sample pH greater than 2 for VOA and TOC only.  
RL Reporting Detection Limit

# QC SUMMARY REPORT

## Hall Environmental Analysis Laboratory, Inc.

WO#: 1311431

24-Jan-14

Client: Animas Environmental

Project: CoP NE Haynes #1

Sample ID	MB-10281 MK		SampType: MBLK		TestCode: EPA Method 8021B: Volatiles					
Client ID:	PBS		Batch ID: R14740		RunNo: 14740					
Prep Date:			Analysis Date: 11/12/2013		SeqNo: 424628		Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.050								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.1		1.000		111	80	120			

Sample ID	LCS-10281 MK		SampType: LCS		TestCode: EPA Method 8021B: Volatiles					
Client ID:	LCSS		Batch ID: R14740		RunNo: 14740					
Prep Date:			Analysis Date: 11/12/2013		SeqNo: 424629		Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.0	0.050	1.000	0	99.7	80	120			
Toluene	1.0	0.050	1.000	0	102	80	120			
Ethylbenzene	1.0	0.050	1.000	0	102	80	120			
Xylenes, Total	3.1	0.10	3.000	0	104	80	120			
Surr: 4-Bromofluorobenzene	1.2		1.000		116	80	120			

### Qualifiers:

\* Value exceeds Maximum Contaminant Level.  
E Value above quantitation range  
J Analyte detected below quantitation limits  
O RSD is greater than RSDlimit  
R RPD outside accepted recovery limits  
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
P Sample pH greater than 2 for VOA and TOC only.  
RL Reporting Detection Limit

# Sample Log-In Check List

Client Name: Animas Environmental

Work Order Number: 1311431

RcptNo: 1

Received by/date:

Logged By: Michelle Garcia

11/12/2013 10:00:00 AM

*Michelle Garcia*

Completed By: Michelle Garcia

11/12/2013 10:07:48 AM

*Michelle Garcia*

Reviewed By:

## Chain of Custody

1. Custody seals intact on sample bottles? Yes ☐ No ☐ Not Present ☒
2. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
3. How was the sample delivered? Courier

## Log In

4. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
5. Were all samples received at a temperature of >0° C to 6.0°C Yes ☒ No ☐ NA ☐
6. Sample(s) in proper container(s)? Yes ☒ No ☐
7. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
8. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
9. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
10. VOA vials have zero headspace? Yes ☐ No ☐ No VOA Vials ☒
11. Were any sample containers received broken? Yes ☐ No ☒
12. Does paperwork match bottle labels?  
(Note discrepancies on chain of custody) Yes ☒ No ☐
13. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
14. Is it clear what analyses were requested? Yes ☒ No ☐
15. Were all holding times able to be met?  
(If no, notify customer for authorization.) Yes ☒ No ☐

# of preserved  
bottles checked  
for pH:

(<2 or >12 unless noted)

Adjusted? \_\_\_\_\_

Checked by: \_\_\_\_\_

## Special Handling (if applicable)

16. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified:

Date:

By Whom:

Via:

☐ eMail ☐ Phone ☐ Fax ☐ In Person

Regarding:

Client Instructions:

17. Additional remarks:

## 18. Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	1.0	Good	Yes			

[illegible]

<input type="checkbox"/> Standard	<input checked="" type="checkbox"/> Rush Same day	
Project Name:		
CoP NE Haynes #1		
Project #:		
Project Manager:		
D. Watson		
Sampler: Silynn		
On Ice:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Sample Temperature:	7.0	
Container Type and #	Preservative Type	HEAL No.
MEOH KIT F-402	MEOH non	1311431
		-001
Received by:		Date      Time
<i>[Signature]</i>		"11/13 1716
Received by:		Date      Time
<i>[Signature]</i>		"11/13 1000

Analysis Request															
BTEX + MTBE + TPH (Gas only)															
BTEX + MTBE + TPH (LIQ)															
TPH 8015B (GRO / DRO / <del>MRO</del> )	X														
TPH (Method 418.1)															
EDB (Method 504.1)															
PAH's (8310 or 8270 SIMS)															
RCRA 8 Metals															
Anions ( $F^-$ , $Cl^-$ , $NO_3^-$ , $NO_2^-$ , $PO_4^{3-}$ , $SO_4^{2-}$ )															
8081 Pesticides / 8082 PCB's															
8260B (VOA)															
8270 (Semi-VOA)															
Air Bubbles (Y or N)															

Remarks: Bill to Conoco Phillips  
 Added MRO per Debbie Watson.  
 KMS 11/12/13.


If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

## **Appendix B**

### **Boring Logs/Well Completion Diagrams**


PROJECT NAME: Northeast Haynes No. 1	SOIL BORING NO: MW-1
LOCATION: Rio Arriba County, New Mexico	DRILL TYPE: CME-85
FIELD LOGGED BY: Jeff Walker	Hollow Stem Auger
SURFACE ELEVATION (msl): No Survey Data Available	BORE HOLE DIAMETER: 7 7/8"
GROUNDWATER ELEVATION (msl): 32' bgs	DRILLED BY: National EWP
REMARKS: Located in center of excavated area	DATE/TIME HOLE STARTED: 11/10/2014
COORDINATES: 36.325936, -107.372677	DATE/TIME HOLE COMPLETED: 11/10/2014

DEPTH (bgs) - ft	SAMPLE TO LAB	SAMPLE ID	STRATAGRAPHIC SEQUENCE	COMPLETION INFORMATION	CLASSIFICATION AND DESCRIPTION	PID (ppm)	Total BTEX (mg/kg)	Total TPH (mg/kg)
---------------------	---------------	-----------	---------------------------	---------------------------	-----------------------------------	--------------	-----------------------	----------------------



PROJECT NAME: Northeast Haynes No. 1	SOIL BORING NO: MW-1
LOCATION: Rio Arriba County, New Mexico	DRILL TYPE: CME-85
FIELD LOGGED BY: Jeff Walker	Hollow Stem Auger
SURFACE ELEVATION (msl): No Survey Data Available	BORE HOLE DIAMETER: 7 7/8"
GROUNDWATER ELEVATION (msl): 32' bgs	DRILLED BY: National EWP
REMARKS: Located in center of excavated area	DATE/TIME HOLE STARTED: 11/10/2014
COORDINATES: 36.325936, -107.372677	DATE/TIME HOLE COMPLETED: 11/10/2014


DEPTH (bgs) - ft	SAMPLE TO LAB	SAMPLE ID	STRATAGRAPHIC SEQUENCE	COMPLETION INFORMATION	CLASSIFICATION AND DESCRIPTION	PID (ppm)	Total BTEX (mg/kg)	Total TPH (mg/kg)
---------------------	---------------	-----------	---------------------------	---------------------------	-----------------------------------	--------------	-----------------------	----------------------






PROJECT NAME: Northeast Haynes No. 1	SOIL BORING NO: MW-2
LOCATION: Rio Arriba County, New Mexico	DRILL TYPE: CME-85
FIELD LOGGED BY: Jeff Walker	Hollow Stem Auger
SURFACE ELEVATION (msl): No Survey Data Available	BORE HOLE DIAMETER: 7 7/8"
GROUNDWATER ELEVATION (msl): 31.5' bgs	DRILLED BY: National EWP
REMARKS: Located in presumptive down-gradient direction	DATE/TIME HOLE STARTED: 11/10/2014
COORDINATES: 36.325641, -107.372780	DATE/TIME HOLE COMPLETED: 11/10/2014

DEPTH (bgs) - ft	SAMPLE TO LAB	SAMPLE ID	STRATAGRAPHIC SEQUENCE	COMPLETION INFORMATION	CLASSIFICATION AND DESCRIPTION	PID (ppm)	Total BTEX (mg/kg)	Total TPH (mg/kg)
---------------------	---------------	-----------	---------------------------	---------------------------	-----------------------------------	--------------	-----------------------	----------------------




PROJECT NAME: Northeast Haynes No. 1	SOIL BORING NO: MW-2
LOCATION: Rio Arriba County, New Mexico	DRILL TYPE: CME-85
FIELD LOGGED BY: Jeff Walker	Hollow Stem Auger
SURFACE ELEVATION (msl): No Survey Data Available	BORE HOLE DIAMETER: 7 7/8"
GROUNDWATER ELEVATION (msl): 31.5' bgs	DRILLED BY: National EWP
REMARKS: Located in presumptive down-gradient direction	DATE/TIME HOLE STARTED: 11/10/2014
COORDINATES: 36.325641, -107.372780	DATE/TIME HOLE COMPLETED: 11/10/2014

DEPTH (bgs) - ft	SAMPLE TO LAB	SAMPLE ID	STRATAGRAPHIC SEQUENCE	COMPLETION INFORMATION	CLASSIFICATION AND DESCRIPTION	PID (ppm)	Total BTEX (mg/kg)	Total TPH (mg/kg)
---------------------	---------------	-----------	---------------------------	---------------------------	-----------------------------------	--------------	-----------------------	----------------------




PROJECT NAME: Northeast Haynes No. 1	SOIL BORING NO: MW-3
LOCATION: Rio Arriba County, New Mexico	DRILL TYPE: CME-85
FIELD LOGGED BY: Jeff Walker	Hollow Stem Auger
SURFACE ELEVATION (msl): No Survey Data Available	BORE HOLE DIAMETER: 7 7/8"
GROUNDWATER ELEVATION (msl): 30' bgs	DRILLED BY: National EWP
REMARKS: Located in presumptive down-gradient direction	DATE/TIME HOLE STARTED: 11/11/2014
COORDINATES: 36.325722, -107.373027	DATE/TIME HOLE COMPLETED: 11/11/2014

DEPTH (bgs) - ft	SAMPLE TO LAB	SAMPLE ID	STRATAGRAPHIC SEQUENCE	COMPLETION INFORMATION	CLASSIFICATION AND DESCRIPTION	PID (ppm)	Total BTEX (mg/kg)	Total TPH (mg/kg)
---------------------	---------------	-----------	---------------------------	---------------------------	-----------------------------------	--------------	-----------------------	----------------------




PROJECT NAME: Northeast Haynes No. 1	SOIL BORING NO: MW-3
LOCATION: Rio Arriba County, New Mexico	DRILL TYPE: CME-85
FIELD LOGGED BY: Jeff Walker	Hollow Stem Auger
SURFACE ELEVATION (msl): No Survey Data Available	BORE HOLE DIAMETER: 7 7/8"
GROUNDWATER ELEVATION (msl): 30' bgs	DRILLED BY: National EWP
REMARKS: Located in presumptive down-gradient direction	DATE/TIME HOLE STARTED: 11/11/2014
COORDINATES: 36.325722, -107.373027	DATE/TIME HOLE COMPLETED: 11/11/2014

DEPTH (bgs) - ft	SAMPLE TO LAB	SAMPLE ID	STRATAGRAPHIC SEQUENCE	COMPLETION INFORMATION	CLASSIFICATION AND DESCRIPTION	PID (ppm)	Total BTEX (mg/kg)	Total TPH (mg/kg)
---------------------	---------------	-----------	---------------------------	---------------------------	-----------------------------------	--------------	-----------------------	----------------------



PROJECT NAME: Northeast Haynes No. 1	SOIL BORING NO: MW-4
LOCATION: Rio Arriba County, New Mexico	DRILL TYPE: CME-85
FIELD LOGGED BY: Jeff Walker	Hollow Stem Auger
SURFACE ELEVATION (msl): No Survey Data Available	BORE HOLE DIAMETER: 7 7/8"
GROUNDWATER ELEVATION (msl): 30' bgs	DRILLED BY: National EWP
REMARKS: Located in presumptive up-gradient direction	DATE/TIME HOLE STARTED: 11/11/2014
COORDINATES: 36.326138, -107.372438	DATE/TIME HOLE COMPLETED: 11/11/2014

DEPTH (bgs) - ft	SAMPLE TO LAB	SAMPLE ID	STRATAGRAPHIC SEQUENCE	COMPLETION INFORMATION	CLASSIFICATION AND DESCRIPTION	PID (ppm)	Total BTEX (mg/kg)	Total TPH (mg/kg)
---------------------	---------------	-----------	---------------------------	---------------------------	-----------------------------------	--------------	-----------------------	----------------------



PROJECT NAME: Northeast Haynes No. 1  
LOCATION: Rio Arriba County, New Mexico  
FIELD LOGGED BY: Jeff Walker  
SURFACE ELEVATION (msl): No Survey Data Available  
GROUNDWATER ELEVATION (msl): 30' bgs  
REMARKS: Located in presumptive up-gradient direction  
COORDINATES: 36.326138, -107.372438

SOIL BORING NO: MW-4

---

DRILL TYPE: CME-85

---

Hollow Stem Auger

---

BORE HOLE DIAMETER: 7 7/8"

---

DRILLED BY: National EWP


---

DATE/TIME HOLE STARTED: 11/11/2014

---

DATE/TIME HOLE COMPLETED: 11/11/2014

DEPTH (bgs) - ft	SAMPLE TO LAB	SAMPLE ID	STRATAGRAPHIC SEQUENCE	COMPLETION INFORMATION	CLASSIFICATION AND DESCRIPTION	PID (ppm)	Total BTEX (mg/kg)	Total TPH (mg/kg)
---------------------	---------------	-----------	---------------------------	---------------------------	-----------------------------------	--------------	-----------------------	----------------------



## **Appendix C**

### **Analytical Results**

November 25, 2014

Christine Mathews  
CRA  
6121 Indian School Rd NE  
Suite 200  
Albuquerque, NM 87110

RE: Project: 084272 COP NE Haines No 1  
Pace Project No.: 60182536

Dear Christine Mathews:

Enclosed are the analytical results for sample(s) received by the laboratory on November 13, 2014. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Alice Flanagan  
alice.flanagan@pacelabs.com  
Project Manager

Enclosures

cc: Angela Bown, COP Conestoga-Rovers & Associa  
Angela Bown, Conestoga Rovers & Associates  
Chris Feters, COP Conestoga-Rovers & Associa  
Jeff Walker, COP Conestoga-Rovers & Associa



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



## CERTIFICATIONS

Project: 084272 COP NE Haines No 1

Pace Project No.: 60182536

---

### Kansas Certification IDs

9608 Loiret Boulevard, Lenexa, KS 66219

WY STR Certification #: 2456.01

Arkansas Certification #: 13-012-0

Illinois Certification #: 003097

Iowa Certification #: 118

Kansas/NELAP Certification #: E-10116

Louisiana Certification #: 03055

Nevada Certification #: KS000212008A

Oklahoma Certification #: 9205/9935

Texas Certification #: T104704407

Utah Certification #: KS00021

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## SAMPLE SUMMARY

Project: 084272 COP NE Haines No 1

Pace Project No.: 60182536

Lab ID	Sample ID	Matrix	Date Collected	Date Received
60182536001	SS-084272-11102014-B1-25-JW	Solid	11/10/14 12:25	11/13/14 08:20
60182536002	SS-084272-11102014-B2-25-JW	Solid	11/10/14 14:45	11/13/14 08:20
60182536003	SS-084272-11102014-B3-25-JW	Solid	11/11/14 10:15	11/13/14 08:20
60182536004	SS-084272-11102014-B4-25-JW	Solid	11/11/14 11:20	11/13/14 08:20

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## SAMPLE ANALYTE COUNT

Project: 084272 COP NE Haines No 1

Pace Project No.: 60182536

Lab ID	Sample ID	Method	Analysts	Analytes Reported
60182536001	SS-084272-11102014-B1-25-JW	EPA 8015B	JDE	3
		EPA 5035A/8260	JKL	8
		ASTM D2974	DWC	1
60182536002	SS-084272-11102014-B2-25-JW	EPA 8015B	JDE	3
		EPA 5035A/8260	JKL	8
		ASTM D2974	DWC	1
60182536003	SS-084272-11102014-B3-25-JW	EPA 8015B	JDE	3
		EPA 5035A/8260	JKL	8
		ASTM D2974	DWC	1
60182536004	SS-084272-11102014-B4-25-JW	EPA 8015B	JDE	3
		EPA 5035A/8260	JKL	8
		ASTM D2974	DWC	1

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## PROJECT NARRATIVE

Project: 084272 COP NE Haines No 1

Pace Project No.: 60182536

---

**Method:** EPA 8015B

**Description:** 8015B Diesel Range Organics

**Client:** CRA Conoco New Mexico

**Date:** November 25, 2014

**General Information:**

4 samples were analyzed for EPA 8015B. All samples were received in acceptable condition with any exceptions noted below.

**Hold Time:**

The samples were analyzed within the method required hold times with any exceptions noted below.

**Sample Preparation:**

The samples were prepared in accordance with EPA 3546 with any exceptions noted below.

**Initial Calibrations (including MS Tune as applicable):**

All criteria were within method requirements with any exceptions noted below.

**Continuing Calibration:**

All criteria were within method requirements with any exceptions noted below.

**Surrogates:**

All surrogates were within QC limits with any exceptions noted below.

**Method Blank:**

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

**Laboratory Control Spike:**

All laboratory control spike compounds were within QC limits with any exceptions noted below.

**Matrix Spikes:**

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

**Additional Comments:**

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## PROJECT NARRATIVE

Project: 084272 COP NE Haines No 1

Pace Project No.: 60182536

---

**Method:** EPA 5035A/8260

**Description:** 8260 MSV GRO and Oxygenates

**Client:** CRA Conoco New Mexico

**Date:** November 25, 2014

**General Information:**

4 samples were analyzed for EPA 5035A/8260. All samples were received in acceptable condition with any exceptions noted below.

**Hold Time:**

The samples were analyzed within the method required hold times with any exceptions noted below.

**Initial Calibrations (including MS Tune as applicable):**

All criteria were within method requirements with any exceptions noted below.

**Continuing Calibration:**

All criteria were within method requirements with any exceptions noted below.

**Internal Standards:**

All internal standards were within QC limits with any exceptions noted below.

**Surrogates:**

All surrogates were within QC limits with any exceptions noted below.

**Method Blank:**

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

**Laboratory Control Spike:**

All laboratory control spike compounds were within QC limits with any exceptions noted below.

**Matrix Spikes:**

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

**Additional Comments:**

This data package has been reviewed for quality and completeness and is approved for release.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## ANALYTICAL RESULTS

Project: 084272 COP NE Haines No 1

Pace Project No.: 60182536

**Sample:** SS-084272-11102014-B1-25-JW    **Lab ID:** 60182536001    Collected: 11/10/14 12:25    Received: 11/13/14 08:20    Matrix: Solid

**Results reported on a "dry-weight" basis**

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>8015B Diesel Range Organics</b>		Analytical Method: EPA 8015B Preparation Method: EPA 3546						
TPH-DRO	69.7	mg/kg	10.3	1	11/14/14 00:00	11/18/14 13:55		
<b>Surrogates</b>								
n-Tetracosane (S)	98	%	35-147	1	11/14/14 00:00	11/18/14 13:55	646-31-1	
p-Terphenyl (S)	95	%	37-138	1	11/14/14 00:00	11/18/14 13:55	92-94-4	
<b>8260 MSV GRO and Oxygenates</b>		Analytical Method: EPA 5035A/8260						
Benzene	ND	mg/kg	0.0051	1		11/18/14 14:44	71-43-2	
Ethylbenzene	ND	mg/kg	0.0051	1		11/18/14 14:44	100-41-4	
Toluene	ND	mg/kg	0.0051	1		11/18/14 14:44	108-88-3	
TPH-GRO	ND	mg/kg	0.51	1		11/18/14 14:44		
Xylene (Total)	ND	mg/kg	0.010	1		11/18/14 14:44	1330-20-7	
<b>Surrogates</b>								
Toluene-d8 (S)	99	%	80-120	1		11/18/14 14:44	2037-26-5	
4-Bromofluorobenzene (S)	99	%	76-123	1		11/18/14 14:44	460-00-4	
1,2-Dichloroethane-d4 (S)	104	%	75-129	1		11/18/14 14:44	17060-07-0	
<b>Percent Moisture</b>		Analytical Method: ASTM D2974						
Percent Moisture	3.4	%	0.50	1		11/14/14 00:00		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## ANALYTICAL RESULTS

Project: 084272 COP NE Haines No 1

Pace Project No.: 60182536

**Sample:** SS-084272-11102014-B2-25-JW    **Lab ID:** 60182536002    Collected: 11/10/14 14:45    Received: 11/13/14 08:20    Matrix: Solid

**Results reported on a "dry-weight" basis**

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>8015B Diesel Range Organics</b>		Analytical Method: EPA 8015B Preparation Method: EPA 3546						
TPH-DRO	ND	mg/kg	10.3	1	11/14/14 00:00	11/18/14 14:03		
<b>Surrogates</b>								
n-Tetracosane (S)	84	%	35-147	1	11/14/14 00:00	11/18/14 14:03	646-31-1	
p-Terphenyl (S)	88	%	37-138	1	11/14/14 00:00	11/18/14 14:03	92-94-4	
<b>8260 MSV GRO and Oxygenates</b>		Analytical Method: EPA 5035A/8260						
Benzene	ND	mg/kg	0.0052	1		11/18/14 15:30	71-43-2	
Ethylbenzene	ND	mg/kg	0.0052	1		11/18/14 15:30	100-41-4	
Toluene	ND	mg/kg	0.0052	1		11/18/14 15:30	108-88-3	
TPH-GRO	ND	mg/kg	0.52	1		11/18/14 15:30		
Xylene (Total)	ND	mg/kg	0.010	1		11/18/14 15:30	1330-20-7	
<b>Surrogates</b>								
Toluene-d8 (S)	100	%	80-120	1		11/18/14 15:30	2037-26-5	
4-Bromofluorobenzene (S)	99	%	76-123	1		11/18/14 15:30	460-00-4	
1,2-Dichloroethane-d4 (S)	102	%	75-129	1		11/18/14 15:30	17060-07-0	
<b>Percent Moisture</b>		Analytical Method: ASTM D2974						
Percent Moisture	2.6	%	0.50	1		11/14/14 00:00		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## ANALYTICAL RESULTS

Project: 084272 COP NE Haines No 1

Pace Project No.: 60182536

**Sample:** SS-084272-11102014-B3-25-JW    **Lab ID:** 60182536003    Collected: 11/11/14 10:15    Received: 11/13/14 08:20    Matrix: Solid

**Results reported on a "dry-weight" basis**

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>8015B Diesel Range Organics</b>								
Analytical Method: EPA 8015B Preparation Method: EPA 3546								
TPH-DRO	ND	mg/kg	10.3	1	11/14/14 00:00	11/18/14 14:10		
<b>Surrogates</b>								
n-Tetracosane (S)	82	%	35-147	1	11/14/14 00:00	11/18/14 14:10	646-31-1	
p-Terphenyl (S)	86	%	37-138	1	11/14/14 00:00	11/18/14 14:10	92-94-4	
<b>8260 MSV GRO and Oxygenates</b>								
Analytical Method: EPA 5035A/8260								
Benzene	ND	mg/kg	0.0051	1		11/18/14 15:45	71-43-2	
Ethylbenzene	ND	mg/kg	0.0051	1		11/18/14 15:45	100-41-4	
Toluene	ND	mg/kg	0.0051	1		11/18/14 15:45	108-88-3	
TPH-GRO	ND	mg/kg	0.51	1		11/18/14 15:45		
Xylene (Total)	ND	mg/kg	0.010	1		11/18/14 15:45	1330-20-7	
<b>Surrogates</b>								
Toluene-d8 (S)	99	%	80-120	1		11/18/14 15:45	2037-26-5	
4-Bromofluorobenzene (S)	98	%	76-123	1		11/18/14 15:45	460-00-4	
1,2-Dichloroethane-d4 (S)	105	%	75-129	1		11/18/14 15:45	17060-07-0	
<b>Percent Moisture</b>								
Analytical Method: ASTM D2974								
Percent Moisture	3.6	%	0.50	1		11/14/14 00:00		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



## ANALYTICAL RESULTS

Project: 084272 COP NE Haines No 1

Pace Project No.: 60182536

**Sample:** SS-084272-11102014-B4-25-JW    **Lab ID:** 60182536004    Collected: 11/11/14 11:20    Received: 11/13/14 08:20    Matrix: Solid

**Results reported on a "dry-weight" basis**

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>8015B Diesel Range Organics</b>		Analytical Method: EPA 8015B Preparation Method: EPA 3546						
TPH-DRO	ND	mg/kg	10.5	1	11/14/14 00:00	11/18/14 14:18		
<b>Surrogates</b>								
n-Tetracosane (S)	80	%	35-147	1	11/14/14 00:00	11/18/14 14:18	646-31-1	
p-Terphenyl (S)	82	%	37-138	1	11/14/14 00:00	11/18/14 14:18	92-94-4	
<b>8260 MSV GRO and Oxygenates</b>		Analytical Method: EPA 5035A/8260						
Benzene	ND	mg/kg	0.0052	1		11/18/14 16:01	71-43-2	
Ethylbenzene	ND	mg/kg	0.0052	1		11/18/14 16:01	100-41-4	
Toluene	ND	mg/kg	0.0052	1		11/18/14 16:01	108-88-3	
TPH-GRO	ND	mg/kg	0.52	1		11/18/14 16:01		
Xylene (Total)	ND	mg/kg	0.010	1		11/18/14 16:01	1330-20-7	
<b>Surrogates</b>								
Toluene-d8 (S)	99	%	80-120	1		11/18/14 16:01	2037-26-5	
4-Bromofluorobenzene (S)	100	%	76-123	1		11/18/14 16:01	460-00-4	
1,2-Dichloroethane-d4 (S)	105	%	75-129	1		11/18/14 16:01	17060-07-0	
<b>Percent Moisture</b>		Analytical Method: ASTM D2974						
Percent Moisture	5.4	%	0.50	1		11/14/14 00:00		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## QUALITY CONTROL DATA

Project: 084272 COP NE Haines No 1

Pace Project No.: 60182536

QC Batch:	MSV/65822	Analysis Method:	EPA 5035A/8260
QC Batch Method:	EPA 5035A/8260	Analysis Description:	8260 MSV GRO and Oxygenates
Associated Lab Samples:	60182536001, 60182536002, 60182536003, 60182536004		

METHOD BLANK:	1480564	Matrix:	Solid
Associated Lab Samples:	60182536001, 60182536002, 60182536003, 60182536004		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	mg/kg	ND	0.0050	11/18/14 14:29	
Ethylbenzene	mg/kg	ND	0.0050	11/18/14 14:29	
Toluene	mg/kg	ND	0.0050	11/18/14 14:29	
TPH-GRO	mg/kg	ND	0.50	11/18/14 14:29	
Xylene (Total)	mg/kg	ND	0.010	11/18/14 14:29	
1,2-Dichloroethane-d4 (S)	%	99	75-129	11/18/14 14:29	
4-Bromofluorobenzene (S)	%	99	76-123	11/18/14 14:29	
Toluene-d8 (S)	%	99	80-120	11/18/14 14:29	

LABORATORY CONTROL SAMPLE: 1480565

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	mg/kg	.1	0.096	96	80-120	
Ethylbenzene	mg/kg	.1	0.093	93	80-120	
Toluene	mg/kg	.1	0.094	94	79-120	
TPH-GRO	mg/kg	4	3.8	94	63-121	
Xylene (Total)	mg/kg	.3	0.29	96	79-120	
1,2-Dichloroethane-d4 (S)	%			98	75-129	
4-Bromofluorobenzene (S)	%			100	76-123	
Toluene-d8 (S)	%			99	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1480566 1480567

Parameter	Units	60182536001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Benzene	mg/kg	ND	.1	.1	0.074	0.074	72	71	22-144	1	38	
Ethylbenzene	mg/kg	ND	.1	.1	0.075	0.073	73	71	10-154	3	42	
Toluene	mg/kg	ND	.1	.1	0.076	0.074	74	72	11-150	2	40	
Xylene (Total)	mg/kg	ND	.31	.31	0.23	0.23	76	74	10-154	1	41	
1,2-Dichloroethane-d4 (S)	%						101	100	75-129			
4-Bromofluorobenzene (S)	%						102	100	76-123			
Toluene-d8 (S)	%						100	100	80-120			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## QUALITY CONTROL DATA

Project: 084272 COP NE Haines No 1

Pace Project No.: 60182536

QC Batch: OEXT/47119 Analysis Method: EPA 8015B  
QC Batch Method: EPA 3546 Analysis Description: EPA 8015B  
Associated Lab Samples: 60182536001, 60182536002, 60182536003, 60182536004

METHOD BLANK: 1478584 Matrix: Solid  
Associated Lab Samples: 60182536001, 60182536002, 60182536003, 60182536004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
TPH-DRO	mg/kg	ND	10	11/18/14 13:24	
n-Tetracosane (S)	%	82	35-147	11/18/14 13:24	
p-Terphenyl (S)	%	88	37-138	11/18/14 13:24	

LABORATORY CONTROL SAMPLE: 1478585

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH-DRO	mg/kg	83	73.5	89	66-120	
n-Tetracosane (S)	%			87	35-147	
p-Terphenyl (S)	%			90	37-138	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1478586 1478587

Parameter	Units	60182536001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
TPH-DRO	mg/kg	69.7	86.2	85.1	161	161	106	108	22-152	0	43	
n-Tetracosane (S)	%						104	106	35-147			
p-Terphenyl (S)	%						99	100	37-138			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## QUALITY CONTROL DATA

Project: 084272 COP NE Haines No 1

Pace Project No.: 60182536

QC Batch: PMST/10211 Analysis Method: ASTM D2974  
QC Batch Method: ASTM D2974 Analysis Description: Dry Weight/Percent Moisture  
Associated Lab Samples: 60182536001, 60182536002, 60182536003, 60182536004

METHOD BLANK: 1478578 Matrix: Solid  
Associated Lab Samples: 60182536001, 60182536002, 60182536003, 60182536004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Percent Moisture	%	ND	0.50	11/14/14 00:00	

SAMPLE DUPLICATE: 1478579

Parameter	Units	60182556001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	16.7	16.7	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## QUALIFIERS

Project: 084272 COP NE Haines No 1

Pace Project No.: 60182536

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 084272 COP NE Haines No 1

Pace Project No.: 60182536

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60182536001	SS-084272-11102014-B1-25-JW	EPA 3546	OEXT/47119	EPA 8015B	GCSV/17975
60182536002	SS-084272-11102014-B2-25-JW	EPA 3546	OEXT/47119	EPA 8015B	GCSV/17975
60182536003	SS-084272-11102014-B3-25-JW	EPA 3546	OEXT/47119	EPA 8015B	GCSV/17975
60182536004	SS-084272-11102014-B4-25-JW	EPA 3546	OEXT/47119	EPA 8015B	GCSV/17975
60182536001	SS-084272-11102014-B1-25-JW	EPA 5035A/8260	MSV/65822		
60182536002	SS-084272-11102014-B2-25-JW	EPA 5035A/8260	MSV/65822		
60182536003	SS-084272-11102014-B3-25-JW	EPA 5035A/8260	MSV/65822		
60182536004	SS-084272-11102014-B4-25-JW	EPA 5035A/8260	MSV/65822		
60182536001	SS-084272-11102014-B1-25-JW	ASTM D2974	PMST/10211		
60182536002	SS-084272-11102014-B2-25-JW	ASTM D2974	PMST/10211		
60182536003	SS-084272-11102014-B3-25-JW	ASTM D2974	PMST/10211		
60182536004	SS-084272-11102014-B4-25-JW	ASTM D2974	PMST/10211		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



Sample Condition Upon Receipt  
ESI Tech Spec Client

WO#: 60182536



60182536

Client Name: CoP CRA NM

Courier: Fed Ex ☒ UPS ☐ USPS ☐ Client ☐ Commercial ☐ Pace ☐ Other ☐

Tracking #: 6113 5281 9683 Pace Shipping Label Used? Yes ☐ No ☒

Custody Seal on Cooler/Box Present: Yes ☒ No ☐ Seals intact: Yes ☒ No ☐

Packing Material: Bubble Wrap ☒ Bubble Bags ☐ Foam ☐ None ☐ Other ☐

Thermometer Used: T-239 / T-194

Type of Ice: Wet Blue ☐ None ☐ Samples received on ice, cooling process has begun.  
(circle one)

Cooler Temperature: 3.6

Date and initials of person examining contents: 11/13/14 1055

Temperature should be above freezing to 6°C

Chain of Custody present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody filled out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler name & signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples arrived within holding time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time analyses (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct containers used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace containers used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
Containers intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Unpreserved 5035A soils frozen w/in 48hrs?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Filtered volume received for dissolved tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	12.
Sample labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Includes date/time/ID/analyses	Matrix: <u>water soil</u>	13.
All containers needing preservation have been checked.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
All containers needing preservation are found to be in compliance with EPA recommendation.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Exceptions: VOA, coliform, TOC, O&G, WI-DRO (water), Phenolics	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Initial when completed <u>hmk</u> Lot # of added preservative
Trip Blank present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank lot # (if purchased):	<u>N/A</u>	15.
Headspace in VOA vials (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
		16.
Project sampled in USDA Regulated Area:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	17. List State: <u>NM</u>

Client Notification/ Resolution:

Copy COC to Client? Y ☐ N ☒

Field Data Required? Y ☐ N ☐

Person Contacted: \_\_\_\_\_

Date/Time: \_\_\_\_\_

Comments/ Resolution: \_\_\_\_\_

Project Manager Review: AAE

Date: 11/13/14

Temp Log: Record start and finish times when unpacking cooler, if >20 min, recheck sample temps.

Start: <u>1050</u>	Start:
End: <u>1055</u>	End:
Temp:	Temp:







December 23, 2014

Christine Mathews  
CRA  
6121 Indian School Rd NE  
Suite 200  
Albuquerque, NM 87110

RE: Project: 084272 NE Haynes COP  
Pace Project No.: 60185055

Dear Christine Mathews:

Enclosed are the analytical results for sample(s) received by the laboratory on December 19, 2014. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Alice Flanagan  
alice.flanagan@pacelabs.com  
Project Manager

Enclosures

cc: Angela Bown, COP Conestoga-Rovers & Associa  
Angela Bown, Conestoga Rovers & Associates  
Chris Feters, COP Conestoga-Rovers & Associa  
Jeff Walker, COP Conestoga-Rovers & Associa



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## CERTIFICATIONS

Project: 084272 NE Haynes COP

Pace Project No.: 60185055

---

### Kansas Certification IDs

9608 Loiret Boulevard, Lenexa, KS 66219

WY STR Certification #: 2456.01

Arkansas Certification #: 13-012-0

Illinois Certification #: 003097

Iowa Certification #: 118

Kansas/NELAP Certification #: E-10116

Louisiana Certification #: 03055

Nevada Certification #: KS000212008A

Oklahoma Certification #: 9205/9935

Texas Certification #: T104704407

Utah Certification #: KS00021

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## SAMPLE SUMMARY

Project: 084272 NE Haynes COP

Pace Project No.: 60185055

Lab ID	Sample ID	Matrix	Date Collected	Date Received
60185055001	GW-084272-121614-JW-MW-1	Water	12/16/14 11:25	12/19/14 10:00
60185055002	GW-084272-121614-JW-MW-2	Water	12/16/14 11:30	12/19/14 10:00
60185055003	GW-084272-121614-JW-MW-3	Water	12/16/14 11:20	12/19/14 10:00
60185055004	GW-084272-121614-JW-MW-4	Water	12/16/14 11:15	12/19/14 10:00
60185055005	GW-084272-121614-JW-DUP	Water	12/16/14 00:00	12/19/14 10:00

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## SAMPLE ANALYTE COUNT

Project: 084272 NE Haynes COP

Pace Project No.: 60185055

Lab ID	Sample ID	Method	Analysts	Analytes Reported
60185055001	GW-084272-121614-JW-MW-1	EPA 8260	RAB	8
60185055002	GW-084272-121614-JW-MW-2	EPA 8260	RAB	8
60185055003	GW-084272-121614-JW-MW-3	EPA 8260	RAB	8
60185055004	GW-084272-121614-JW-MW-4	EPA 8260	RAB	8
60185055005	GW-084272-121614-JW-DUP	EPA 8260	RAB	8

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## PROJECT NARRATIVE

Project: 084272 NE Haynes COP

Pace Project No.: 60185055

---

**Method:** EPA 8260

**Description:** 8260 MSV GRO and Oxygenates

**Client:** CRA Conoco New Mexico

**Date:** December 23, 2014

**General Information:**

5 samples were analyzed for EPA 8260. All samples were received in acceptable condition with any exceptions noted below.

**Hold Time:**

The samples were analyzed within the method required hold times with any exceptions noted below.

**Initial Calibrations (including MS Tune as applicable):**

All criteria were within method requirements with any exceptions noted below.

**Continuing Calibration:**

All criteria were within method requirements with any exceptions noted below.

**Internal Standards:**

All internal standards were within QC limits with any exceptions noted below.

**Surrogates:**

All surrogates were within QC limits with any exceptions noted below.

**Method Blank:**

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

**Laboratory Control Spike:**

All laboratory control spike compounds were within QC limits with any exceptions noted below.

**Matrix Spikes:**

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: MSV/66640

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

**Additional Comments:**

This data package has been reviewed for quality and completeness and is approved for release.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## ANALYTICAL RESULTS

Project: 084272 NE Haynes COP

Pace Project No.: 60185055

**Sample:** GW-084272-121614-JW-MW-1 **Lab ID:** 60185055001 Collected: 12/16/14 11:25 Received: 12/19/14 10:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV GRO and Oxygenates</b>		Analytical Method: EPA 8260						
Benzene	ND	ug/L	1.0	1		12/22/14 09:44	71-43-2	
Ethylbenzene	ND	ug/L	1.0	1		12/22/14 09:44	100-41-4	
Toluene	ND	ug/L	1.0	1		12/22/14 09:44	108-88-3	
Xylene (Total)	ND	ug/L	3.0	1		12/22/14 09:44	1330-20-7	
<b>Surrogates</b>								
Toluene-d8 (S)	94	%	91-107	1		12/22/14 09:44	2037-26-5	
4-Bromofluorobenzene (S)	96	%	88-111	1		12/22/14 09:44	460-00-4	
1,2-Dichloroethane-d4 (S)	116	%	82-119	1		12/22/14 09:44	17060-07-0	
Preservation pH	1.0		0.10	1		12/22/14 09:44		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## ANALYTICAL RESULTS

Project: 084272 NE Haynes COP

Pace Project No.: 60185055

**Sample:** GW-084272-121614-JW-MW-2    **Lab ID:** 60185055002    Collected: 12/16/14 11:30    Received: 12/19/14 10:00    Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV GRO and Oxygenates</b>		Analytical Method: EPA 8260						
Benzene	ND	ug/L	1.0	1		12/22/14 10:00	71-43-2	
Ethylbenzene	ND	ug/L	1.0	1		12/22/14 10:00	100-41-4	
Toluene	ND	ug/L	1.0	1		12/22/14 10:00	108-88-3	
Xylene (Total)	ND	ug/L	3.0	1		12/22/14 10:00	1330-20-7	
<b>Surrogates</b>								
Toluene-d8 (S)	94	%	91-107	1		12/22/14 10:00	2037-26-5	
4-Bromofluorobenzene (S)	94	%	88-111	1		12/22/14 10:00	460-00-4	
1,2-Dichloroethane-d4 (S)	115	%	82-119	1		12/22/14 10:00	17060-07-0	
Preservation pH	1.0		0.10	1		12/22/14 10:00		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## ANALYTICAL RESULTS

Project: 084272 NE Haynes COP

Pace Project No.: 60185055

**Sample:** GW-084272-121614-JW-MW-3    **Lab ID:** 60185055003    Collected: 12/16/14 11:20    Received: 12/19/14 10:00    Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV GRO and Oxygenates</b>		Analytical Method: EPA 8260						
Benzene	ND ug/L		1.0	1		12/22/14 10:16	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		12/22/14 10:16	100-41-4	
Toluene	ND ug/L		1.0	1		12/22/14 10:16	108-88-3	
Xylene (Total)	ND ug/L		3.0	1		12/22/14 10:16	1330-20-7	
<b>Surrogates</b>								
Toluene-d8 (S)	95 %		91-107	1		12/22/14 10:16	2037-26-5	
4-Bromofluorobenzene (S)	97 %		88-111	1		12/22/14 10:16	460-00-4	
1,2-Dichloroethane-d4 (S)	115 %		82-119	1		12/22/14 10:16	17060-07-0	
Preservation pH	1.0		0.10	1		12/22/14 10:16		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



## ANALYTICAL RESULTS

Project: 084272 NE Haynes COP

Pace Project No.: 60185055

**Sample:** GW-084272-121614-JW-MW-4    **Lab ID:** 60185055004    Collected: 12/16/14 11:15    Received: 12/19/14 10:00    Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV GRO and Oxygenates</b>		Analytical Method: EPA 8260						
Benzene	ND	ug/L	1.0	1		12/22/14 10:31	71-43-2	
Ethylbenzene	ND	ug/L	1.0	1		12/22/14 10:31	100-41-4	
Toluene	ND	ug/L	1.0	1		12/22/14 10:31	108-88-3	
Xylene (Total)	ND	ug/L	3.0	1		12/22/14 10:31	1330-20-7	
<b>Surrogates</b>								
Toluene-d8 (S)	94	%	91-107	1		12/22/14 10:31	2037-26-5	
4-Bromofluorobenzene (S)	95	%	88-111	1		12/22/14 10:31	460-00-4	
1,2-Dichloroethane-d4 (S)	116	%	82-119	1		12/22/14 10:31	17060-07-0	
Preservation pH	1.0		0.10	1		12/22/14 10:31		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## ANALYTICAL RESULTS

Project: 084272 NE Haynes COP

Pace Project No.: 60185055

**Sample:** GW-084272-121614-JW-DUP    **Lab ID:** 60185055005    Collected: 12/16/14 00:00    Received: 12/19/14 10:00    Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV GRO and Oxygenates</b>		Analytical Method: EPA 8260						
Benzene	ND	ug/L	1.0	1		12/22/14 10:47	71-43-2	
Ethylbenzene	ND	ug/L	1.0	1		12/22/14 10:47	100-41-4	
Toluene	ND	ug/L	1.0	1		12/22/14 10:47	108-88-3	
Xylene (Total)	ND	ug/L	3.0	1		12/22/14 10:47	1330-20-7	
<b>Surrogates</b>								
Toluene-d8 (S)	94	%	91-107	1		12/22/14 10:47	2037-26-5	
4-Bromofluorobenzene (S)	95	%	88-111	1		12/22/14 10:47	460-00-4	
1,2-Dichloroethane-d4 (S)	114	%	82-119	1		12/22/14 10:47	17060-07-0	
Preservation pH	1.0		0.10	1		12/22/14 10:47		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## QUALITY CONTROL DATA

Project: 084272 NE Haynes COP

Pace Project No.: 60185055

QC Batch: MSV/66640

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV MO GRO Oxygenates

Associated Lab Samples: 60185055001, 60185055002, 60185055003, 60185055004, 60185055005

METHOD BLANK: 1498589

Matrix: Water

Associated Lab Samples: 60185055001, 60185055002, 60185055003, 60185055004, 60185055005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	ND	1.0	12/22/14 08:41	
Ethylbenzene	ug/L	ND	1.0	12/22/14 08:41	
Toluene	ug/L	ND	1.0	12/22/14 08:41	
Xylene (Total)	ug/L	ND	3.0	12/22/14 08:41	
1,2-Dichloroethane-d4 (S)	%	114	82-119	12/22/14 08:41	
4-Bromofluorobenzene (S)	%	96	88-111	12/22/14 08:41	
Toluene-d8 (S)	%	96	91-107	12/22/14 08:41	

LABORATORY CONTROL SAMPLE: 1498590

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	20	18.3	91	87-114	
Ethylbenzene	ug/L	20	19.8	99	89-114	
Toluene	ug/L	20	17.1	85	85-112	
Xylene (Total)	ug/L	60	56.6	94	90-118	
1,2-Dichloroethane-d4 (S)	%			116	82-119	
4-Bromofluorobenzene (S)	%			95	88-111	
Toluene-d8 (S)	%			95	91-107	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## QUALIFIERS

Project: 084272 NE Haynes COP

Pace Project No.: 60185055

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### BATCH QUALIFIERS

Batch: MSV/66640

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 084272 NE Haynes COP

Pace Project No.: 60185055

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60185055001	GW-084272-121614-JW-MW-1	EPA 8260	MSV/66640		
60185055002	GW-084272-121614-JW-MW-2	EPA 8260	MSV/66640		
60185055003	GW-084272-121614-JW-MW-3	EPA 8260	MSV/66640		
60185055004	GW-084272-121614-JW-MW-4	EPA 8260	MSV/66640		
60185055005	GW-084272-121614-JW-DUP	EPA 8260	MSV/66640		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



# Sample Condition Upon Receipt

WO#: 60185055



Client Name: CRA NM

Courier: Fed Ex ☒ UPS ☐ USPS ☐ Client ☐ Commercial ☐ Pace ☐ Other ☐

Tracking #: 7801 6199 8553 Pace Shipping Label Used? Yes ☐ No ☐

Custody Seal on Cooler/Box Present: Yes ☒ No ☐ Seals intact: Yes ☒ No ☐

Packing Material: Bubble Wrap ☐ Bubble Bags ☐ Foam ☒ None ☐ Other ☐

Thermometer Used: T-239 / T-194

Type of Ice: Wet Blue None ☐ Samples received on ice, cooling process has begun.  
(circle one)

Cooler Temperature: 0.3

Optional

Proj Due Date:

Proj Name:

Date and initials of person examining contents: JB 12/19

Temperature should be above freezing to 6°C

Chain of Custody present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody filled out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler name & signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples arrived within holding time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time analyses (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct containers used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
Pace containers used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Containers intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	11.
Unpreserved 5035A soils frozen w/in 48hrs?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	12.
Filtered volume received for dissolved tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
Sample labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	14.
Includes date/time/ID/analyses	Matrix: <u>WT</u>	15.
All containers needing preservation have been checked.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
All containers needing preservation are found to be in compliance with EPA recommendation.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	17.
Exceptions (VOA) coliform, TOC, O&G, WI-DRO (water), Phenolics	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Initial when completed
Trip Blank present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Lot # of added preservative
Pace Trip Blank lot # (if purchased): <u>12/8/14</u>		
Headspace in VOA vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Project sampled in USDA Regulated Area:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	17. List State:

Client Notification/ Resolution:

Copy COC to Client? Y / N

Field Data Required? Y / N

Person Contacted: \_\_\_\_\_

Date/Time: \_\_\_\_\_

Comments/ Resolution: \_\_\_\_\_

Project Manager Review: AAZ

Date: 12/19/14





**CONESTOGA-ROVERS  
& ASSOCIATES**

**CHAIN OF CUSTODY RECORD**

COC NO.: **32792**

PAGE **1** OF **1**

Address: 6141 INDIAN SCHOOL NE, STE 200, 57180  
Phone: 505-884-0672 Fax: \_\_\_\_\_

10185055

(See Reverse Side for Instructions)

Project No/ Phase/Task Code: <b>084272</b>			Laboratory Name: <b>PACE-KS</b>			Lab Location: <b>LENEXA, KS</b>			SSOW ID:		
Project Name: <b>NE HAYNES COP</b>			Lab Contact: <b>ALICE FLANAGAN</b>			Lab Quote No:			Cooler No:		
Project Location: <b>RIC AERIBAT CO, NM</b>			SAMPLE TYPE			CONTAINER QUANTITY & PRESERVATION			ANALYSIS REQUESTED (See Back of COC for Definitions)		
Chemistry Contact: <b>ANGIE BOWEN</b>			Matrix Code (see back of COC)			Grab (G) or Comp (C)			Unpreserved		
Sampler(s): <b>CAL KATKOR, JEFF WALKER</b>			DATE (mm/dd/yyyy)			TIME (hh:mm)			Hydrochloric Acid (HCl)		
SAMPLE IDENTIFICATION (Containers for each sample may be combined on one line)			DATE (mm/dd/yyyy)			TIME (hh:mm)			Nitric Acid (HNO <sub>3</sub> )		
1 <b>6W-084272-121614-5W-MW-1</b>			12/16/14			1135			Sulfuric Acid (H <sub>2</sub> SO <sub>4</sub> )		
2 <b>6W-084272-121614-5W-MW-2</b>			12/16/14			1130			Sodium Hydroxide (NaOH)		
3 <b>6W-084272-121614-5W-MW-3</b>			12/16/14			1130			Methanol/Water (Soil VOC)		
4 <b>6W-084272-121614-5W-MW-4</b>			12/16/14			1115			EnCores 3x5-g, 1x25-g		
5 <b>6W-084272-121614-5W-BUP</b>			12/16/14			---			Other:		
6									Total Containers/Sample		
7									5260 BTEX		
8											
9											
10											
11											
12											
13											
14											
15											
TAT Required in business days (use separate COCs for different TATs):											
<input type="checkbox"/> 1 Day <input type="checkbox"/> 2 Days <input type="checkbox"/> 3 Days <input type="checkbox"/> 1 Week <input type="checkbox"/> 2 Week <input checked="" type="checkbox"/> Other: <b>STD</b>											
Total Number of Containers: <b>15</b>											
Notes/ Special Requirements: <b>BTEX ONLY !!</b>											
All Samples in Cooler must be on COC											
RELINQUISHED BY			COMPANY			DATE			TIME		
1. <i>[Signature]</i>			CRA			12/18/14			1100		
2. <i>[Signature]</i>											
3.											
RECEIVED BY			COMPANY			DATE			TIME		
1. <i>[Signature]</i>			RAC			12/14			1100		
2.											
3.											

THE CHAIN OF CUSTODY IS A LEGAL DOCUMENT - ALL FIELDS MUST BE COMPLETED ACCURATELY