State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office. For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

<u>Pit, Below-Grade Tank, or</u> Proposed Alternative Method Permit or Closure Plan Applic	cation
13844 Type of action: Below grade tank registration	RECEIVED By Rvillalobos at 9:49 am, Dec 30, 2015
Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or an Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of sur- environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental autor	rface water, ground water or the
I. Operator: _Burlington Resources Oil & Gas Company, LP OGRID #: _14538 Address:OBOX 4289, Farmington, NM 87499 Facility or well name: _ATLANTIC COM C 10 API Number:30-045-23138OCD Permit Number: U/L or Qtr/QtrC Section23 Township31_NRange10_WCounty: San Juan Center of Proposed Design: Latitude36.888458_eNLongitude107855769_eWNAD:1927 ⊠ 1983 Surface Owner:Federal State Private Tribal Trust or Indian Allotment	5
2. Pit: Subsection F, G or J of 19.15.17.11 NMAC Temporary: Drilling Workover Permanent Emergency Cavitation P&A Multi-Well Fluid Management Low Chloride Data Lined Unlined Liner type: Thickness mil X LLDPE HDPE PVC Other String-Reinforced Liner Seams: Welded Factory Other Volume:bbl Dimensions: Lx	
3. Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: Max. 120 bbl Type of fluid: Produced Water Tank Construction material: Metal Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-of Visible sidewalls and liner Visible sidewalls only Other Liner type: Thickness mil HDPE PVC Other UNSPECIFIED	ff
 4. Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau official structures. 	ffice for consideration of approval.
 5. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	t residence, school, hospital,

del

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)

Screen Netting Other

Monthly inspections (If netting or screening is not physically feasible)

7.

6

Signs:	Subsection C of 19.15.17.11 NMAC
--------	----------------------------------

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.16.8 NMAC

Variances and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.

Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

9. Siting Criteria (regarding permitting): 19.15.17.10 NMAC

Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.

General siting	
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank	□ Yes □ No ⊠ NA
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ Yes □ No ⊠ NA
 Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) Written confirmation or verification from the municipality; Written approval obtained from the municipality 	🗌 Yes 🗌 No
 Within the area overlying a subsurface mine. (Does not apply to below grade tanks) Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division 	🗌 Yes 🗌 No
 Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	🗌 Yes 🗌 No
Within a 100-year floodplain. (Does not apply to below grade tanks) FEMA map 	🗌 Yes 🗌 No
Below Grade Tanks	
 Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🛛 No
 Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	🗌 Yes 🛛 No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
 Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
 Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗌 Yes 🗌 No
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	🗌 Yes 🗌 No

 Within 100 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes No
Temporary Pit Non-low chloride drilling fluid	
 Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗌 Yes 🗌 No
 Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	Yes No
 Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
Permanent Pit or Multi-Well Fluid Management Pit	
 Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	Yes No
 Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗌 Yes 🗌 No
 Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
10. Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 N Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doce attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.1 and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number: 	ruments are NMAC 15.17.9 NMAC
11. Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC	
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached.	15.17.9 NMAC

12. Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H₂S, Prevention Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC 	the documents are
13. <u>Proposed Closure</u> : 19.15.17.13 NMAC	
<i>Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.</i> Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-we	11 Fluid Management Pit
Alternative Proposed Closure Method: 🛛 Waste Excavation and Removal	
Waste Removal (Closed-loop systems only)	
 On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial 	
Alternative Closure Method	
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	2
15. Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC	
Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable a provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency 19.15.17.10 NMAC for guidance.	source material are v. Please refer to
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
 Ground water is between 25-50 feet below the bottom of the buried waste NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells 	☐ Yes ☐ No ☐ NA
 Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells 	☐ Yes ☐ No ☐ NA
 Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗋 Yes 🗌 No
 Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existen at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site 	ce 🗌 Yes 🗌 No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	🗌 Yes 🗌 No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	🗌 Yes 🗌 No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	
Form C-144 Oil Conservation Division Page 4	of 6

 adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approval obtained from the municipality 	🗋 Yes 🗌 No
 Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division 	🗌 Yes 🗌 No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	🗌 Yes 🗌 No
Within a 100-year floodplain. - FEMA map	Yes No
16. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure play a check mark in the box, that the documents are attached.	11 NMAC 15.17.11 NMAC
17. Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and beli Name (Print):	
Signature: Date:	
Signature: Date: e-mail address: Telephone:	
e-mail address: Telephone: <u>OCD Approval</u> : Dermit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date:6/27/2	
e-mail address: Telephone: <u>OCD Approval</u> : Dermit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date:6/27/2	2016
e-mail address:	2016 the closure report. complete this

22. Operator Closure Certification:

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print):Kelly G. Roberts	Title: <u>Regulatory Technician</u>
Signature: John Patt	Date: 12/21/15
e-mail address: <u>Kelly.Roberts@cop.com</u> Telephone	e: (505) 326-9775

Burlington Resources Oil & Gas Company San Juan Basin: New Mexico Assets Below Grade Tank Closure Report

Lease Name: Atlantic COM C 10 API No.: 30-045-23138

In accordance with Rule 19.15.17.13 NMAC, the following information describes the closure of the below-grade tank referenced above. All proper documentation regarding closure activities is being included with the C-144.

General Plan Requirements:

1. Prior to initiating any BGT closure, except in the case of an emergency, BR will notify the surface owner of the intent to close the BGT by certified mail no later than 72 hours or one week before closure and a copy of this notification will be included in the closure report. In the case of an emergency, the surface owner will be notified as soon as practical.

The surface owner notification of the closure process was not found

- 2. Notice of closure will be given to the District Division office between 72 hours and one week of the scheduled closure via email or phone. The notification of closure will include the following:
 - a. Operators Name
 - b. Well Name and API Number
 - c. Location

Notification of closure was not provided to the Aztec Division office between 72 hours and one week prior to closure.

 All liquids will be removed from the BGT following cessation of operation. Produced water will be disposed of at one of COP's approved Salt Water Disposal facilities or at a District Division approved facility.

All recovered liquids were disposed of at an approved SWD facility or an approved District Division facility within 60 days of cessation of operation.

 Solids and sludge's will be shoveled and/or vacuumed out for disposal at one of the District Division approved facilities, depending on the proximity of the BGT site: Envirotech Land Farm (Permit #NM-01-011), JFJ Land Farm % Industrial Ecosystems Inc. (Permit #NM-01-0010B), and Basin Disposal (Permit #NM-01-005).

Any sludge or soil required to be removed to facilitate closure was transported to Envirotech Land Farm (Permit # NM-01-011) and/or JFJ Landfarm % IEI (Permit# NM-01-0010B).

5. BR will obtain prior approval from District Division to dispose, recycle, reuse, or reclaim the BGT and provide documentation of the disposition of the BGT in the closure report. Steel materials will be recycled or reused as approved by the District Division. Fiberglass tanks will be empty, cut up or shredded, and EPA cleaned for disposal as solid waste. Liner materials will be cleaned without soils or contaminated material for disposal as solid waste. Fiberglass tanks and liner materials will meet the conditions of 19.15.35 NMAC. Disposal will be at a licensed disposal facility, presently San Juan County Landfill operated by Waste Management under NMED Permit SWM-052426.

The below-grade tank was disposed of in a division-approved manner. The liner was cleaned per 19.15.35.8.C(1)(m) NMAC and disposed of at the San Juan County Regional Landfill located on CR 3100.

6. Any equipment associated with the BGT that is no longer required for some other purpose, following the closure, will be removed.

All on-site equipment associated with the below-grade tank was removed.

- 7. Following removal of the tank and any liner material, BR will test the soils beneath the BGT as follows:
 - a. At a minimum, a five-point composite sample will be taken to include any obvious stained or wet soils or any other evidence of contamination.
 - b. The laboratory sample shall be analyzed for the constituents listed in Table I of 19.15.17.13.

A five point composite sample was taken of the below-grade tank using sampling tools and all samples tested per Table I of 19.15.17.13 and the results are attached.

8. If the District Division and/or BR determine there is a release, BR will comply with 19.15.17.13.C.3b.

A release was not determined for the above referenced well.

9. Upon completion of the tank removal, pursuant to 19.15.17.13.C.3c, if all contaminant concentrations are less than or equal to the parameters listed in Table I of 19.15.17.13 NMAC, the excavation will be backfilled with non-waste earthen material compacted and covered with a minimum of one foot top soil or background thickness whichever is greater and to existing grade. The surface will be re-contoured to match the native grade and to prevent ponding.

The tank removal area passed all requirements of Table I of 19.15.17.13 NMAC and was backfilled with compacted, non-waste containing, earthen material which included at least one foot of suitable material to establish vegetation at the site.

10. For those portions of the former BGT area no longer required for production activities, BR will seed the disturbed area the first favorable growing season after the BGT is covered. Seeding will be accomplished via drilling on the contour whenever practical, or by other District Division-approved methods. BR will notify the District Division when reclamation and re-vegetation is complete.

Reclamation of the BGT shall be considered complete when:

- Vegetative cover reflects a life form ratio of +/- 50% of pre disturbance levels.
- Total percent plant cover of at least 70% of pre-disturbance levels (Excluding noxious weeds) OR
- Pursuant to 19.15.17.13.H.5d BR will comply with obligations imposed by other applicable federal or tribal agencies in which there re-vegetation and reclamation requirements provide equal or better protection of fresh water, human health and the environment.

Provision 10 will be accomplished pursuant to 19.15.17.H.5d and notification will be submitted upon completion.

11. For those portions of the former BGT area required for production activities, reseeding will be done at well abandonment, and following the procedure noted above.

The former BGT area is not required for production activities and reseeding was completed on 03/06/14 per the procedure noted above.

Closure Report:

All closure activities will include proper documentation and will be submitted to OCD within 60 days of the BGT closure on a Closure Report using District Division Form C-144. The Report will include the following:

- Proof of Closure Notice (surface owner and District Division) (Attached)
- Backfilling & cover installation (See Report)
- Confirmation Sampling Analytical Results (Attached)
- Application Rate & Seeding techniques (See Report)
- Photo Documentation of Reclamation (Attached)

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit 1 Copy to appropriate District Office to accordance with 19.15.29 NMAC.

			Rele	ase Notifica	atio	n and Co	orrective A	ction				
						OPERA '	ГOR	[Initia	al Report	\boxtimes	Final Report
				l & Gas Company	y		ystal Walker					
	01 East 30th St,			tai tai kining		Telephone No.(505) 326-9837						
Facility Na	Facility Name: ATLANTIC COM C 10						Facility Type: Gas Well					
Surface Owner State Mineral Owner State					State API No.30-045-23138							
LOCATI						N OF RE	LEASE					
Unit Letter	Section To				A set of the set of the	/South Line	Feet from the	East/W	est Line	County		
				Latitude 36.8	8845	8 Longitud	e <u>-107.855769</u>	4.				
				NATU	URE	OF REL	EASE					
Type of Rele						Volume of				Recovered		
Source of Re	elease					Date and I	Iour of Occurrence	ce	Date and	Hour of Dis	covery	
Was Immedi	ate Notice Giver		Yes 🗌	No 🛛 Not Req	luired	If YES, To	Whom?					
By Whom?						Date and H						
Was a Water	course Reached?		es 🛛 N	lo		If YES, Vo	olume Impacting	the Water	course.			
If a Watercov N/A	urse was Impacte	ed, Describe	e Fully.*									
	use of Problem a vas encountered											
Describe Are N/A	ea Affected and (Cleanup Ac	ction Take	en.*								
regulations a public health should their or the enviro	Il operators are r or the environm operations have t	required to 1 nent. The ad failed to add ion, NMOC	report an cceptance equately 2D accept	is true and comple d/or file certain rel e of a C-141 repor- investigate and ren ance of a C-141 re	lease r t by th media	notifications a ne NMOCD m te contaminati	nd perform correc arked as "Final R on that pose a thr	ctive actio ceport" do reat to gro	ons for rele es not reli ound water	eases which eve the ope , surface wa	may er rator of ater, hu	ndanger Fliability man health
Signature:	$\int h = -h $						OIL CONSERVATION DIVISION					
Printed Nam	e: Kelly G. Rob	perts				Approved by Environmental Specialist:						
Title: Regul	atory Technicia	an				Approval Da	e:	E	xpiration .	Date:		
E-mail Addr	ess: Kelly.Rob	berts@cop.c				Conditions o	f Approval:			Attached		

* Attach Additional Sheets If Necessary



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

November 19, 2015

Emilee Skyles Animas Environmental 604 Pinon Street Farmington, NM 87401 TEL: (505) 564-2281 FAX

RE: COPC Atlantic Com C 10

OrderNo.: 1511377

Dear Emilee Skyles:

Hall Environmental Analysis Laboratory received 1 sample(s) on 11/10/2015 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to <u>www.hallenvironmental.com</u> or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

andy

Andy Freeman Laboratory Manager 4901 Hawkins NE Albuquerque, NM 87109

Analytical Report Lab Order 1511377

Date Reported: 11/19/2015

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Animas Environmental			Client Sampl	e ID: BC	ST S-1	
Project: COPC Atlantic Com C 10			Collection I	Date: 11/	9/2015 9:27:00 AM	
Lab ID: 1511377-001	Matrix:	SOIL	Received I	Date: 11/	10/2015 6:50:00 AM	
Analyses	Result	RL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 418.1: TPH					Analys	t: TOM
Petroleum Hydrocarbons, TR	ND	20	mg/Kg	1	11/17/2015	22354
EPA METHOD 300.0: ANIONS					Analys	t: LGT
Chloride	ND	30	mg/Kg	20	11/13/2015 2:18:58 PM	1 22349
EPA METHOD 8015M/D: DIESEL RAN	GE ORGANIC	5			Analys	t: KJH
Diesel Range Organics (DRO)	ND	9.9	mg/Kg	1	11/11/2015 5:39:05 PN	1 22273
Surr: DNOP	105	70-130	%REC	1	11/11/2015 5:39:05 PM	22273
EPA METHOD 8015D: GASOLINE RA	NGE				Analys	t: NSB
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	11/11/2015 2:17:53 PN	1 22278
Surr: BFB	86.1	75.4-113	%REC	1	11/11/2015 2:17:53 PM	22278
EPA METHOD 8021B: VOLATILES					Analys	t: NSB
Benzene	ND	0.047	mg/Kg	1	11/11/2015 2:17:53 PM	22278
Toluene	ND	0.047	mg/Kg	1	11/11/2015 2:17:53 PN	22278
Ethylbenzene	ND	0.047	mg/Kg	1	11/11/2015 2:17:53 PM	1 22278
Xylenes, Total	ND	0.094	mg/Kg	1	11/11/2015 2:17:53 PM	1 22278
Surr: 4-Bromofluorobenzene	109	80-120	%REC	1	11/11/2015 2:17:53 PM	22278

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Oualifiers:	*	Value exceeds Maximum Contaminant L	evel.
--------------------	---	-------------------------------------	-------

- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits Page 1 of 6
- P Sample pH Not In Range
- RL Reporting Detection Limit

QC SUMMARY REPORT Hall Environmental Analysis Laboratory, Inc.

Animas Environmental **Client:**

Project: COPC Atlantic Com C 10

Sample ID MB-22349	SampType: I	MBLK	Tes	tCode: El	PA Method	300.0: Anion	S		
Client ID: PBS	Batch ID:	22349	F	RunNo: 3	0257				
Prep Date: 11/13/2015	Analysis Date:	11/13/2015	S	SeqNo: 9	22446	Units: mg/K	٢g		
Analyte	Result PQI	. SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	ND 1.	5							
	ND 1. SampType: I		Tes	tCode: El	PA Method	300.0: Anion	S		
Sample ID LCS-22349		_CS		tCode: El RunNo: 3		300.0: Anion	IS		
Sample ID LCS-22349 Client ID: LCSS	SampType: I	-CS 22349	R	26.25	0257	300.0: Anion Units: mg/K			
	SampType: I Batch ID: 2	_CS 22349 11/13/2015	R	RunNo: 3	0257			RPDLimit	Qual

Qualifiers:

- Value exceeds Maximum Contaminant Level. *
- D Sample Diluted Due to Matrix
- Holding times for preparation or analysis exceeded Η
- Not Detected at the Reporting Limit ND
- RPD outside accepted recovery limits R
- % Recovery outside of range due to dilution or matrix S
- Analyte detected in the associated Method Blank В
- Е Value above quantitation range
- Analyte detected below quantitation limits J
- Р Sample pH Not In Range
- RL Reporting Detection Limit

WO#: 1511377 19-Nov-15

Page 2 of 6

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

Client:Animas EnvironmentalProject:COPC Atlantic Com C 10

Sample ID MB-22354	SampType: MBLK	TestCode: EPA Method 418.1: TPH	
Client ID: PBS	Batch ID: 22354	RunNo: 30289	
Prep Date: 11/16/2015	Analysis Date: 11/17/2015	SeqNo: 923840 Units: mg/Kg	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit HighLimit %	RPD RPDLimit Qual
Petroleum Hydrocarbons, TR	ND 20		
Sample ID LCS-22354	SampType: LCS	TestCode: EPA Method 418.1: TPH	
Client ID: LCSS	Batch ID: 22354	RunNo: 30289	
Prep Date: 11/16/2015	Analysis Date: 11/17/2015	SeqNo: 923841 Units: mg/Kg	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit HighLimit %	RPD RPDLimit Qual
Petroleum Hydrocarbons, TR	110 20 100.0	0 114 83.6 116	
Sample ID LCSD-22354	SampType: LCSD	TestCode: EPA Method 418.1: TPH	
Client ID: LCSS02	Batch ID: 22354	RunNo: 30289	
Prep Date: 11/16/2015	Analysis Date: 11/17/2015	SeqNo: 923842 Units: mg/Kg	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit HighLimit %	RPD RPDLimit Qual
Petroleum Hydrocarbons, TR	120 20 100.0	0 115 83.6 116	1.29 20

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit

19-Nov-15

1511377

WO#:

Page 3 of 6

QC SUMMARY REPORT

Hall	Environmental	Analysis	Laboratory,	Inc.
------	---------------	----------	-------------	------

WO#: 1511377

19-Nov-15

	imas Environm PC Atlantic Co									
Sample ID MB-22273	Samp	Туре: МІ	BLK	Tes	tCode: El	PA Method	8015M/D: Di	esel Rang	e Organics	
Client ID: PBS	Bate	ch ID: 22	273	F	RunNo: 3	0150				
Prep Date: 11/10/201	5 Analysis	Date: 1	1/11/2015	S	GeqNo: 9	18894	Units: mg/H	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO Surr: DNOP	ND 11	10	10.00		110	70	130			
Sample ID LCS-22273	Samp	Type: LC	s	Tes	tCode: El	PA Method	8015M/D: Di	esel Rang	e Organics	
Client ID: LCSS	Bate	ch ID: 22	273	F	RunNo: 3	0150				
Prep Date: 11/10/201	5 Analysis	Date: 1	1/11/2015	5	SeqNo: 9	18897	Units: mg/h	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO Surr: DNOP	55 6.1	10	50.00 5.000	0	111 121	57.4 70	139 130			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit

Page 4 of 6

QC SUMMARY REPORT Hall Environmental Analysis Laboratory, Inc.

Client: Animas Environmental **Project:** COPC Atlantic Com C 10

Sample ID MB-22278	SampT	ype: ME	BLK	TestCode: EPA Method 8015D: Gasoline Range									
Client ID: PBS	Batch	n ID: 22	278	F	RunNo: 3	0159							
Prep Date: 11/10/2015	Analysis D	ate: 11	/11/2015	5	SeqNo: 9	19299	Units: mg/M	(g					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual			
Gasoline Range Organics (GRO) Surr: BFB	ND 860	5.0	1000		85.9	75.4	113						
and the second													
Sample ID LCS-22278	SampT	ype: LC	S	Tes	tCode: El	PA Method	8015D: Gasc	line Rang	e				
Sample ID LCS-22278 Client ID: LCSS	COMPLETE. A	ype: LC			tCode: El RunNo: 3		8015D: Gasc	oline Rang	e				
Contraction and the second second	COMPLETE. A	n ID: 22:	278	F		0159	8015D: Gaso Units: mg/M		e				
Client ID: LCSS	Batch	n ID: 22:	278 /11/2015	F	RunNo: 3	0159			e RPDLimit	Qual			
Client ID: LCSS Prep Date: 11/10/2015	Batch Analysis D	n ID: 22: ate: 11	278 /11/2015	F	RunNo: 3 GeqNo: 9	0159 19300	Units: mg/M	(g		Qual			

Qualifiers:

- Value exceeds Maximum Contaminant Level. *
- Sample Diluted Due to Matrix D
- Η Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- RPD outside accepted recovery limits R
- % Recovery outside of range due to dilution or matrix S
- В Analyte detected in the associated Method Blank
- Е Value above quantitation range
- J Analyte detected below quantitation limits
- Р Sample pH Not In Range
- RL Reporting Detection Limit

WO#: 1511377

19-Nov-15



QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

Client:Animas EnvironmentalProject:COPC Atlantic Com C 10

Sample ID MB-22278	SampT	ype: ME	зlk	Tes	tCode: El	PA Method	8021B: Vola	tiles		
Client ID: PBS	Batch	1 ID: 22	278	F	RunNo: 3	0159				
Prep Date: 11/10/2015	Analysis D	ate: 11	1/11/2015	S	SeqNo: 9	19328	Units: mg/k	٢g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.050								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.1		1.000		109	80	120			
Sample ID LCS-22278	SampT	ype: LC	S	Tes	tCode: El	PA Method	8021B: Vola	tiles		
Client ID: LCSS	Batch	n ID: 22	278	F	RunNo: 3	0159				
Prep Date: 11/10/2015	Analysis D	ate: 11	1/11/2015	S	SeqNo: 9	19330	Units: mg/M	٢g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.96	0.050	1.000	0	96.4	80	120			
Toluene	0.94	0.050	1.000	0	94.2	80	120			
Ethylbenzene	0.99	0.050	1.000	0	98.8	80	120			
i ele contra el la value de contra el value de							100			
Xylenes, Total	3.0	0.10	3.000	0	101	80	120			
Xylenes, Total Surr: 4-Bromofluorobenzene	3.0 1.2	0.10	3.000 1.000	0	101 116	80 80	120 120			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit

WO#: 1511377 19-Nov-15

D

Page 6 of 6

HALL ENVIRONMENTAL ANALYSIS LABORATORY	Hall Environmental Analysis Laboratory J901 Hawkins NE Allonguerque, NAI 87109 TEL: 505-345-3973 FAX: 505-345-4107 Website: www.hollenvironmental.com
ou - Never Anteres Participantel	Med Order Number 1611977

Sample Log-In Check List

Client Name:	Animas Environmental	Work Order Numbe	or: 1511377		RcpINo: 1	
Received by/c	late: AT	11/10/15				
Logged By:	Ashley Gallegos	11/10/2015 6:50:00 A	хM	AF		
Completed By		11/10/2015 9:05:10 A	M	star		
Reviewed By:		11/10/15		. 0		
Chain of Cu						
	eals intact on sample bottles?		Yes 🗆	No 🗌	Not Present 🗹	
2. Is Chain o	f Custody complete?		Yes 🔽	No 🗌	Not Present	
3. How was	the sample delivered?		Courier			
Log In						
4. Was an a	ttempt made to cool the samp	les?	Yes 🔽	No 🗌	NA 🗆	
5. Were all s	amples received at a tempera	ture of >0° C to 6.0°C	Yes 🔽	No 🗌	NA	
6. Sample(s) in proper container(s)?		Yes 🗹	No 🗌		
7. Sufficient	sample volume for indicated t	est(s)?	Yes 🔽	No 🗌		
8. Are samp	les (except VOA and ONG) pr	operly preserved?	Yes 🗸	No 🗌		
9. Was pres	ervative added to bottles?		Yes 🗀	No 🗹	NA 🗆	
10. VOA vials	have zero headspace?		Yes 🗌	No 🗌	No VOA Vials 🔽	
11. Were any	sample containers received I	oroken?	Yes	No 🔽	# of preserved bottles checked	
	erwork match bottle labels?		Yes 🔽	No 🗌	for pH:	12 unless noted
	repancies on chain of custody ces correctly identified on Cha		Yes 🔽	No 🗌	Adjusted?	
1.101.201.01	what analyses were requested		Yes 🗹	No 🗔		
15. Were all I	olding times able to be met? ify customer for authorization.		Yes 🔽	Νο	Checked by:	
	ndling (if applicable) It notified of all discrepancies	with this order?	Yes 🗌	No 🗔	NA 🗹	
	son Notified:	Date Via:	 ∏eMail ∏	Phone 🗍 Fax	In Person	
	Whom: parding:	via.				
	nt Instructions:					
17. Additiona						
18. <u>Cooler li</u>						
Coole	and the second se	Seal Intact Seal No	Seal Date	Signed By		
1	1.3 Good	Yes				

	ANALYSIS LABORATORY	www.hallenvironmental.com	4901 Hawkins NE - Albuquerque, NM 87109	Tel. 505-345-3975 Fax 505-345-4107	alys			(ОН			0 [.]	BTEX - 80218 (PH - EPA 418, 2005 - 300 PH - EPA 801 PH - EPA 801 PH - EPA 801 PH - EPA 801							Remarks: Bill to Conoco Phillips	WO # Superviso	TUSERID: GARRECD
ז מנוז-אוסמוומ ז זוופי	X Standard 🛛 Rush	Project Name:	COPC Atlantic Com C 10	Project #:		Droiect Manager		1	Sampler S Shock s	うな言語	Temperature	Container Preservative HEAL No Type and # Type	2-4 oz. cool - 00 (Received by: Date Time	and 14/15 1703	Received by / Date Time
Chain-or-Custody Record	LLC		604 W Pinon St.	Farmington, NM 87401		lanimasanuironmantal com		t □ Level 4 (Full Validation)				Matrix Sample Request ID	SOIL BGT S-1						Relinquished by:	ALREY.	Relinutished hy
Chain-ot-Cl	Client: Animas Environmental Services,		Mailing Address: 604	Farr	Phone # 505-564-2281	Email or Fav#: echylee®	DA/DC Packane	X Standard	Accreditation:		(be)	e u	11-9-15 0927 SO						Time:	to coll SI/p/II	Date: Time: Reline

Atlantic Com C 10

