District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505

Form C-144 Revised June 6, 2013

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.

For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

	5
	Pit, Below-Grade Tank, or RECEIVED By kcollins at 11:39 am, Apr 11, 201
	Proposed Alternative Method Permit or Closure Plan Application
	Type of action: Below grade tank registration Permit of a pit or proposed alternative method Closure of a pit, below-grade tank, or proposed alternative method Modification to an existing permit/or registration Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method
1500	Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request
	lease be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the nvironment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
	I.
	Operator: Burlington Resources Oil & Gas Company, LP OGRID #: 14538
	Address: PO BOX 4289, Farmington, NM 87499
	Facility or well name: SANCHEZ A 3 ARI Number: 20 020 20006 OCD Permit Number:
	API Number: 30-039-20096 OCD Permit Number: U/L or Qtr/Qtr O (SWSE) Section 20 Township 26N Range 6W County: Rio Arriba
	Center of Proposed Design: Latitude 36.467931 •N Longitude -107.488061 •W NAD: □1927 ⊠ 1983
	Surface Owner: State Private Tribal Trust or Indian Allotment
	2.
	Pit: Subsection F, G or J of 19.15.17.11 NMAC
	Temporary: Drilling Workover
	☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A ☐ Multi-Well Fluid Management Low Chloride Drilling Fluid ☐ yes ☐ no
	☐ Lined ☐ Unlined Liner type: Thicknessmil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other
	☐ String-Reinforced
	Liner Seams: Welded Factory Other Volume: bbl Dimensions: L_x W_x D_
Ì	3.
	⊠ Below-grade tank: Subsection I of 19.15.17.11 NMAC
	Volume: 120 bbl Type of fluid: Produced Water
	Tank Construction material:Metal
	Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
	☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other
	Liner type: Thicknessmil
	4.
	Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.
	5. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)
	Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital,
	institution or church)
	Four foot height, four strands of barbed wire evenly spaced between one and four feet

Alternate. Please specify

6. Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	
Screen Netting Other	
☐ Monthly inspections (If netting or screening is not physically feasible)	
7.	
Signs: Subsection C of 19.15.17.11 NMAC	
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
Signed in compliance with 19.15.16.8 NMAC	
3.	
Variances and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.	
Please check a box if one or more of the following is requested, if not leave blank:	
☐ Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.	
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
).	
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acce,	ntable source
material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.	
General siting	
General string	
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
	☐ Yes ☐ No
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	NA NA
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yes ☐ No
adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) - Written confirmation or verification from the municipality; Written approval obtained from the municipality	
Within the area overlying a subsurface mine. (Does not apply to below grade tanks)	☐ Yes ☐ No
- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	
Within an unstable area. (Does not apply to below grade tanks) - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	☐ Yes ☐ No
Society; Topographic map	
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	Yes No
Below Grade Tanks	
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured	
from the ordinary high-water mark).	Yes No
- Topographic map; Visual inspection (certification) of the proposed site	
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☒ No
Femporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole,	
or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial	Yes No
application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No

Previously Approved Design (attach copy of design) API Number: or Permit Number:	
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	.15.17.9 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:	-
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 N Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC	nments are
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Permanent Pit or Multi-Well Fluid Management Pit	
Within 300 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pit Non-low chloride drilling fluid	
Within 100 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the	documents are							
attached. ☐ Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC ☐ Climatological Factors Assessment ☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Quality Control/Quality Assurance Construction and Installation Plan ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC ☐ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Nuisance or Hazardous Odors, including H₂S, Prevention Plan ☐ Emergency Response Plan ☐ Oil Field Waste Stream Characterization ☐ Monitoring and Inspection Plan ☐ Erosion Control Plan ☐ Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC								
13. <u>Proposed Closure</u> : 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.								
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well Find Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method	luid Management Pit							
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached. ☐ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC ☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC ☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC ☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC ☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC								
15. Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. F 19.15.17.10 NMAC for guidance.	rce material are Please refer to							
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA							
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA							
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No							
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No							
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image								
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No							
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance								

adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	
	☐ Yes ☐ No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	
Within a 100-year floodplain FEMA map	Yes No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17. Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cann Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	11 NMAC 15.17.11 NMAC
17. Operator Application Certification:	
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and believed to the best of the b	ief.
Name (Print): Title:	
Signature: Date:	<u> </u>
e-mail address: Telephone:	
18. OCD Approval: ☐ Permit Application (including closure plan) ☐ Closure Plan (only) ☐ OCD Conditions (see attachment)	
See 12 to 1 t	
OCD Representative Signature: Approval Date:	016
A	016
OCD Representative Signature: Jonat D. Kelly Approval Date: 7/12/20	the closure report.
OCD Representative Signature: Title: Compliance Officer OCD Permit Number: 19. Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed.	the closure report. complete this

Operator Closure Certification:	
I hereby certify that the information and attachments submitted with this closure report is true, accurate belief. I also certify that the closure complies with all applicable closure requirements and conditions	
Name (Print) Crystal Walker Title: Regulatory Coordinator	
Signature: Date: Date:	4/4/1Ce
e-mail address: <u>crystal.walker@cop.com</u> Telephone: (505) 326-9837	

Burlington Resources Oil & Gas Company, LP San Juan Basin Below Grade Tank Closure Report

Lease Name: Sanchez A 3 API No.:30-039-20096

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the below-grade tank referenced above. All proper documentation regarding closure activities is being included with the C-144.

General Plan:

1. BR shall close a below-grade tank within 60 days of cessation of operations per Subsection G.4 of 19.15.17.13 NMAC. This will include a) below-grade tanks that do not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years, if not retrofitted to comply with Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC; b) an earlier date that the division requires because of imminent danger to fresh water, public health or the environment. For any closure, BR will file the C144 Closure Report as required.

The below-grade tank referenced above was permitted and closed within 60 days of cessation of the below-grade tanks operation.

2. BR shall remove liquids and sludge from a below-grade tank prior to implementing a closure method and shall dispose of the liquids and sludge in a division-approved facility. The facilities to be used will be Basin Disposal (Permit #NM-01-005), JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) and Envirotech Land Farm (Permit #NM-01-011). The liner after being cleaned well (Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC) will be disposed of at the San Juan County Regional Landfill located on CR 3100.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B). The liner was cleaned per Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC was disposed of at the San Juan County Regional Landfill located on CR 3100.

3. BR will receive prior approval to remove the below-grade tank and dispose of it in a division-approved facility or recycle, reuse, or reclaim it in a manner that the appropriate division district office approves.

The below-grade tank was disposed of in a division-approved manner.

4. If there is any on-site equipment associated with a below-grade tank, then BR shall remove the equipment, unless the equipment is required for some other purpose.

All on-site equipment associated with the below-grade tank was removed.

5. BR will test the soils beneath the below-grade tank to determine whether a release has occurred. BR shall collect, at a minimum, a five point, composite sample; collect individual grab samples from any area that is wet, discolored or showing other evidence of a release; and analyzed for the constituents listed in Table I of 19.15.17.13 NMAC. COPC shall notify the division of its results on form C-141.

A five point composite sample was taken of the below-grade tank using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached). Form C-141 is attached.

Components	onents Tests Method				
Benzene	EPA SW-846 8021B or 8260B	0.2			
BTEX	EPA SW-846 8021B or 8260B	50			
TPH	EPA SW-846 418.1	100			
Chlorides	EPA 300.0	250			

6. If BR or the division determines that a release has occurred, then BR shall comply with 19.15.3.116 NMAC and 19.15.1.19 NMAC, as appropriate.

A release was not determined for the above referenced well.

7. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Table I of 19.15.17.13 NMAC, then BR shall backfill the excavation with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover; recontour and re-vegetate the site.

The below-grade tank area passed all requirements of Paragraph (4) of Subsection E of 19.15.17.13 NMAC and was backfilled with compacted, non-waste containing, earthen material.

- 8. Notice of Closure will be given prior to closure to the Aztec Division office between 72 hours and one week via email or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

9. The surface owner shall be notified of BR's closing of the below-grade tank 72 hours, but not more than one week, prior to closure as per the approved closure plan via certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached) (Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

10. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The below-grade tank area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Re-shaping including drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

11. BR shall seed the disturbed areas the first favorable growing season following closure of a below-grade tank. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM stipulated seed mixes will used on federally regulated lands and division-approved seed mixtures (administratively approved if required) will be utilized on all State or private lands. A uniform vegetative cover has been established that reflects a life-form ratio of plus or minus fifty percent (50%) of pre- disturbance levels and a total percent plant cover of at least seventy percent (70%) of pre-disturbance levels, excluding noxious weeds. If alternate seed mix is required by the state, private owner or tribe, it will be implemented with administrative approval if needed. COPC will repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

12. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material, with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.

The below-grade tank area was backfilled and more than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

- 13. All closure activities will include proper documentation and be available for review upon request and will be submitted to OCD within 60 days of closure of the below-grade tank. Closure report will be filed on C-144 and incorporate the following:
 - Soil Backfilling and Cover Installation (See Report)
 - Re-vegetation application rates and seeding techniques (See Report)
 - Photo documentation of the site reclamation (Included as an attachment)
 - Confirmation Sampling Results (Included as an attachment)
 - Proof of closure notice (Included as an attachment)

Walker, Crystal

From:

Walker, Crystal

Sent:

Tuesday, March 15, 2016 2:36 PM

To:

Cory Smith; Fields, Vanessa, EMNRD; Flaniken, Mike (Mike_Flaniken@blm.gov);

Katherina Diemer (kdiemer@blm.gov)

Cc:

Farrell, Juanita R; GRP:SJBU Regulatory; Jones, Lisa; SJBU E-Team;

'eskyles@animasenvironmental.com'

Subject:

UPDATED: BGT Re-Sample Notification for sampling 3/18

Good afternoon,

The following locations contained below-grade tanks that require re-sampling, which is scheduled for **Friday, March 18**th to begin at 9:00am at the first location and continue to the next. *ADDED WELLS

Sampling Order	Name	BGT Latitude	BGT Longitude	Surface Owner
1	Canyon Largo Unit 430	36.397214	-107.547679	FEDERAL
2	Canyon Largo Unit 65	36.432545	-107.450724	FEDERAL
3	Canyon Largo Unit Com 138	36.426228	-107.469793	PRIVATE
4	Sanchez A 3	36.467931	-107.488061	FEDERAL
5	Johnston A 15	36.439970	-107.412488	STATE

Please feel free to contact me at any time if you have any questions or concerns regarding this information.

Thank you,

Crystal Walker

Regulatory Coordinator ConocoPhillips Lower 48

T: 505-326-9837 | F: 505-599-4086 | M: 505-215-4361 | crystal.walker@cop.com

Visit the new Lower 48 website: www.conocophillipsuslower48.com

District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-141 Revised August 8, 2011 Submit 1 Copy to appropriate District Office to accordance with 19.15.29 NMAC.

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

			Rele	ease Notific	catio	n and Co	orrective A	ction	1			
						OPERA'	ГOR		Initi	al Report	\boxtimes	Final Report
					-			007				
			gton, NM	[837				
Release Notification and Corrective Action OPERATOR			ie. Gas Well									
				LOCA	TIO	N OF REI	LEASE					
				- CONTRACTOR DECISION DESCRIPTION OF THE PROPERTY OF THE PROPE	74		Commence Color Color Color Color	erconversor, je			ıa.	
	20	2011	011							1 110 1111		
						\$558						
Type of Rele	ase			INAI	UKE				Volume 1	Recovered		
								ce	02 - 1 Policies - 100 (000)	CHICAGO CONTRACTOR CON	covery	
Was Immadi	W. I						Whom?					
was immedia	ate Notice Gi		Yes [No 🛛 Not Ro	equired	II 1ES, 10	WHOIII?					
By Whom?						Date and F	Iour					
Was a Water	course Reach		- 5			If YES, Vo	olume Impacting	the Wat	ercourse.			
						ŀ						
The state of the s	ırse was Imp	acted, Descri	be Fully.*									
N/A												
No release w	as encounte	rea auring i	ne bG1	Ciosure.								
Describe Are	a Affected at	nd Cleanun A	ction Tak	ren *					Carlon	<u> </u>		
The state of the s	a milected at	na Cicanap 7	iction Tax	ion.								
I hereby certi	fy that the in	formation gi	ven above	is true and comp	lete to t	he best of my	knowledge and u	ındersta	nd that pur	suant to NM	OCD r	ules and
regulations a	ll operators a	re required to	report ar	nd/or file certain r	elease n	otifications a	nd perform correct	ctive act	ions for rel	eases which	may er	ndanger
should their	or the environerations ha	onment. The	dequately	te of a C-141 repo	ort by th emediat	e NMOCD m e contaminati	arked as "Final R on that pose a thr	reat to g	round wate	r. surface wa	rator of	man health
or the environ	nment. In ad	dition, NMO	CD accep	tance of a C-141	report d	oes not reliev	e the operator of	respons	ibility for c	ompliance v	vith any	y other
federal, state,	or local law	s and/or regu	lations.				OH COM	CPDI	7 A TT() X	DIVITATO	NA T	
Signature:		7 2	, ,	. /			OIL CON	SERV	AHON	DIAISIC	<u> JIN</u>	
(0	tal C	Val	ter								
Printed Name	0					Approved by	Environmental S	Specialis	t:			
rimed Name	e. Crystai W	aikei							-			
Title: Regul	atory Coord	inator				Approval Dat	te:		Expiration	Date:		
E-mail Addre	ess: crv	stal.walker@	cop.com			Conditions of	f Approval:			Austra		
111.	1.			_						Attached	Ц	
Date: 916 * Attach Addi	1/1Ce	Phone: (505		7						1		
Attach Addi	uonai Sheet	2 II Mecessi	ai y									



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

March 29, 2016

Emilee Skyles Animas Environmental 604 Pinon Street Farmington, NM 87401 TEL: (505) 564-2281

FAX

RE: COPC Sanchez A 3

OrderNo.: 1603A12

Dear Emilee Skyles:

Hall Environmental Analysis Laboratory received 1 sample(s) on 3/19/2016 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

Andy Freeman

Laboratory Manager

andyl

4901 Hawkins NE

Albuquerque, NM 87109

Analytical Report

Lab Order 1603A12

Date Reported: 3/29/2016

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Animas Environmental

Project: COPC Sanchez A 3

Lab ID: 1603A12-001

Client Sample ID: S-1

Collection Date: 3/18/2016 1:56:00 PM

Received Date: 3/19/2016 11:00:00 AM

Analyses	Result	PQL Qua	al Units	DF	Date Analyzed	Batch
EPA METHOD 418.1: TPH					Analys	t: TOM
Petroleum Hydrocarbons, TR	ND	19	mg/Kg	1	3/23/2016	24342
EPA METHOD 300.0: ANIONS					Analys	t: LGT
Chloride	ND	30	mg/Kg	20	3/28/2016 12:39:26 PM	1 24483
EPA METHOD 8021B: VOLATILES					Analys	t: NSB
Benzene	ND	0.023	mg/Kg	1	3/22/2016 6:09:18 PM	24355
Toluene	ND	0.046	mg/Kg	1	3/22/2016 6:09:18 PM	24355
Ethylbenzene	ND	0.046	mg/Kg	1	3/22/2016 6:09:18 PM	24355
Xylenes, Total	ND	0.092	mg/Kg	1	3/22/2016 6:09:18 PM	24355
Surr: 4-Bromofluorobenzene	105	80-120	%Rec	1	3/22/2016 6:09:18 PM	24355

Matrix: SOIL

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits Page 1 of 4
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1603A12

29-Mar-16

Client:

Animas Environmental

Project:

COPC Sanchez A 3

Sample ID MB-24483

Sample ID LCS-24483

LCSS

3/28/2016

SampType: MBLK

TestCode: EPA Method 300.0: Anions

Client ID:

PBS

Batch ID: 24483

RunNo: 33131

Prep Date:

3/28/2016

Analysis Date: 3/28/2016

SeqNo: 1017182

Units: mg/Kg

HighLimit

Qual

Analyte Chloride

Result **PQL** ND 1.5

SampType: LCS Batch ID: 24483

PQL

1.5

TestCode: EPA Method 300.0: Anions

RunNo: 33131

Units: mg/Kg

Analyte

Client ID:

Prep Date:

Analysis Date: 3/28/2016

SeqNo: 1017183

RPDLimit %RPD

RPDLimit

HighLimit 110

14

SPK value SPK Ref Val

%REC

%RPD

90

Qual

Chloride

15.00

SPK value SPK Ref Val %REC LowLimit

93.1

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Sample Diluted Due to Matrix D
- Holding times for preparation or analysis exceeded Η
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits S % Recovery outside of range due to dilution or matrix
- Analyte detected in the associated Method Blank В
- E Value above quantitation range J Analyte detected below quantitation limits
- Page 2 of 4

- P Sample pH Not In Range
- RL Reporting Detection Limit
- Sample container temperature is out of limit as specified

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1603A12

29-Mar-16

Client:

Animas Environmental

Project: COPC	C Sanchez A 3			
Sample ID MB-24342	SampType: MBLK	TestCode: EPA Method	418.1: TPH	
Client ID: PBS	Batch ID: 24342	RunNo: 32998		
Prep Date: 3/21/2016	Analysis Date: 3/23/2016	SeqNo: 1012149	Units: mg/Kg	
Analyte	Result PQL SPK val	ue SPK Ref Val %REC LowLimit	HighLimit %RPD	RPDLimit Qual
Petroleum Hydrocarbons, TR	ND 20			
Sample ID LCS-24342	SampType: LCS	TestCode: EPA Method	1418.1: TPH	
Client ID: LCSS	Batch ID: 24342	RunNo: 32998		
Prep Date: 3/21/2016	Analysis Date: 3/23/2016	SeqNo: 1012150	Units: mg/Kg	
Analyte	Result PQL SPK val	ue SPK Ref Val %REC LowLimit	HighLimit %RPD	RPDLimit Qual
Petroleum Hydrocarbons, TR	110 20 100	0.0 0 109 83.4	127	
Sample ID LCSD-24342	SampType: LCSD	TestCode: EPA Method	I 418.1: TPH	
Client ID: LCSS02	Batch ID: 24342	RunNo: 32998		
Prep Date: 3/21/2016	Analysis Date: 3/23/2016	SeqNo: 1012151	Units: mg/Kg	
Analyte	Result PQL SPK val	ue SPK Ref Val %REC LowLimit	HighLimit %RPD	RPDLimit Qual
Petroleum Hydrocarbons, TR	100 20 100	0.0 0 105 83.4	127 3.98	20

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Holding times for preparation or analysis exceeded H
- ND Not Detected at the Reporting Limit
- RPD outside accepted recovery limits R
- % Recovery outside of range due to dilution or matrix
- Analyte detected in the associated Method Blank
- Ε Value above quantitation range
- J Analyte detected below quantitation limits

Page 3 of 4

- P Sample pH Not In Range
- RL Reporting Detection Limit
- Sample container temperature is out of limit as specified

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1603A12

29-Mar-16

Client:

Animas Environmental

Project:

COPC Sanchez A 3

Sample ID MB-24355 SampType: MBLK TestCode: EPA Method 8021B: Volatiles										
Client ID: PBS	Batcl	n ID: 24	355	R	tunNo: 3	2985				
Prep Date: 3/21/2016	Analysis D	ate: 3/	22/2016	S	SeqNo: 1	011677	Units: mg/K	.g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.1		1.000		111	80	120			

Sample ID LCS-24355	SampT	ype: LC	S	Test						
Client ID: LCSS	Batch	1D: 24	355	R	RunNo: 3	2985				
Prep Date: 3/21/2016	Analysis D	ate: 3/	22/2016	S	eqNo: 1011678		Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.89	0.025	1.000	0	88.9	75.3	123			
Toluene	0.89	0.050	1.000	0	88.8	80	124			
Ethylbenzene	0.92	0.050	1.000	0	91.7	82.8	121			
Xylenes, Total	2.7	0.10	3.000	0	90.6	83.9	122			
Surr: 4-Bromofluorobenzene	1.1		1.000		111	80	120			

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

Page 4 of 4

P Sample pH Not In Range

RL Reporting Detection Limit

W Sample container temperature is out of limit as specified



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

					2
Client Name: Animas Environmental	Work Order Number:	1603A1	2	Rcpti	No: 1
Réceived by/date:	03/19/16				SP
Logged By: Joe Archuleta	3/19/2016 11:00:00 AM		Helst Helst		
Completed By: Joe Archuleta	3/19/2016 12:12:13 PM		Hild		
Reviewed By:	035 2116				
Chain of Custody		28			
Custody seals intact on sample bottles?		Yes [Not Present	
2. Is Chain of Custody complete?		Yes s	Mo □	Not Present	
3. How was the sample delivered?		Courie	ιτ		ä
Log In					
4. Was an attempt made to cool the sample	es?	Yes	₩ No 🗆] NA	
5. Were all samples received at a temperate	ure of >0° C to 6.0°C	Yes §	№ No []	NA	
6. Sample(s) in proper container(s)?		Yes	Mo □]	
7. Sufficient sample volume for indicated te	st(s)?	Yes			
8. Are samples (except VOA and ONG) pro	perly preserved?	Yes	Mo □		
9. Was preservative added to bottles?		Yes	☐ No 🐼	NA NA	
1400 St. 10 St.		Yes	□ No Ĺ.	No VOA Vials	
10, VOA vials have zero headspace?		Yes	tend make make		
11. Were any sample containers received br	oken?	Yes	\J \00 se	# of preserved bottles checke	- C
12. Does paperwork match bottle labels?		Yes	No 🗆		(<2 or >12 unless noted)
(Note discrepancies on chain of custody)		Yes	No [
13. Are matrices correctly identified on Chair			No [•	
14, Is it clear what analyses were requested	ſ	Yes	PARTIES OF THE PARTIE		by:
15. Were all holding times able to be met? (If no, notify customer for authorization.)		res	W NO C	J	- 190 ° 54
Special Handling (If applicable)				1	[TA]
16. Was client notified of all discrepancies w	rith this order?	Yes	No i.] NA	
Person Notified:	Date		Edd (14) gradient is a described to the described of the		
By Whom:	Via:	[] eMa	il Phone F	ax [] In Person	
Regarding:	THE PROPERTY OF THE PROPERTY OF THE PARTY OF	DOM: STREET, S.			11.000
Client Instructions:	333347989344944 qaqaanina ariin ind 441-m38 3.1448-33-qaqaq qdraaald 414444545454	1535-154 of American	THE RAIL OF THE PARTY OF THE PA	ACTION TO SERVICE STATE OF THE SERVICE STATE STATE OF THE SERVICE STATE STATE OF THE SERVICE STATE OF THE SERVICE STATE STATE OF THE SERVICE STATE OF THE SERVICE STATE STATE OF THE SERVICE STATE OF THE SERVICE STATE STATE OF THE SERVICE STATE	
17. Additional remarks:					
18. <u>Cooler Information</u>	is one of a cont		. 1	f	
Cooler No Temp °C Condition 1 1.1 Good	Seal Intact Seal No Yes	Seal Da	ate Signed By	_	
OF STATE OF	of appeter last 155				

ITAL	ANALYSIS LABORATORY		o o						(Or N	(N	səlddu8 ıiA										-		
HALL ENVIRONMENTAL	8 S	202	4901 Hawkins NE - Albuquerque, NM 87109	5-4107					*		•													
IRO	LAB	www.nallenvironmental.com	l erque, l	Fax 505-345-4107	Analysis Request													_						
ENV	rs1s	llenviror	- Albuq	3	alysis																		hillips	man
ALL	NAL	www.na	ns NE	Tel. 505-345-3975	Ψ.											erae —							Remarks: Bill to Conoco Phillips WO # 21340555 Supervisor: Nelson	Area: 9 Ordered by: Bobby Spearman
I.	A	===>	l Hawki	505-34						0.	008	Chlorides - 3	×										Remarks: Bill to Cor WO # 21340555 Supervisor: Nelson	y: Bobb
			490,	Tel.						- 61	.81	4 Aq∃ - Hq⊤	×										marks:) # 21 pervisc	Area: 9 Ordered t
			т					_	一個		IB	BTEX - 802	×				_							A P
													ļ								5		Time /7/5	700/
					EZ A 3							HEALNO HEALNO	100-) Date 3/18/1/4	Date Time 0 3/19/16 1/06
	□ Rush				COPC SANCHEZ A 3	Ľ	E. Skyles		CLDTD	o li		Preservative Type	1000										kolo	My
Turn-Around Time:	X Standard Project Name:	•		Project #:	8	Project Manage	ш		Sampler: (Container Type and #	1 - 4 oz.										Received by: (Must Leola	Received by:
Chain-of-Custody Record Turn-Around	יכווומו סכו אוככט, דדר			Farmington, NM 87401		eskyles@animasenvironmental.com Project Manager:		☐ Level 4 (Full Validation)	22 193			Sample Request ID	S-1										by:	Time: Relinquished by: 1804 White Walks
Susto			604 W Pinon St	rmingt	31	cyles@a			C, thor			Matrix	SOIL										Relinquished by:	Relinquished by:
i-of-C				Fa	505-564-2281	esk						Time	13:56	 -						-			72	e: Re Pot/
hain	<u> </u>		Address			Fax#:	ackage:	lard	ation:	(Type)					-	-	-	-	-	-			-	7 (8/0
C			Aailing Address:		Phone #:	Email or Fax#:	JA/QC Package:	X Standard	Accreditation:	□ EDD (Type)		Date	3/18/16			i) Date: 3/8/14	Date: 3/18/11.



