For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office. For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Below-Grade Tank, or	<b>RECEIVED</b> By kcollins at 8:02 am, Jun 22, 2016			
Proposed Alternative Method Permit or Closure Plan Application           14909         Type of action:               Below grade tank registration				
<ul> <li>Permit of a pit or proposed alternative method</li> <li>Closure of a pit, below-grade tank, or proposed alternative method</li> <li>Modification to an existing permit/or registration</li> <li>Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank,</li> </ul>				
or proposed alternative method	2			
Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternate Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface was environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's r	ater, ground water or the			
1. Operator: <u>ConocoPhillips Company</u> OGRID # 217817				
Address: P.O. Box 4289, Farmington, New Mexico 87499				
Facility or well name: <u>SAN JUAN 29-6 UNIT 212 / SAN JUAN 29-6 UNIT 5M</u>				
API Number:         3003924592 / 3003930748         OCD Permit Number:				
U/L or Qtr/Qtr <u>N</u> Section <u>30</u> Township <u>29N</u> Range <u>6W</u> County: <u>Rio Arriba</u>				
Center of Proposed Design: Latitude <u>36.692332</u> °N Longitude <u>- 107.507701</u> °W NAD: 1927	1983 🖂			
Surface Owner: Sederal State Private Tribal Trust or Indian Allotment				
2.				
<b><u>Pit</u></b> : Subsection F, G or J of 19.15.17.11 NMAC				
Temporary: Drilling Workover				
Permanent Emergency Cavitation P&A Multi-Well Fluid Management Low Chloride Drilling F	A CALCULATION OF CALC			
Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other				
String-Reinforced				
Liner Seams: Welded Factory Other Volume: bbl Dimensions: L	_ x W x D			
3. Below-grade tank: Subsection I of 19.15.17.11 NMAC				
Volume: Max 120 bbl Type of fluid:Produced Water				
Tank Construction material: <u>Metal</u>				
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off				
Visible sidewalls and liner Visible sidewalls only Other				
Liner type: Thicknessmil   HDPE  PVC   Other				
4.				
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for c	consideration of approval.			
5.				
<ul> <li>Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)</li> <li>Chain link, six fect in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)</li> <li>Four foot height, four strands of barbed wire evenly spaced between one and four feet</li> </ul>				
Alternate. Please specify				

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)

Screen Netting Other

Monthly inspections (If netting or screening is not physically feasible)

## Signs: Subsection C of 19.15.17.11 NMAC

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.16.8 NMAC

## Variances and Exceptions:

7.

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

□ Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.

Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

# <sup>9.</sup> <u>Siting Criteria (regarding permitting)</u>: 19.15.17.10 NMAC *Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below.* Siting criteria does not apply to drying pads or above-grade tanks.

General siting		
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank	☐ Yes ☐ No ☐ NA	
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells		
<ul> <li>Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks)</li> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> </ul>		
<ul> <li>Within the area overlying a subsurface mine. (Does not apply to below grade tanks)</li> <li>Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division</li> </ul>	☐ Yes ☐ No	
<ul> <li>Within an unstable area. (Does not apply to below grade tanks)</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> </ul>	🗌 Yes 🗌 No	
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	🗌 Yes 🗌 No	
Below Grade Tanks		
<ul> <li>Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark).</li> <li>Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗌 No	
<ul> <li>Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;.</li> <li>NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site</li> </ul>	🗋 Yes 🗌 No	
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)		
<ul> <li>Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.)</li> <li>Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗌 No	
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial	🗌 Yes 🗌 No	
<ul> <li>application.</li> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> </ul>		
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	🗋 Yes 🗌 No	

<ul> <li>Within 100 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗌 No	
Temporary Pit Non-low chloride drilling fluid		
<ul> <li>Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).</li> <li>Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗌 No	
<ul> <li>Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</li> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> </ul>	🗌 Yes 🗌 No	
<ul> <li>Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application;</li> <li>NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗌 No	
<ul> <li>Within 300 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗌 No	
Permanent Pit or Multi-Well Fluid Management Pit		
<ul> <li>Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).</li> <li>Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗌 No	
<ul> <li>Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</li> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> </ul>	🗌 Yes 🗌 No	
<ul> <li>Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.</li> <li>NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗌 No	
<ul> <li>Within 500 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗌 No	
10.         Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC         Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.         Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC         Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC         Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC         Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC         Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC         Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC         nd 19.15.17.13 NMAC         Previously Approved Design (attach copy of design) API Number: or Permit Number: or Permit Number:		
11.         Multi-Well Fluid Management Pit Checklist:       Subsection B of 19.15.17.9 NMAC         Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.         Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC         Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC         A List of wells with approved application for permit to drill associated with the pit.         Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC         and 19.15.17.13 NMAC         Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.10 NMAC         Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC         Previously Approved Design (attach copy of design)       API Number: or Permit Number:		
	1 <sup>26</sup>	

attached       Hydrogologic Report - lased upon the requirements of Pangaph (1) of Subsection B of 19.15.17.9 NMAC         Charabologic Relation - Suscent upon the appropriate requirements of 19.15.17.10 NMAC         Charabologic Relation - Suscent upon the appropriate requirements of 19.15.17.10 NMAC         Charabologic Relation - Suscent upon the appropriate requirements of 19.15.17.10 NMAC         Charabologic Relation - Suscent upon the appropriate requirements of 19.15.17.11 NMAC         Charabologic Relation - Suscent upon the appropriate requirements of 19.15.17.11 NMAC         Charabologic Relation - Suscent upon the appropriate requirements of 19.15.17.11 NMAC         Charabologic Relation - Suscent upon the appropriate requirements of 19.15.17.11 NMAC         Charabologic Relation - Suscent upon the appropriate requirements of 19.15.17.11 NMAC         Numinore a Relation - Suscent Upon the appropriate requirements of 19.15.17.11 NMAC         Charabologic Relation - Suscent Upon the appropriate requirements of 19.15.17.11 NMAC         Charabologic Relation - Suscent Upon the appropriate requirements of 19.15.17.11 NMAC         Charabologic Relation - Suscent Upon the appropriate requirements of 19.15.17.11 NMAC         Charabologic Relation - Suscent Upon the appropriate requirements of 19.15.17.11 NMAC         Proposed Charabolic Booker, Rockes 14 through 18, In regards to the proposed classure plan.         Type:       District Suscent Upon the appropriate requirements of 19.15.17.11 NMAC         Proposed Charabolic Booker, Rockes 14 through 1	12. <u>Permanent Pits Permit Application Checklist</u> : Subsection B of 19.15.17.9 NMAC <i>Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are</i>			
Clinical Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC     Disk Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC     Disk Detection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC     Disk Detection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC     Disk Detection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC     Disk Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC     Disk Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC     Disk Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC     Distance or Heazedors Obors, including ILS, Prevention Plan     Emergency Response Plan     Closure Plan - based upon the appropriate requirements of Subnection C of 19.15.17.13 NMAC     Thrittentive: Flans - based upon the appropriate requirements of Subnection C of 19.15.17.13 NMAC     Thrittentive: Flanse complete the applicable boxes, Paxes 14 throngh IB, In regards to the proposed closure plan.     Type	<ul> <li>attached.</li> <li>Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC</li> <li>Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC</li> </ul>			
Control Plan      Closure Plan      Closur	<ul> <li>Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC</li> <li>Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC</li> <li>Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC</li> <li>Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC</li> </ul>			
Closure Plan     C	<ul> <li>Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC</li> <li>Nuisance or Hazardous Odors, including H<sub>2</sub>S, Prevention Plan</li> </ul>			
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC     The appropriate requirements of Subsection C of 19.15.17.13 NMAC     The appropriate requirement Plan - Pl	<ul> <li>Oil Field Waste Stream Characterization</li> <li>Monitoring and Inspection Plan</li> </ul>			
Proposed Closure 19.15.17.13 NMAC           Instructions: "Lease complete the applicable boxes, Boxes 14 through 18, in regards to the proposed Closure plan.           Type:         Drilling         Workster Closure Management Pit           Proposed Closure Mithed:         Waste Excavation and Removal         Below-grade Tank         Multi-well Fluid Management Pit           Proposed Closure Mithed:         Waste Excavation and Removal         On-site Closure Method         Image: Closure Method           Image: Closure Method         Image: Closure Method         Image: Closure Method         Image: Closure Method           Image: Closure Method         Image: Closure Method         Image: Closure Method         Image: Closure Method           Image: Closure Method         Image: Closure Method         Image: Closure Method         Image: Closure Method           Image: Closure Method         Image: Closure Method         Image: Closure Method         Image: Closure Method           Image: Closure Method         Image: Closure Method         Image: Closure Method         Image: Closure Method           Image: Closure Method         Image: Closure Method         Image: Closure Method         Image: Closure Method           Image: Closure Method         Image: Closure Method         Image: Closure Method         Image: Closure Method           Image: Closure Method         Image: Closure Method         Image:	Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC			
Alternative         Proposed Closure Method:       Waste Excavation and Removal         Waste Excavation and Removal (Closed-loop systems only)       Desite Closure Method (Street Method (Ost)) for temporary pits and closed-loop systems)         Im-place Burild       On-site Closure Method         Maste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Place Burild         Confirmation Sampling Pluit (1 applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC         Confirmation Sampling Pluit (1 applicable) - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC         Soli Backlill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC         Soli Backlill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC         Instructions: Each stitty criteria requires and upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC         Instructions: Each stitty criteria requires and upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC         Instructions: Each stitty criteria requires and upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC         Instructions: Each stitty criteria requires and upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC         Instructions: Each stitty criteria requires and upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	Proposed Closure: 19.15.17.13 NMAC			
Waste Removal (Closed-loop systems only)     On-site Closure Method (Only for temporary pits and closed-loop systems)     In-place Burial     Alternative Closure Plan Checklist; (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the     closure plan. Places indicate, by a check mark in the box, that the documents are attached.     On-fination Sampling Phy a check mark in the appropriate requirements of Subsection C of 19.15.17.13 NMAC     Optimized Sampling Phan (fappliebab) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC     Optimized Sampling Phan (fappliebab) - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC     Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC     Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC     Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC     Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC     Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC     Soil Backfill and Cover Design Specifications - State Market Section I of 19.15.17.13 NMAC     Soil Backfill and Cover Design Specifications - State Market Section I of 19.15.17.13 NMAC     Soil Backfill and Cover Design Specifications     Soil Backfill and Cover Design Specification     Soil	Alternative	luid Management Pit		
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the bax, that the documents are attached.                Protocols and Procedures - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC              Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC              Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC              Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC              Subsection Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC              Subsection Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC                String Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC              Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. Please refer to 19.15.17.10 NMAC for guidance.                 PLS1.7.10 NMAC for guidance - NMAC for guidance - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells             NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells             NA              Yes No             NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<ul> <li>Waste Removal (Closed-loop systems only)</li> <li>On-site Closure Method (Only for temporary pits and closed-loop systems)</li> <li>In-place Burial</li> <li>On-site Trench Burial</li> </ul>			
Siting Criteria (regarding on-site closure methods only):       19.15.17.10 NMAC         Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria require jusifications and/or demonstrations of equivalency. Please refer to 19.15.17.10 NMAC for guidance.         Ground water is less than 25 feet below the bottom of the buried waste.	Waste Excavation and Removal Closure Plan Checklist:       (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. <ul> <li>Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC</li> <li>Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC</li> <li>Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)</li> <li>Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC</li> <li>Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC</li> </ul>			
Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. Please refer to 19.15.17.10 NMAC for guidance.         Ground water is less than 25 feet below the bottom of the buried waste.				
<ul> <li>NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells</li> <li>NA</li> <li>Ground water is between 25-50 feet below the bottom of the buried waste</li> <li>NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells</li> <li>Ground water is more than 100 feet below the bottom of the buried waste.</li> <li>NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells</li> <li>Yes No</li> <li>NA</li> <li>Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).</li> <li>Topographic map; Visual inspection (certification) of the proposed site</li> <li>Within 300 feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application.</li> <li>Visual inspection from the municipality; Written approval obtained from the municipality</li> <li>Yes No</li> <li>Within 300 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> <li>Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance</li> </ul>	Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. Please refer to			
<ul> <li>NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells</li> <li>NA</li> <li>Ground water is more than 100 feet below the bottom of the buried waste.         <ul> <li>NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells</li> <li>Yes NA</li> </ul> </li> <li>Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).         <ul> <li>Topographic map; Visual inspection (certification) of the proposed site</li> </ul> </li> <li>Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.             <ul> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> </ul> </li> <li>Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application.             <ul> <li>NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site</li> </ul> </li> <li>Within 300 feet of a wetland.         <ul> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> <li>Yes No</li> <li>Yes No</li> <li>Yes No</li> </ul> </li> </ul>				
<ul> <li>NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells</li> <li>NA</li> <li>NA</li> <li>Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).</li> <li>Topographic map; Visual inspection (certification) of the proposed site</li> <li>Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</li> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> <li>Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application.</li> <li>NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site</li> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> <li>Yes No</li> <li>Within 300 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> <li>Yes No</li> <li>Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance</li> </ul>				
lake (measured from the ordinary high-water mark).       -       Topographic map; Visual inspection (certification) of the proposed site         Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.       -       Visual inspection (certification) of the proposed site; Aerial photo; Satellite image         Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application.       -       Yes         No         within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application.       -       No         -       NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site       Yes         No         Within 300 feet of a wetland.       US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site       Yes         No         Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance       Yes         No				
<ul> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> <li>Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application.         <ul> <li>NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site</li> <li>Yes No</li> </ul> </li> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> <li>Yes No</li> <li>Within 300 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> <li>Yes No</li> <li>Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance</li> </ul>	lake (measured from the ordinary high-water mark).			
at the time of initial application NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance		🗌 Yes 🗌 No		
Within 300 feet of a wetland.         US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site         Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	at the time of initial application.			
US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Written confirmation or verification from the municipality; Written approval obtained from the municipality	🗌 Yes 🗌 No		
Discussion Discus				

adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	🗌 Yes 🗌 No		
<ul> <li>Within the area overlying a subsurface mine.</li> <li>Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division</li> </ul>	🗌 Yes 🗌 No		
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> </ul>	□ Yes □ No		
Within a 100-year floodplain. - FEMA map	Yes No		
<ul> <li>16. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.         <ul> <li>Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC</li> <li>Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC</li> <li>Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.11 NMAC</li> <li>Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC</li> <li>Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC</li> <li>Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC</li> <li>Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)</li> <li>Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC</li> <li>Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC</li> <li>Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC</li> </ul> </li> </ul>			
17.         Operator Application Certification:         I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.         Name (Print):			
18.       OCD Approval: Permit Application (including closure plan)       Closure Plan (only)       OCD Conditions (see attachment)         OCD Representative Signature:	2016		
Title:     Compliance Officer   OCD Permit Number:			
19. Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:			
<ul> <li>20.</li> <li><u>Closure Method</u>:</li> <li>Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-lo</li> <li>If different from approved plan, please explain.</li> </ul>	op systems only)		
21.         Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please in mark in the box, that the documents are attached.         Proof of Closure Notice (surface owner and division)         Proof of Deed Notice (required for on-site closure for private land only)         Plot Plan (for on-site closures and temporary pits)         Confirmation Sampling Analytical Results (if applicable)         Waste Material Sampling Analytical Results (required for on-site closure)         Disposal Facility Name and Permit Number         Soil Backfilling and Cover Installation         Re-vegetation Application Rates and Seeding Technique         Site Reclamation (Photo Documentation)         On-site Closure Location: Latitude       Longitude         NAD:       1927			

#### 22. Operator Closure Certification:

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.		
Name (Print):	Title:	
Signature:	Date:	
e-mail address:	Telephone:	

# ConocoPhillips Company BGT Modification

ConocoPhillips Company is requesting to modify the below-grade tank permit for SAN JUAN 29-6 UNIT 212.

ConocoPhillips Company found that the SAN JUAN 29-6 UNIT 212 shares a BGT with the SAN JUAN 29-6 UNIT 5M and would like to modify the existing permit.