District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr.

Form C-144 Revised June 6, 2013

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.

For permanent pits submit to the Santa Fc Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

		Santa Fe,	NIVI 87303	to the appropriate	NIMOCD DISTRICT Office.
	Proposed Alte	Pit, Below-Cernative Method P	Grade Tank, or Termit or Closure	Plan Applicati	RECEIVED By kcollins at 3:32 pm, May 23, 201
15358	Type of action: ☐ Below ☐ Permit ☐ Closur ☐ Modif	y grade tank registration t of a pit or proposed alte re of a pit, below-grade t ication to an existing per re plan only submitted for	ernative method ank, or proposed alternat mit/or registration	tive method	
	Instructions: Please submit of	77.7	15/75	N-0574	177)
	d that approval of this request does no or does approval relieve the operator				
1.			, ; ;		
Operator: <u>E</u>	Burlington Resources Oil & Gas Con	mpany, LP_OGRID #:1	4538		
Address:	PO BOX 4289, Farmington, NM 8	<u>:7499</u>			
1 22	ell name: Turner B Com A 200S				
1	:30-045-31830				
- FE	Otr _A (NENE) Section _				an
	oposed Design: Latitude36.844			□1927 🖾 1983	
Surface Own	ner: Federal State Private	Tribal Trust or Indian A	Allotment		
2.	D G T GOLGIGIA	nuc			
100000	bsection F, G or J of 19.15.17.11 N	IMAC			
15 51	Drilling Workover	De a Divale: Wall Eliz	1 Managament	Lass Chlasida Deillia	es Eluid II and II an
1885	nt Emergency Cavitation Unlined Liner type: Thickness		\$500		1947. 1441. 1870. 1871.
String-Re			HDPE PVC Other		
25 25	: ☐ Welded ☐ Factory ☐ Other		Volume: bbl Dir	mansions: I v W	v D
Lilici Scallis	weided ractory Office	1 8	volume,but_bit	ilelisiolis, Lx w_	_ x b
3.					
	rade tank: Subsection I of 19.15.		(数) (株式の) (M)		
	<u>120</u> bbl Typ	e of fluid: <u>Produce</u>	d Water		
	uction material: <u>Metal</u>				
45	ry containment with leak detection			overflow shut-off	
The state of the s	sidewalls and liner Visible side			~	
Liner type:	Thicknessmi	I ☐ HDPE ☐ PVC 🗵	OtherUNSPECIFIE	<u>D</u>	
4.					
	ive Method:		ad ta dha Cauta Ba Businann		C
Submittal of	an exception request is required. I		ed to the Santa Fe Environr	nental Bureau office I	for consideration of approval.
5.	charaction D of 10 15 17 11 3D 54 C	(A1: 1	4	and tank	
	absection D of 19.15.17.11 NMAC				dougo maka al hazzitzi
institution or	k, six feet in height, two strands of church)	narned wire at top (kequire	а у юсагеа within 1000 fee	ı oj a permanent resta	иепсе, ѕспооі, поѕрнаі,
10	height, four strands of barbed wire	evenly spaced between on-	e and four feet		

☐ Alternate. Please specify

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	
☐ Screen ☐ Netting ☐ Other	
☐ Monthly inspections (If netting or screening is not physically feasible)	
7.	
Signs: Subsection C of 19.15.17.11 NMAC	
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
☐ Signed in compliance with 19.15.16.8 NMAC	
8. Variances and Exceptions:	
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.	
Please check a box if one or more of the following is requested, if not leave blank: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
9. Siting Criteria (regarding permitting): 19.15.17.10 NMAC	
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accematerial are provided below. Siting criteria does not apply to drying pads or above-grade tanks.	ptable source
General siting	
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank.	Yes No
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	NA NA
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within the area overlying a subsurface mine. (Does not apply to below grade tanks) - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
 Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	☐ Yes ☐ No
Below Grade Tanks	
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured	
from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☑ No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial	☐ Yes ☐ No
application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No

Within 100 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pit Non-low chloride drilling fluid	
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Permanent Pit or Multi-Well Fluid Management Pit	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 N. Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.1 and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:	NMAC 15.17.9 NMAC
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:	15.17.9 NMAC

Page 3 of 6

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	documents are
13. Proposed Closure: 19.15.17.13 NMAC	
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F Alternative	luid Management Pit
Proposed Closure Method: Waste Excavation and Removal	
☐ Waste Removal (Closed-loop systems only)☐ On-site Closure Method (Only for temporary pits and closed-loop systems)	
☐ In-place Burial ☐ On-site Trench Burial ☐ Alternative Closure Method	
14. Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be	
closure plan. Please indicate, by a check mark in the box, that the documents are attached. ☐ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC ☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC ☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC ☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC ☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
15.	
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. F 19.15.17.10 NMAC for guidance.	
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No
Within 300 feet of a wetland.	
US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	

adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	
Within a 100-year floodplain FEMA map	☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17. Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	11 NMAC 15.17.11 NMAC
Operator Application Certification:	
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and believes	ef.
Name (Print): Title:	
Signature: Date:	
e-mail address: Telephone:	
18. OCD Approval: ☐ Permit Application (including closure plan) ☐ Closure Plan (only) ☐ OCD Conditions (see attachment)	
OCD Representative Signature: Approval Date: Approval Date:	2016
Title: Compliance Officer OCD Permit Number:	
19. Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed. □ Closure Completion Date: 4/21/2016	
20. Closure Method: Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alternative Closure Method ☐ Waste Removal (Closed-lo ☐ If different from approved plan, please explain.	op systems only)
21. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please incommark in the box, that the documents are attached. □ Proof of Closure Notice (surface owner and division) □ Proof of Deed Notice (required for on-site closure for private land only) □ Plot Plan (for on-site closures and temporary pits) □ Confirmation Sampling Analytical Results (if applicable) □ Waste Material Sampling Analytical Results (required for on-site closure) □ Disposal Facility Name and Permit Number □ Soil Backfilling and Cover Installation	dicate, by a check

22.
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Crystal Walker Title: Regulatory Coordinator
Signature: Date: 5/3/16
e-mail address: <u>crystal.walker@cop.com</u> Telephone: <u>(505) 326-9837</u>

Burlington Resources Oil & Gas Company, LP San Juan Basin Below Grade Tank Closure Report

Lease Name: TURNER B COM A 200S

API No.: 30-045-31830

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the below-grade tank referenced above. All proper documentation regarding closure activities is being included with the C-144.

General Plan:

1. BR shall close a below-grade tank within 60 days of cessation of operations per Subsection G.4 of 19.15.17.13 NMAC. This will include a) below-grade tanks that do not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC within five years, if not retrofitted to comply with Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC; b) an earlier date that the division requires because of imminent danger to fresh water, public health or the environment. For any closure, BR will file the C144 Closure Report as required.

The below-grade tank referenced above was permitted and closed within 60 days of cessation of the below-grade tanks operation.

2. BR shall remove liquids and sludge from a below-grade tank prior to implementing a closure method and shall dispose of the liquids and sludge in a division-approved facility. The facilities to be used will be Basin Disposal (Permit #NM-01-005), JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) and Envirotech Land Farm (Permit #NM-01-011). The liner after being cleaned well (Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC) will be disposed of at the San Juan County Regional Landfill located on CR 3100.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B). The liner was cleaned per Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC was disposed of at the San Juan County Regional Landfill located on CR 3100.

3. BR will receive prior approval to remove the below-grade tank and dispose of it in a division-approved facility or recycle, reuse, or reclaim it in a manner that the appropriate division district office approves.

The below-grade tank was disposed of in a division-approved manner.

4. If there is any on-site equipment associated with a below-grade tank, then BR shall remove the equipment, unless the equipment is required for some other purpose.

All on-site equipment associated with the below-grade tank was removed.

5. BR will test the soils beneath the below-grade tank to determine whether a release has occurred. BR shall collect, at a minimum, a five point, composite sample; collect individual grab samples from any area that is wet, discolored or showing other evidence of a release; and analyzed for the constituents listed in Table I of 19.15.17.13 NMAC. COPC shall notify the division of its results on form C-141.

A five point composite sample was taken of the below-grade tank using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached). Form C-141 is attached.

Components	Tests Method	Limit (mg/kg)
Benzene	EPA SW-846 8021B or 8260B	0.2
BTEX	EPA SW-846 8021B or 8260B	50
TPH	EPA SW-846 418.1	100
Chlorides	EPA 300.0	250

6. If BR or the division determines that a release has occurred, then BR shall comply with 19.15.3.116 NMAC and 19.15.1.19 NMAC, as appropriate.

A release was not determined for the above referenced well.

7. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Table I of 19.15.17.13 NMAC, then BR shall backfill the excavation with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover; recontour and re-vegetate the site.

The below-grade tank area passed all requirements of Paragraph (4) of Subsection E of 19.15.17.13 NMAC and was backfilled with compacted, non-waste containing, earthen material.

- 8. Notice of Closure will be given prior to closure to the Aztec Division office between 72 hours and one week via email or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

9. The surface owner shall be notified of BR's closing of the below-grade tank 72 hours, but not more than one week, prior to closure as per the approved closure plan via certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached) (Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

10. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The below-grade tank area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Re-shaping including drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

11. BR shall seed the disturbed areas the first favorable growing season following closure of a below-grade tank. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM stipulated seed mixes will used on federally regulated lands and division-approved seed mixtures (administratively approved if required) will be utilized on all State or private lands. A uniform vegetative cover has been established that reflects a life-form ratio of plus or minus fifty percent (50%) of pre-disturbance levels and a total percent plant cover of at least seventy percent (70%) of pre-disturbance levels, excluding noxious weeds. If alternate seed mix is required by the state, private owner or tribe, it will be implemented with administrative approval if needed. COPC will repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

12. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material, with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.

The below-grade tank area was backfilled and more than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

- 13. All closure activities will include proper documentation and be available for review upon request and will be submitted to OCD within 60 days of closure of the below-grade tank. Closure report will be filed on C-144 and incorporate the following:
 - Soil Backfilling and Cover Installation (See Report)
 - Re-vegetation application rates and seeding techniques (See Report)
 - Photo documentation of the site reclamation (Included as an attachment)
 - Confirmation Sampling Results (Included as an attachment)
 - Proof of closure notice (Included as an attachment)

Walker, Crystal

From:

Walker, Crystal

Sent:

Monday, April 18, 2016 6:32 AM

To:

Cory Smith; Fields, Vanessa, EMNRD; Flaniken, Mike (Mike_Flaniken@blm.gov);

Katherina Diemer (kdiemer@blm.gov)

Cc:

Farrell, Juanita R; Busse, Dollie L; Roberts, Kelly G; Walker, Crystal; Jones, Lisa; SJBU E-

Team; 'eskyles@animasenvironmental.com'; Notor, Lori

Subject:

BGT 72-Hour Notification for 4/21/2016

Good morning,

The following locations contained below-grade tanks that require re-sampling, which is scheduled for **Thursday, April 21**st to begin at **7:45 AM** at the first location and continue to the next.

WELL NAME	BGT Latitude	BGT Longitude	Surface Owner
McCord 103	36.794556	-108.186458	PRIVATE
Pinon Mesa B 3	36.867491	-108.271874	TRIBAL
Farmington Com 1	36.853341	-108.162183	STATE
Sutton 1	36.816410	-108.037297	PRIVATE
Fifield 1	36.802086	-108.001142	PRIVATE
Schumacher 1A	36.816368	-107.910804	PRIVATE
Turner B Com A 200S	36.844772	-107.744051	STATE
San Juan 32-9 Unit 35	36.915340	-107.764424	FEDERAL
Allison Unit Com 64*	36.993658	-107.472816	FEDERAL

^{*}If Time Allows

Please feel free to contact me at any time if you have any questions or concerns regarding this information.

Thank you,

Crystal Walker

Regulatory Coordinator ConocoPhillips Lower 48

T: 505-326-9837 | F: 505-599-4086 | M: 505-215-4361 | <u>crystal.walker@cop.com</u>

Visit the new Lower 48 website: www.conocophillipsuslower48.com

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-141
Revised August 8, 2011

John L Copy to appropriate District Office to

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 1 Copy to appropriate District Office to accordance with 19.15.29 NMAC.

			Rele	ease Notific	eatio	n and Co	orrective A	ction				
						OPERA'	ГOR		☐ Initi	al Report	\boxtimes	Final Report
				Oil & Gas Co.		Contact Crystal Walker						
		h St, Farming r B Com A		L			No.(505) 326-98 be: Gas Well	837				
· · · · · · · · · · · · · · · · · · ·		I B Com A	2003				e. Gas well					
Surface Ow	ner State			Mineral O)wner	State			API No	. 30-045-3	31830	
				LOCA	ATIO	N OF RE	LEASE					
Unit Letter	Section 2	Township 30N	Range 9W	Feet from the 935	North	n/South Line North	Feet from the 890		est Line Cast	County San Juan		
A		3014	2 200		_				iast	San Juan		
			Lati	tude <u>36.8447</u>		_	de <u>-107.7440</u>	05				
Type of Rele	000			NAT	URE	Volume of		T	Volume I	Recovered		
Source of Re							Iour of Occurrence	ce		Hour of Dis	covery	X
Was Immedia	ate Notice C		Yes	No ⊠ Not Re	equired	If YES, To	Whom?					
By Whom?						Date and F	Iour				=	
Was a Water	course Reac					If YES, Vo	olume Impacting t	the Water	rcourse.			
	☐ Yes ⊠ No											
If a Watercou	ırse was Im	pacted, Descri	be Fully.*									
N/A												
Describe Cau												
No release w	as encount	erea auring t	ne BG1	losure.								
Describe Are	a Affected o	and Cleanup A	etion Tak	*								
N/A	a Affecteu a	iliu Cicaliup A	iction Tak	CII.								
I hereby certi	fy that the i	nformation gi	ven above	is true and compl	lete to	the best of my	knowledge and u	ınderstan	d that purs	suant to NM	OCD r	ules and
				d/or file certain re								
200			1.75	e of a C-141 repo investigate and re				7.7		27 G		79 23 200
or the enviror	nment. In a	ddition, NMO	CD accep	tance of a C-141								
federal, state,	or local lav	vs and/or regu	lations.				OIL CON	CEDY	A TOTAL	DIVICIO	N T	
Signature:	1	1 1	, ,	. /			OIL CON	SEK V	AHON	DIVISIC	<u>)N</u>	
	De	tal 1	Wal	Ker								
Printed Name	e: Crystal V					Approved by	Environmental S	pecialist:				
Title: Regula						Approval Dat	e:	Е	xpiration	Date:		
E-mail Addre	•		rom			Conditions of			*		12-23-M	
,	,	паткопадсор.	.OIII			Conditions Of	. Approver.			Attached		
Date: 5/3		Phone: (505		7			***************************************					
Attach Addit	ional Shee	ts If Necessa	ary									



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

April 29, 2016

Emilee Skyles
Animas Environmental
604 Pinon Street
Farmington, NM 87401
TEL: (505) 564-2281

FAX

RE: COPC Turner B Com A 200S OrderNo.: 1604A53

Dear Emilee Skyles:

Hall Environmental Analysis Laboratory received 1 sample(s) on 4/23/2016 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

Andy Freeman

Laboratory Manager

andyl

4901 Hawkins NE

Albuquerque, NM 87109

Analytical Report

Lab Order 1604A53

Date Reported: 4/29/2016

Hall Environmental Analysis Laboratory, Inc.

Client Sample ID: BGT S-1

Project: COPC Turner B Com A 200S

CLIENT: Animas Environmental

Collection Date: 4/21/2016 2:24:00 PM

Lab ID: 1604A53-001

Matrix: SOIL

Received Date: 4/23/2016 8:45:00 AM

Analyses	Result	PQL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 418.1: TPH					Analyst	: TOM
Petroleum Hydrocarbons, TR	ND	20	mg/Kg	1	4/27/2016	24991
EPA METHOD 300.0: ANIONS					Analyst	: LGT
Chloride	88	30	mg/Kg	20	4/27/2016 4:03:50 PM	25044
EPA METHOD 8021B: VOLATILES					Analyst	: NSB
Benzene	ND	0.025	mg/Kg	1	4/26/2016 4:53:23 PM	24982
Toluene	ND	0.050	mg/Kg	1	4/26/2016 4:53:23 PM	24982
Ethylbenzene	ND	0.050	mg/Kg	1	4/26/2016 4:53:23 PM	24982
Xylenes, Total	ND	0.10	mg/Kg	1	4/26/2016 4:53:23 PM	24982
Surr: 4-Bromofluorobenzene	99.6	80-120	%Rec	1	4/26/2016 4:53:23 PM	24982

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits Page 1 of 4
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#:

1604A53

29-Apr-16

Client:

Animas Environmental

Project:

COPC Turner B Com A 200S

Sample ID MB-25044

SampType: MBLK

TestCode: EPA Method 300.0: Anions

Client ID:

PBS

Batch ID: 25044

RunNo: 33845

Prep Date:

4/27/2016

Analysis Date: 4/27/2016

PQL

1.5

SeqNo: 1042570

Units: mg/Kg

HighLimit

%RPD **RPDLimit**

Qual

Analyte Chloride

Result

ND

SampType: LCS

TestCode: EPA Method 300.0: Anions

Sample ID LCS-25044 Client ID: LCSS

Batch ID: 25044

RunNo: 33845

Analyte

Prep Date: 4/27/2016

Analysis Date: 4/27/2016

SeqNo: 1042571 %REC

Units: mg/Kg HighLimit

RPDLimit

Page 2 of 4

PQL SPK value SPK Ref Val

1.5

SPK value SPK Ref Val %REC LowLimit

94.9

90

LowLimit

%RPD

Qual

Chloride

Result 14

15.00

110

Qualifiers:

Value exceeds Maximum Contaminant Level.

Sample Diluted Due to Matrix D

Holding times for preparation or analysis exceeded H

Not Detected at the Reporting Limit ND

RPD outside accepted recovery limits

% Recovery outside of range due to dilution or matrix S

Analyte detected in the associated Method Blank В

E Value above quantitation range

J Analyte detected below quantitation limits

Sample pH Not In Range

Reporting Detection Limit RL

P

Sample container temperature is out of limit as specified W

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1604A53

29-Apr-16

Client:

Animas Environmental

Project:

COPC Turner B Com A 200S

Project: COPC	Turner B Com A 2008		
Sample ID MB-24991	SampType: MBLK	TestCode: EPA Method 418.1: TPH	
Client ID: PBS	Batch ID: 24991	RunNo: 33828	
Prep Date: 4/26/2016	Analysis Date: 4/27/2016	SeqNo: 1042049 Units: mg/Kg	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit HighLimit %RPD R	RPDLimit Qual
Petroleum Hydrocarbons, TR	ND 20		30
Sample ID LCS-24991	SampType: LCS	TestCode: EPA Method 418.1: TPH	
Client ID: LCSS	Batch ID: 24991	RunNo: 33828	
Prep Date: 4/26/2016	Analysis Date: 4/27/2016	SeqNo: 1042050 Units: mg/Kg	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit HighLimit %RPD R	RPDLimit Qual
Petroleum Hydrocarbons, TR	110 20 100.0	0 110 83.4 127	
Sample ID LCSD-24991	SampType: LCSD	TestCode: EPA Method 418.1: TPH	20
Client ID: LCSS02	Batch ID: 24991	RunNo: 33828	
Prep Date: 4/26/2016	Analysis Date: 4/27/2016	SeqNo: 1042051 Units: mg/Kg	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit HighLimit %RPD R	RPDLimit Qual
Petroleum Hydrocarbons, TR	110 20 100.0	0 110 83.4 127 0	20

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits

Page 3 of 4

- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1604A53

29-Apr-16

Client:

Toluene

Ethylbenzene

Xylenes, Total

Surr: 4-Bromofluorobenzene

Animas Environmental

Project:

COPC Turner B Com A 200S

0.91

0.88

2.6

1.0

0.050

0.050

0.10

1.000

1.000

3.000

1.000

3							
Sample ID MB-24982	SampTyp	e: MBLK	Tes				
Client ID: PBS	Batch II	D: 24982	F	RunNo: 33788			
Prep Date: 4/25/2016	Analysis Date	e: 4/26/2016	5	SeqNo: 1041239	Units: mg/Kg		
Analyte	Result F	PQL SPK value	SPK Ref Val	%REC LowLim	it HighLimit %	RPD RPDLimit	Qual
Benzene	ND 0	0.025					
Toluene	ND 0	0.050					
Ethylbenzene	ND 0	0.050					
Xylenes, Total	ND	0.10					
Surr: 4-Bromofluorobenzene	1.0	1.000		101 8	0 120		
Sample ID LCS-24982	SampTyp	e: LCS	Tes	tCode: EPA Metho	od 8021B: Volatiles		
Client ID: LCSS	Batch II	D: 24982	F	RunNo: 33788			
Prep Date: 4/25/2016	Analysis Date	e: 4/26/2016	S	SeqNo: 1041240	Units: mg/Kg		
Analyte	Result F	PQL SPK value	SPK Ref Val	%REC LowLim	it HighLimit %	RPD RPDLimit	Qual
Benzene	0.97	0.025 1.000	0	96.7 75.	3 123		

0

0

0

91.2

88.3

87.8

105

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank

80

82.8

83.9

80

124

121

122

120

- E Value above quantitation range
- J Analyte detected below quantitation limits

Page 4 of 4

- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: Animas Environme	ntal Work Order Nur	nber: 1604A53		RcptNo:	1
Received by/date:	04/23	1100			
Logged By: Ashley Galleges	4/23/2016 8:45:00	AM	A.		
Completed By: Ashley Gallegos	4/23/2016 12:38:5	3 PM	A		
Reviewed By:	04/25/1	4	Ů.		
Chain of Custody	0.1.501				4
1. Custody seals intact on sample b	ottles?	Yes 🗌	No 🗌	Not Present	
2. Is Chain of Custody complete?		Yes 🐼	No 🗆	Not Present	
3. How was the sample delivered?		Courier			
Log In					
4. Was an attempt made to cool the	Yes 🖈	No 🗆	NA \square		
5. Were all samples received at a temperature of >0° C to 6.0°C		Yes 🕷	No 🗆	NA 🗆	
	Yes 🖈		.,, =	ie.	
Sample(s) in proper container(s)?			No 🗀		
7. Sufficient sample volume for indic	Yes 🗹	No 🗀			
8. Are samples (except VOA and ONG) properly preserved?		Yes 🗹	No 🗌		
9. Was preservative added to bottles?		Yes	No 🐼	NA 🗌	
10.VOA vials have zero headspace?		Yes 🗌	No 🗆	No VOA Vials 🗹	
11. Were any sample containers received broken?		Yes	No 🐼		
or and a second			9.00	# of preserved bottles checked	
12. Does paperwork match bottle labels?		Yes 🗷	No 🗆	for pH:	r >12 unless noted)
(Note discrepancies on chain of custody) 13. Are matrices correctly identified on Chain of Custody?		Yes 🗹	No 🗌	Adjusted?	1 > 12 dilless floted)
14. Is it clear what analyses were req	Yes 🐼	No 🗆	1990 COM	환	
15. Were all holding times able to be met?		Yes 🗹	No 🗆	Checked by:	
(If no, notify customer for authorization.)					
Special Handling (if applicable	(e)				
16. Was client notified of all discrepancies with this order?			No 🗌	NA 🛃	
Person Notified:	 Da	The second secon	CONTRACTOR DESCRIPTION		
New Managements	Person Notified: Date Date By Whom: Via: Phone Fax In Person				
Regarding:			um cacata instrumba miseran	Minimposition Committee	
Client Instructions:					
17. Additional remarks:					
18. Cooler Information					
Cooler No Temp °C Cond	lition Seal Intact Seal No	Seal Date	Signed By		
1 1.0 Good	Yes				

Air Bubbles (Y or N) **ANALYSIS LABORATORY** HALL ENVIRONMENTAL 4901 Hawkins NE - Albuquerque, NM 87109 Fax 505-345-4107 www.hallenvironmental.com **Analysis Request** Remarks: Bill to Conoco Phillips 04/23/16 0845 Ordered by: Bobby Spearman Tel. 505-345-3975 USERID: BRADLRY Supervisor: Proctor WO # 21340555 Chlorides - 300.0 × TPH - EPA 418.1 × Area: 4 BTEX - 8021B × Project Name: COPC TURNER B COM A 200S Time Time 4/22/1º 1 □ Rush Preservative E. Skyles Type COO ו חווו-עוסחום וווום eskyles@animasenvironmental.com Project Manager: Sampler: JS/SG Type and # Animas Environmental Services, LLC X Standard Container 1-4 oz. Received by: Project #: Sample □ Level 4 (Full Validation) Sample Request ID Chain-of-Custody Record Farmington, NM 87401 BGT S-1 604 W Pinon St JANA > nquished by: Relinquished by: Matrix □ Other SOIL 505-564-2281 Time 14:24 133 Mailing Address: Time: ☐ NELAP☐☐ EDD (Type). JA/QC Package: Email or Fax#; Accreditation: X Standard Phone #: 4/21/16 Date Slient:

Photo #1 Client: ConocoPhillips Project Name: Turner B COM A 200S San Juan County, NM Date Photo Taken: April 21, 2016 **BGT GPS and** Location: 36.84477, -107.74405 NE¼ NE¼, Section 2, T30N, R9W Subject: BGT sampling, April 2016 Taken by: Sam Glasses, AES Description: Facing E, overview of entire location.

