District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr.

Form C-144 Revised June 6, 2013

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.
For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

1220 S. St. Francis Dr., Santa Fe, NM 87505	Santa Fe, NM 87505	Santa Fe, NM 87505 to the appropriate N				
	Pit, Below-Grade Tank,		RECEIVED By kcollins at 3:26 pm, May 23, 20			
Proposed A	Alternative Method Permit or Clos	sure Plan Applicat	ion			
□ Po □ M □ C	elow grade tank registration ermit of a pit or proposed alternative method losure of a pit, below-grade tank, or proposed a fodification to an existing permit/or registration losure plan only submitted for an existing perm	î	t, below-grade tank,			
or proposed alternative						
Please be advised that approval of this request de environment. Nor does approval relieve the ope	mit one application (Form C-144) per individual pictures not relieve the operator of liability should operation rator of its responsibility to comply with any other appl	s result in pollution of surface	water, ground water or the			
Operator: Burlington Resources Oil & Ga Address: PO BOX 4289, Farmington, N Facility or well name: San Juan 27-4 Unit	NM 87499	by 19.15.17.13 NM	ed Standards outline AC. Please submit a der 19.15.29 NMAC			
API Number:30-039-20823 U/L or Qtr/QtrH Section2	OCD Permit Number:	County: Rio Arriba	BGT CLOSED PRIOR TO CLOSURE PLAN APPROVAL			
☐ Lined ☐ Unlined Liner type: Thick ☐ String-Reinforced	Other Volume:t	Other	day 500.5972 ()			
☐ Visible sidewalls and liner ☐ Visible	Type of fluid: Produced Water al ction Visible sidewalls, liner, 6-inch lift and aut					
4. Alternative Method: Submittal of an exception request is require	ed. Exceptions must be submitted to the Santa Fe E	nvironmental Bureau office	for consideration of approval.			
Chain link, six feet in height, two strand institution or church)	AAC (Applies to permanent pits, temporary pits, and als of barbed wire at top (Required if located within It wire evenly spaced between one and four feet		idence, school, hospital,			

Alternate. Please specify

6.	
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	
☐ Screen ☐ Netting ☐ Other	
Monthly inspections (If netting or screening is not physically feasible)	
7.	
Signs: Subsection C of 19.15.17.11 NMAC	
☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
☐ Signed in compliance with 19.15.16.8 NMAC	
8. Variances and Exceptions:	
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.	
Please check a box if one or more of the following is requested, if not leave blank: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.	
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
9. Siting Criteria (regarding permitting): 19.15.17.10 NMAC	
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptance of the compliance o	ptable source
material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.	
General siting	
Ocher ar string	
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes☐ No☐ NA
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yes ☐ No
adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) - Written confirmation or verification from the municipality; Written approval obtained from the municipality	
	05
Within the area overlying a subsurface mine. (Does not apply to below grade tanks) - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	Yes No
Within an unstable area. (Does not apply to below grade tanks) - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	☐ Yes ☐ No
Society; Topographic map Within a 100-year floodplain. (Does not apply to below grade tanks)	☐ Yes ☐ No
- FEMA map	
Below Grade Tanks	
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured	☐ Yes ☑ No
from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	
 Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	Yes No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial	☐ Yes ☐ No
 application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No

Within 100 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pit Non-low chloride drilling fluid	
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Permanent Pit or Multi-Well Fluid Management Pit	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 Natructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the do attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Design Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:	NMAC 15.17.9 NMAC
11. Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC	
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the do attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 and 19.15.17.13 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number: or Permit Number:	.15.17.9 NMAC

12.	
<u>Permanent Pits Permit Application Checklist</u> : Subsection B of 19.15.17.9 NMAC <u>Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the application.</u>	documents are
attached. ☐ Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC ☐ Climatological Factors Assessment ☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Quality Control/Quality Assurance Construction and Installation Plan ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC ☐ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Nuisance or Hazardous Odors, including H₂S, Prevention Plan ☐ Emergency Response Plan ☐ Oil Field Waste Stream Characterization ☐ Monitoring and Inspection Plan ☐ Erosion Control Plan ☐ Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
13. <u>Proposed Closure</u> : 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F	luid Management Pit
Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems)	
☐ In-place Burial ☐ On-site Trench Burial ☐ Alternative Closure Method	
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached. ☐ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC ☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC ☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC ☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC ☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
15. Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. In 19.15.17.10 NMAC for guidance.	
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	300000

adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	
Society; Topographic map	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.13 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	11 NMAC 15.17.11 NMAC
Operator Application Certification:	
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and believe	ef.
Name (Print): Title:	
Signature: Date:	
e-mail address: Telephone:	
18. OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) S	ee Front Page
OCD Representative Signature: Approval Date: 7/12/20	016
Title: Compliance Officer OCD Permit Number:	
	-
Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed.	
☐ Closure Completion Date: 4/26/2016	
20. Closure Method: Waste Excavation and Removal □ On-Site Closure Method □ Alternative Closure Method □ Waste Removal (Closed-lo □ If different from approved plan, please explain.	op systems only)

22.
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Crystal Walker Title: Regulatory Coordinator
Signature: Date: 5/9/2016
e-mail address: crystal.walker@cop.com Telephone: (505) 326-9837

Burlington Resources Oil & Gas Company, LP San Juan Basin Below Grade Tank Closure Report

Lease Name: San Juan 27-4 Unit 82

API No.: 30-039-20823

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the below-grade tank referenced above. All proper documentation regarding closure activities is being included with the C-144.

General Plan:

1. BR shall close a below-grade tank within 60 days of cessation of operations per Subsection G.4 of 19.15.17.13 NMAC. This will include a) below-grade tanks that do not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC within five years, if not retrofitted to comply with Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC; b) an earlier date that the division requires because of imminent danger to fresh water, public health or the environment. For any closure, BR will file the C144 Closure Report as required.

The below-grade tank referenced above was permitted and closed within 60 days of cessation of the below-grade tanks operation.

2. BR shall remove liquids and sludge from a below-grade tank prior to implementing a closure method and shall dispose of the liquids and sludge in a division-approved facility. The facilities to be used will be Basin Disposal (Permit #NM-01-005), JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) and Envirotech Land Farm (Permit #NM-01-011). The liner after being cleaned well (Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC) will be disposed of at the San Juan County Regional Landfill located on CR 3100.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B). The liner was cleaned per Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC was disposed of at the San Juan County Regional Landfill located on CR 3100.

3. BR will receive prior approval to remove the below-grade tank and dispose of it in a division-approved facility or recycle, reuse, or reclaim it in a manner that the appropriate division district office approves.

The below-grade tank was disposed of in a division-approved manner.

4. If there is any on-site equipment associated with a below-grade tank, then BR shall remove the equipment, unless the equipment is required for some other purpose.

All on-site equipment associated with the below-grade tank was removed.

5. BR will test the soils beneath the below-grade tank to determine whether a release has occurred. BR shall collect, at a minimum, a five point, composite sample; collect individual grab samples from any area that is wet, discolored or showing other evidence of a release; and analyzed for the constituents listed in Table I of 19.15.17.13 NMAC. COPC shall notify the division of its results on form C-141.

A five point composite sample was taken of the below-grade tank using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached). Form C-141 is attached.

Components	Tests Method	Limit (mg/kg)		
Benzene	EPA SW-846 8021B or 8260B	0.2		
BTEX	EPA SW-846 8021B or 8260B	50		
TPH	EPA SW-846 418.1	100		
Chlorides	EPA 300.0	250		

6. If BR or the division determines that a release has occurred, then BR shall comply with 19.15.3.116 NMAC and 19.15.1.19 NMAC, as appropriate.

A release was not determined for the above referenced well.

7. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Table I of 19.15.17.13 NMAC, then BR shall backfill the excavation with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover; recontour and re-vegetate the site.

The below-grade tank area passed all requirements of Paragraph (4) of Subsection E of 19.15.17.13 NMAC and was backfilled with compacted, non-waste containing, earthen material.

- 8. Notice of Closure will be given prior to closure to the Aztec Division office between 72 hours and one week via email or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

9. The surface owner shall be notified of BR's closing of the below-grade tank 72 hours, but not more than one week, prior to closure as per the approved closure plan via certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached) (Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

10. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The below-grade tank area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Re-shaping including drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

11. BR shall seed the disturbed areas the first favorable growing season following closure of a below-grade tank. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM stipulated seed mixes will used on federally regulated lands and division-approved seed mixtures (administratively approved if required) will be utilized on all State or private lands. A uniform vegetative cover has been established that reflects a life-form ratio of plus or minus fifty percent (50%) of pre- disturbance levels and a total percent plant cover of at least seventy percent (70%) of pre-disturbance levels, excluding noxious weeds. If alternate seed mix is required by the state, private owner or tribe, it will be implemented with administrative approval if needed. COPC will repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

12. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material, with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.

The below-grade tank area was backfilled and more than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

- 13. All closure activities will include proper documentation and be available for review upon request and will be submitted to OCD within 60 days of closure of the below-grade tank. Closure report will be filed on C-144 and incorporate the following:
 - Soil Backfilling and Cover Installation (See Report)
 - Re-vegetation application rates and seeding techniques (See Report)
 - Photo documentation of the site reclamation (Included as an attachment)
 - Confirmation Sampling Results (Included as an attachment)
 - Proof of closure notice (Included as an attachment)

Walker, Crystal

From:

Walker, Crystal

Sent:

Thursday, April 21, 2016 9:14 AM

To:

Cory Smith; Fields, Vanessa, EMNRD; Flaniken, Mike (Mike_Flaniken@blm.gov);

Katherina Diemer (kdiemer@blm.gov)

Cc:

'eskyles@animasenvironmental.com'; Farrell, Juanita R; GRP:SJBU Regulatory; Jones, Lisa;

SJBU E-Team

Subject:

BGT 72-Hour Notification for 4/26/2016

Good morning,

The following locations contained below-grade tanks that require re-sampling, which is scheduled for **Tuesday, April 26th** to begin at **8:00 AM** at the first location and continue to the next.

WELL NAME	BGT Latitude	BGT Longitude	Surface Owner
San Juan 27-4 Unit 82	36.5468	-107.214590	FEDERAL
San Juan 27-5 Unit 92R	36.525011	-107.306666	STATE
Huerfano Unit 170	36.454335	-107.844595	FEDERAL
Huerfanito Unit 19R	36.521135	-107.771165	FEDERAL

Please feel free to contact me at any time if you have any questions or concerns regarding this information.

Thank you,

Crystal Walker

Regulatory Coordinator ConocoPhillips Lower 48

T: 505-326-9837 | F: 505-599-4086 | M: 505-215-4361 | crystal.walker@cop.com

Visit the new Lower 48 website: www.conocophillipsuslower48.com

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District III

1000 Rio Brazos Road, Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-141 Revised August 8, 2011 Submit 1 Copy to appropriate District Office to accordance with 19.15.29 NMAC.

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

			Rele	ease Notific	catio	n and Co	orrective A	ction					
						OPERATOR							ort
				Oil & Gas Co.		Contact Crystal Walker							
		th St, Farmin ıan 27-4 Un		C		Telephone No. (505) 326-9837							
			11 02			Facility Type: Gas Well							
Surface Ow	ner FEDE	RAL		Mineral C	Owner	FEDERAL			API No	o. 30-039-2	20823		
				LOCA	ATIO	N OF RE	LEASE						
Unit Letter H	Section 26	Township 27N	Range 4W	Feet from the	Nort	h/South Line	Feet from the	East/Wes	st Line	County Rio Arrib	a		
	Latitude 36.5468 Longitude -107,214590												
				NAT	TURI	OF REL							
Type of Rele						Volume of				Recovered	AVC 500 (VALORO SE	y	
Source of Re	lease					Date and F	Iour of Occurrence	ce D	ate and	Hour of Dis	covery		
Was Immedi	ate Notice (Yes	No Not R	equirec	If YES, To	Whom?						
By Whom?						Date and F							
Was a Water	course Reac		Yes 🛛 1	No		If YES, Vo	olume Impacting (the Waterco	ourse.				
No release w	as encount	em and Remedered during to	the BGT (Closure.									
N/A													
regulations a public health should their or or the environ	I operators or the envir operations had need. In a	are required to conment. The ave failed to a	o report ar acceptance adequately OCD accep	d/or file certain re te of a C-141 repo investigate and r	release ort by the remedia	notifications as he NMOCD m nte contaminati	knowledge and und perform correct arked as "Final R on that pose a thre the operator of	etive actions deport" does eat to groun responsibil	s for rel s not rel nd wate ity for c	eases which ieve the ope r, surface wa compliance v	may e rator o ater, hu vith an	ndanger f liability man health	
Signature: Stal Walker					OIL CONSERVATION DIVISION								
Printed Name	e: Crystal V	Valker				Approved by	Environmental S	pecialist:					
Title: Regula	tory Coord	inator				Approval Dat	e:	Exp	oiration	Date:			
	12016	Walker@cop.	5) 326-983	7	-	Conditions of Approval: Attached							



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

May 04, 2016

Emilee Skyles
Animas Environmental
604 Pinon Street
Farmington, NM 87401
TEL: (505) 564-2281

FAX

RE: COPC SJ 27-4 Unit 82

OrderNo.: 1604B64

Dear Emilee Skyles:

Hall Environmental Analysis Laboratory received 1 sample(s) on 4/27/2016 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

Andy Freeman

Laboratory Manager

Only

4901 Hawkins NE

Albuquerque, NM 87109

Analytical Report

Lab Order 1604B64

Date Reported: 5/4/2016

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Animas Environmental

Project: COPC SJ 27-4 Unit 82

Lab ID: 1604B64-001

Client Sample ID: S-1

Collection Date: 4/26/2016 10:50:00 AM

Received Date: 4/27/2016 7:15:00 AM

Analyses	Result	PQL Q	Qual Units		Date Analyzed	Batch	
EPA METHOD 418.1: TPH					Analys	:: TOM	
Petroleum Hydrocarbons, TR	3100	190	mg/Kg	10	5/3/2016	25029	
EPA METHOD 300.0: ANIONS					Analys	:: LGT	
Chloride	ND	30	mg/Kg	20	5/2/2016 3:37:31 PM	25106	
EPA METHOD 8021B: VOLATILES					Analys	: NSB	
Benzene	ND	0.024	mg/Kg	1	4/28/2016 10:40:47 PM	25034	
Toluene	ND	0.047	mg/Kg	1	4/28/2016 10:40:47 PM	25034	
Ethylbenzene	2.2	0.047	mg/Kg	1	4/28/2016 10:40:47 PM	25034	
Xylenes, Total	3.8	0.094	mg/Kg	1	4/28/2016 10:40:47 PM	25034	
Surr: 4-Bromofluorobenzene	466	80-120	S %Rec	1	4/28/2016 10:40:47 PM	25034	

Matrix: SOIL

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits Page 1 of 4
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#:

1604B64

04-May-16

Client: Project: Animas Environmental COPC SJ 27-4 Unit 82

Sample ID MB-25106

SampType: mblk

TestCode: EPA Method 300.0: Anions

Client ID: **PBS**

Batch ID: 25106

RunNo: 33940

Units: mg/Kg

Prep Date: 5/2/2016 Analysis Date: 5/2/2016

SeqNo: 1045729

HighLimit

RPDLimit

Qual

Analyte Chloride

Result PQL ND

SampType: Ics

Analysis Date: 5/2/2016

TestCode: EPA Method 300.0: Anions

Client ID: LCSS

Sample ID LCS-25106

5/2/2016

Batch ID: 25106

RunNo: 33940

SeqNo: 1045730

Units: mg/Kg

%RPD

Qual

Analyte

Prep Date:

Result 14 SPK value SPK Ref Val %REC

91.1

90

LowLimit

HighLimit 110

Page 2 of 4

Chloride

1.5

PQL

15.00

SPK value SPK Ref Val %REC LowLimit

%RPD

RPDLimit

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

Η Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

RPD outside accepted recovery limits R

% Recovery outside of range due to dilution or matrix S

Analyte detected in the associated Method Blank В

E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Detection Limit

Sample container temperature is out of limit as specified

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#:

1604B64

04-May-16

Client:

Animas Environmental

Project:

COPC SJ 27-4 Unit 82

Sample ID MB-25029

SampType: MBLK

TestCode: EPA Method 418.1: TPH

Client ID:

PBS

Batch ID: 25029

RunNo: 33951

Prep Date: 4/27/2016 Analysis Date: 5/3/2016

SeqNo: 1045945

Units: mg/Kg

Analyte

PQL

20

SPK value SPK Ref Val %REC LowLimit

HighLimit

%RPD

RPDLimit

Qual

Petroleum Hydrocarbons, TR Sample ID LCS-25029

LCSS

4/27/2016

ND

SampType: LCS Batch ID: 25029 TestCode: EPA Method 418.1: TPH RunNo: 33951

Analysis Date: 5/3/2016

SeqNo: 1045946

Units: mg/Kg

%RPD

Analyte

Result

Result

SPK value SPK Ref Val PQL

%REC 109

LowLimit

HighLimit 127 **RPDLimit**

Qual

Petroleum Hydrocarbons, TR

110

20 100.0

83.4 TestCode: EPA Method 418.1: TPH

Client ID:

Prep Date:

Sample ID LCSD-25029 Client ID: LCSS02

SampType: LCSD

Batch ID: 25029

RunNo: 33951 SeqNo: 1045947

Units: mg/Kg

127

Prep Date: 4/27/2016

Analysis Date: 5/3/2016

20

SPK value SPK Ref Val %REC

LowLimit

HighLimit %RPD **RPDLimit**

Qual

Analyte Petroleum Hydrocarbons, TR

110

100.0

110

83.4

1.24

20

Qualifiers:

Η

S

Value exceeds Maximum Contaminant Level.

% Recovery outside of range due to dilution or matrix

D Sample Diluted Due to Matrix Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

Analyte detected in the associated Method Blank

Analyte detected below quantitation limits

RL Reporting Detection Limit Sample container temperature is out of limit as specified

E Value above quantitation range

Page 3 of 4

P Sample pH Not In Range

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1

1604B64 04-May-16

Client:

Animas Environmental

Project:

COPC SJ 27-4 Unit 82

Sample ID MB-25034	SampType: MBLK			Test	TestCode: EPA Method 8021B: Volatiles					
Client ID: PBS	Batch	n ID: 25034 RunNo: 33850								
Prep Date: 4/27/2016	Analysis D	ate: 4/	28/2016	S	eqNo: 1	043171	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.99		1.000		99.1	80	120			

Sample ID LCS-25034	SampT	SampType: LCS TestCode: EPA Method 8					8021B: Volat	tiles		
Client ID: LCSS	Batch	1D: 25	034	F	RunNo: 3					
Prep Date: 4/27/2016	Prep Date: 4/27/2016 Analysis Date: 4/28/2016 SeqNo: 1043173 Units: mg/Kg									
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.1	0.025	1.000	0	106	75.3	123			
Toluene	0.98	0.050	1.000	0	98.4	80	124			
Ethylbenzene	0.92	0.050	1.000	0	92.1	82.8	121			
Xylenes, Total	2.8	0.10	3.000	0	91.7	83.9	122			
Surr: 4-Bromofluorobenzene	1.1		1.000		106	80	120			

Qualifiers:

* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

Page 4 of 4

P Sample pH Not In Range

RL Reporting Detection Limit

W Sample container temperature is out of limit as specified



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: Animas Environmental W	/ork Order Number: 1604B64	•	RcptNo:	1
Received by/date:	1/27/10		j.	
Logged By: Ashley Gallegos 4/27	//2016 7:15:00 AM	A		
Completed By: Ashley Gallegos 4/27	7/2016 10:35:04 AM	A		
Reviewed By: 0	4/20/16	V		
Chain of Custody				
1. Custody seals intact on sample bottles?	Yes	No 🗆	Not Present 🗹	
2. Is Chain of Custody complete?	Yes 🔽	No □	Not Present \square	
3. How was the sample delivered?	Courier	E		
<u>Log In</u>	,			
4. Was an attempt made to cool the samples?	Yes 🔽	No □	na 🗆	
5. Were all samples received at a temperature of >	0° C to 6.0°C Yes ✓	No 🗆	NA 🗆	
6. Sample(s) in proper container(s)?	Yes	No □		
7. Sufficient sample volume for indicated test(s)?	Yes 🗸	No □		£.
8. Are samples (except VOA and ONG) properly pre	eserved? Yes	No □		
9. Was preservative added to bottles?	Yes	No 🗹	NA 🗆	
10.VOA vials have zero headspace?	Yes 🗆	No 🗆	No VOA Vials	
11. Were any sample containers received broken?	Yes □	No ☑	# of preserved	
16			bottles checked	
12. Does paperwork match bottle labels? (Note discrepancies on chain of custody)	Yes 🔽	No ∐	for pH: (<2 o	r >12 unless noted)
13. Are matrices correctly identified on Chain of Cust	ody? Yes ✓	No □	Adjusted?	
14. Is it clear what analyses were requested?	Yes 🗸	No □		
15. Were all holding times able to be met? (If no, notify customer for authorization.)	Yes 🗹	l No □	Checked by:	
Special Handling (if applicable)				
16. Was client notified of all discrepancies with this o	rder? Yes	No 🗆	NA 🗹	- 87
Person Notified:	Date	······································		
By Whom:	Via: ☐ eMail	☐ Phone ☐ Fax	☐ In Person	
Regarding:		· · · · · · · · · · · · · · · · · · ·	W	
Client Instructions:]
17. Additional remarks:				
Cooler Information Cooler No Temp °C Condition Seal In 1 1.3 Good Not Pres		Signed By		

n-o imas	t-Cus Enviror	Chain-ot-Custody Kecord Animas Environmental Services, LLC X Standard	X Standard	mig. □ Rush		報		HALL ENVIRONMENTAL	ENV.	IRON	IMEN PDA	TA	<,
			Project Name:	COPCS	COPC SJ 27-4 UNIT 82		1702 1702 1703 1703	www.ha	llenviror	www.hallenvironmental.com	mo		=
709	∧ t	604 W Pinon St.					901 Hav	4901 Hawkins NE - Albuquerque, NM 87109	- Albuqı	nerque, N	IM 8710	ത	
品	ırmin	Farmington, NM 87401	Project #:			•	Tel. 505-	Tel. 505-345-3975	Fax	Fax 505-345-4107	4107		
505-564-2281	81			(•)				Ar	alysis F	Analysis Request			
es	cyles(C	eskyles@animasenvironmental.com Project Manager:	Project Manag	er									_
				E. Skyles									
		☐ Level 4 (Full Validation)		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1									
	C adfig		Sampler.	CLIDTD		Est				· · · · · · · · · · · · · · · · · · ·			
1						-332 C. (G/3							(N 1
			ainer	Preservative		·			7.11				o Y) səl
	Matrix	Sample Kequest ID	Type and #	Туре		3 - X3T8	TPH - EF			X			ddu8 1i/
	SOIL	S-1	1 - 4 oz.	cool	100-		1						/
													-
		2											
							•		21.0				
\Box													
		-											
<u> </u>	Relinquished by:		Received by:	-	Date Time	Remar WO#	ks: Bill to 2134055	Remarks: Bill to Conoco Phillips WO # 21340555	hillips				
	3	Some I	/ Made	likele	1/24/14 1737	Superv	Supervisor: Nelson	E =					
	Refinquished by:	-	Received by:	i	Date Time /	Area: 9	Area: 9	>					
13061	3	Mother Wholes	5	04/27	1/16 0715	Ordere	d by: Bot	Ordered by: Bobby Spearman	nan				

Photo #1 Client: ConocoPhillips Project Name: San Juan 27-4 Unit 82 Rio Arriba County, NM Date Photo Taken: April 26, 2016 **BGT GPS and** Location: 36.5468, -107.21459 SE¼ NE¼, Section 26, T27N, R4W Subject: BGT sampling, April 2016 Taken by: Description: Facing N, overview of entire location. Delilah Dougi, AES

