District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

# State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr.

Form C-144 Revised June 6, 2013

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.

For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

1220 5. 5t. 1141	1015 D1., Builtu 1 0, 1414 07505	Santa Fe, NM 87505	to the appropriate NM	IOCD District Office.
	Proposed Alte	Pit, Below-Grade Tank ernative Method Permit or Cl	<u>, or</u>	RECEIVED By kcollins at 11:44 am, Apr 11, 2010
14667	Type of action: Below Permit Closur Modifi	grade tank registration t of a pit or proposed alternative method re of a pit, below-grade tank, or proposed ication to an existing permit/or registration re plan only submitted for an existing per	d alternative method on	
	Instructions: Please submit or	ne application (Form C-144) per individual	pit, below-grade tank or alternati	ve request
environment. N		of trelieve the operator of liability should operation of its responsibility to comply with any other ap		
1. Operator:	Burlington Resources Oil & Gas Co	impany LP OGRID#: 14538		BGT CLOSED
	PO BOX 4289, Farmington, NM 8			PRIOR TO
	rell name: SAN JUAN 28-4 UNIT			CLOSURE PLAN
1 100		OCD Permit Number:		APPROVAL
		n18 Township28N I		Arriba
190 1		59086 •N Longitude107.297329		<u> </u>
1	V-10	☐ Tribal Trust or Indian Allotment		
2.	1	200		
	bsection F, G or J of 19.15.17.11 N	MAC		
100	Drilling Workover	P&A Multi-Well Fluid Management	Law Chlorida Drillina E	Noted Clares Clare
Secretary Control of the Control of		mil		
String-Re		iiii		
10 170		r Volume:	hhl Dimensions: I v W v	D
Linei Scams	.   Welded   Factory   Other	v orume.	DUI DIIIICIISIOIIS. L x w x	D
3,				
	rade tank: Subsection I of 19.15.			
		pe of fluid: Produced Water		
	uction material: Metal Metal	<del></del>		
12000		Visible sidewalls, liner, 6-inch lift and a		
Comment of the Commen	sidewalls and liner   Visible side	9707 94 91		*
Liner type:	Thicknessm	nil HDPE PVC Other UN	SPECIFIED	
4. Alternat	ive Method:			
Submittal of	an exception request is required. I	Exceptions must be submitted to the Santa Fe	Environmental Bureau office for	consideration of approval.
5.				××X
Fencing: Su	obsection D of 19.15.17.11 NMAC	(Applies to permanent pits, temporary pits, a	nd below-grade tanks)	
Chain lin	하다라는 경영 20mm는 1110mm 1 100mm 1	barbed wire at top (Required if located within	n 1000 feet of a permanent residen	ce, school, hospital,
☐ Four foot	height, four strands of barbed wire	evenly spaced between one and four feet		

Alternate. Please specify

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	
☐ Screen ☐ Netting ☐ Other	
☐ Monthly inspections (If netting or screening is not physically feasible)	
7.	
Signs: Subsection C of 19.15.17.11 NMAC	
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
☐ Signed in compliance with 19.15.16.8 NMAC	
8.	
Variances and Exceptions:	
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.	
Please check a box if one or more of the following is requested, if not leave blank:  Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.	
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
	-
9. Siting Criteria (regarding permitting): 19.15.17.10 NMAC	
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept	otable source
material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.	
General siting	
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank.  - □ NM Office of the State Engineer - iWATERS database search; □ USGS; □ Data obtained from nearby wells	☐ Yes ☐ No ☑ NA
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit.	☐ Yes ☐ No
NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	⊠ NA
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yes ☐ No
<ul> <li>adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks)</li> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> </ul>	
Within the area overlying a subsurface mine. (Does not apply to below grade tanks)	☐ Yes ☐ No
- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area. (Does not apply to below grade tanks)	☐ Yes ☐ No
<ul> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> </ul>	
Within a 100-year floodplain. (Does not apply to below grade tanks)	☐ Yes ☐ No
- FEMA map  Below Grade Tanks	
Delow Grade Tanks	
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured	☐ Yes ☒ No
from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;.  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ⊠ No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole,	
or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.)  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial	☐ Yes ☐ No
<ul> <li>application.</li> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> </ul>	
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock	
watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application.  NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No

Previously Approved Design (attach copy of design) API Number: or Permit Number:	
and 19.15.17.13 NMAC  Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached.  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  A List of wells with approved application for permit to drill associated with the pit.  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19	
Previously Approved Design (attach copy of design) API Number: or Permit Number:	
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 Natructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the docattached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC	MAC cuments are  NMAC 15.17.9 NMAC
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Permanent Pit or Multi-Well Fluid Management Pit	
Within 300 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
<ul> <li>Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</li> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> </ul>	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pit Non-low chloride drilling fluid	
Within 10,0 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the	documents are
### Attached.  Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Climatological Factors Assessment  Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC  Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC  Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC  Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Nuisance or Hazardous Odors, including H₂S, Prevention Plan  Emergency Response Plan  Oil Field Waste Stream Characterization  Monitoring and Inspection Plan  Erosion Control Plan  Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F Alternative  Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method	luid Management Pit
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached.  ☐ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC ☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC ☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC ☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC ☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. I 19.15.17.10 NMAC for guidance.	rce material are Please refer to
Ground water is less than 25 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	

Page 4 of 6

adopted pursuant to NMSA 1978, Section 3-27-3, as amended.		
- Written confirmation or verification from the municipality; Written approval obtained from the municipality	icipality	☐ Yes ☐ No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division		☐ Yes ☐ No
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; U Society; Topographic map</li> </ul>	JSGS; NM Geological	
Within a 100-year floodplain.		☐ Yes ☐ No
- FEMA map		☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.17 Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	NMAC 7.13 NMAC f Subsection K of 19.15.17.1 opriate requirements of 19.1 NMAC -site closure standards cannot	11 NMAC 5.17.11 NMAC
17. Operator Application Certification:		
I hereby certify that the information submitted with this application is true, accurate and complete to the best	t of my knowledge and belie	ef.
Name (Print): Title:		
Signature: Date:		<del></del>
e-mail address: Telephone:	litions (see attachment)	
e-mail address: Telephone:  18.  OCD Approval:  Permit Application (including closure plan)  Closure Plan (only)  OCD Cond	litions (see attachment)	
e-mail address: Telephone:	litions (see attachment)  Approval Date:7/12/20  re activities and submitting re activities. Please do not accompleted.	016 the closure report.
e-mail address:	litions (see attachment)  Approval Date:7/12/20  re activities and submitting re activities. Please do not completed.  n Date:3/22/2016	the closure report.

perator'Closure Certification:
nereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and clief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
ame (Print) <u>Crystal Walker</u> Title: <u>Regulatory Coordinator</u>
gnature: Date: 4/7/16
mail address: <u>crystal.walker@cop.com</u> Telephone: (505) 326-9837

# Burlington Resources Oil & Gas Company, LP San Juan Basin Below Grade Tank Closure Report

Lease Name: San Juan 28-4 Unit NP 202

API No.: 30-039-24542

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the below-grade tank referenced above. All proper documentation regarding closure activities is being included with the C-144.

#### General Plan:

1. BR shall close a below-grade tank within 60 days of cessation of operations per Subsection G.4 of 19.15.17.13 NMAC. This will include a) below-grade tanks that do not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC within five years, if not retrofitted to comply with Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC; b) an earlier date that the division requires because of imminent danger to fresh water, public health or the environment. For any closure, BR will file the C144 Closure Report as required.

The below-grade tank referenced above was permitted and closed within 60 days of cessation of the below-grade tanks operation.

2. BR shall remove liquids and sludge from a below-grade tank prior to implementing a closure method and shall dispose of the liquids and sludge in a division-approved facility. The facilities to be used will be Basin Disposal (Permit #NM-01-005), JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) and Envirotech Land Farm (Permit #NM-01-011). The liner after being cleaned well (Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC) will be disposed of at the San Juan County Regional Landfill located on CR 3100.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B). The liner was cleaned per Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC was disposed of at the San Juan County Regional Landfill located on CR 3100.

3. BR will receive prior approval to remove the below-grade tank and dispose of it in a division-approved facility or recycle, reuse, or reclaim it in a manner that the appropriate division district office approves.

The below-grade tank was disposed of in a division-approved manner.

4. If there is any on-site equipment associated with a below-grade tank, then BR shall remove the equipment, unless the equipment is required for some other purpose.

All on-site equipment associated with the below-grade tank was removed.

5. BR will test the soils beneath the below-grade tank to determine whether a release has occurred. BR shall collect, at a minimum, a five point, composite sample; collect individual grab samples from any area that is wet, discolored or showing other evidence of a release; and analyzed for the constituents listed in Table I of 19.15.17.13 NMAC. COPC shall notify the division of its results on form C-141.

A five point composite sample was taken of the below-grade tank using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached). Form C-141 is attached.

Components	Tests Method	Limit (mg/kg)		
Benzene	EPA SW-846 8021B or 8260B	0.2		
BTEX	EPA SW-846 8021B or 8260B	50		
TPH	EPA SW-846 418.1	100		
Chlorides	EPA 300.0	250		

6. If BR or the division determines that a release has occurred, then BR shall comply with 19.15.3.116 NMAC and 19.15.1.19 NMAC, as appropriate.

A release was not determined for the above referenced well.

7. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Table I of 19.15.17.13 NMAC, then BR shall backfill the excavation with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover; recontour and re-vegetate the site.

The below-grade tank area passed all requirements of Paragraph (4) of Subsection E of 19.15.17.13 NMAC and was backfilled with compacted, non-waste containing, earthen material.

- 8. Notice of Closure will be given prior to closure to the Aztec Division office between 72 hours and one week via email or verbally. The notification of closure will include the following:
  - i. Operator's name
  - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

#### Notification is attached.

9. The surface owner shall be notified of BR's closing of the below-grade tank 72 hours, but not more than one week, prior to closure as per the approved closure plan via certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached) (Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

10. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The below-grade tank area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Re-shaping including drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

11. BR shall seed the disturbed areas the first favorable growing season following closure of a below-grade tank. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM stipulated seed mixes will used on federally regulated lands and division-approved seed mixtures (administratively approved if required) will be utilized on all State or private lands. A uniform vegetative cover has been established that reflects a life-form ratio of plus or minus fifty percent (50%) of pre- disturbance levels and a total percent plant cover of at least seventy percent (70%) of pre-disturbance levels, excluding noxious weeds. If alternate seed mix is required by the state, private owner or tribe, it will be implemented with administrative approval if needed. COPC will repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

12. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material, with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.

The below-grade tank area was backfilled and more than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

- 13. All closure activities will include proper documentation and be available for review upon request and will be submitted to OCD within 60 days of closure of the below-grade tank. Closure report will be filed on C-144 and incorporate the following:
  - Soil Backfilling and Cover Installation (See Report)
  - Re-vegetation application rates and seeding techniques (See Report)
  - Photo documentation of the site reclamation (Included as an attachment)
  - Confirmation Sampling Results (Included as an attachment)
  - Proof of closure notice (Included as an attachment)

# Walker, Crystal

From:

Walker, Crystal

Sent:

Wednesday, March 16, 2016 6:32 AM

To:

Cory Smith; Fields, Vanessa, EMNRD; Flaniken, Mike (Mike\_Flaniken@blm.gov);

Katherina Diemer (kdiemer@blm.gov)

Cc:

'eskyles@animasenvironmental.com'; Farrell, Juanita R; GRP:SJBU Regulatory; Jones, Lisa;

SJBU E-Team

Subject:

BGT Re-Sampling Notification for 3/21/16

#### Good morning,

The following locations contained below-grade tanks that require re-sampling, which is scheduled for **Monday, March 21st** to begin at 9:00am at the first location and continue to the next.

Sampling Order	Name	BGT Latitude	BGT Longitude	Surface Owner
1	San Juan 28-4 Unit NP 202	36.659086	-107.297329	FEDERAL
2	San Juan 28-5 Unit 103	36.648796	-107.323664	FEDERAL
3	San Juan 29-5 Unit 103	36.752218	-107.366152	FEDERAL
4	San Juan 29-5 Unit 225R	36.725018	-107.417231	PRIVATE
5	San Juan 29-6 Unit 246	36.737478	-107.488741	PRIVATE

Please feel free to contact me at any time if you have any questions or concerns regarding this information.

Thank you,

#### Crystal Walker

Regulatory Coordinator ConocoPhillips Lower 48

T: 505-326-9837 | F: 505-599-4086 | M: 505-215-4361 | crystal.walker@cop.com

Visit the new Lower 48 website: www.conocophillipsuslower48.com

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

# State of New Mexico Energy Minerals and Natural Resources

Form C-141 Revised August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit 1 Copy to appropriate District Office to accordance with 19.15.29 NMAC.

			Rele	ease Notific	catio	on and Co	orrective A	ction				
						OPERA'			☐ Initi	al Report	$\boxtimes$	Final Repo
				Oil & Gas Comp	oany	Contact Crystal Walker Telephone No.(505) 326-9837						
	01 East 30 <sup>th</sup> ne: San Juar						No.(505) 326-98 be: Gas Well	37		=		
			. INF ZUZ				oe. Gas wen		1			
Surface Ow	ner FEDER	AL		Mineral C	Owner	FEDERAL			API No	. 30-039-2	4542	= 2
				LOCA	ATIC	ON OF RE	LEASE					
Unit Letter Section Township Range Feet from the North/South Line Feet from the East/West Line County  L 18 28N 4W 1840 SOUTH 800 WEST Rio Arriba												
L	18	28N	4W	1840			800		ESI	Kio Arric	oa	
			]	Latitude <u>36.65</u>	<u>59086</u>	Longitude	e107.297329	)				
				NAT	URI	E OF REL	The contract of the contract o					
Type of Rele Source of Re						Volume of	Release Iour of Occurrenc		Little Control of the	Recovered		
Source of Re	lease					Date and F	lour of Occurrenc	e	Date and	Hour of Dis	covery	
Was Immedi	ate Notice Gi					If YES, To	Whom?					
			Yes _	No Not Re	equired							
By Whom?						Date and I-						
Was a Water	course Reach		Yes 🛛 1	Νo		If YES, Vo	olume Impacting t	he Wate	ercourse.			
10 111	<b>T</b>	82-55-17E										
If a Watercon	irse was Impa	icted, Descri	be Fully.	•								
13/28												
D 11 C	CD 11	LD	1: 1 4 .:	T. 1. +								
Describe Cau No release w												
140 Telease W	as checumen	cu during t	ine BOT	ciosui c.								
Describe Are	a Affected an	d Cleanun A	Action Tak	en *								
N/A	a / Hitotica an	a Cicanap 7	iction Tak	ion.								
I hereby certi	fy that the inf	formation gi	ven above	is true and comp	lete to	the best of my	knowledge and u	nderstar	d that purs	suant to NM	OCD r	ules and
							nd perform correc					
public health	or the environ	nment. The	acceptanc	e of a C-141 repo	ort by t	he NMOCD m	arked as "Final Ro on that pose a thro	eport" d	oes not rel	ieve the ope	rator of	liability man health
or the environ	ment. In add	dition, NMO	CD accep	tance of a C-141	report	does not reliev	e the operator of i	responsi	bility for c	ompliance v	vith any	other
federal, state,	or local laws	and/or regu	lations.	9999/ 1999/ 1999   Anthropy   Anthropy   1999   1999   1999   1999   1999   1999   1999   1999   1999   1999								* 110000000000
Signature:							OIL CONS	SERV	ATION	DIVISIO	<u>N</u>	
Signature.	- Y	6	10	alke								
	1			- ucc		Approved by	Environmental S <sub>1</sub>	pecialist	:			
Printed Name	e: Crystal Wa	ılker				**						A
Title: Regul	atory Coordi	nator				Approval Dat	te:	I	Expiration	Date:		
		Auro en	2707000					150				
E-mail Addre	ess: crystal.w	alker@cop.c	com			Conditions of	Approval:			Attached		
Date: 4/5	2/10	Phone: (505	) 326-983	7		1						
Attach Addi	tional Sheets	s If Necessa	ary	III Designation of the second		· · · · · · · · · · · · · · · · · · ·						



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

March 30, 2016

Emilee Skyles Animas Environmental 604 Pinon Street Farmington, NM 87401 TEL: (505) 564-2281

**FAX** 

RE: COPC SJ 28-4 UNIT NP 202

OrderNo.: 1603A65

#### Dear Emilee Skyles:

Hall Environmental Analysis Laboratory received 1 sample(s) on 3/22/2016 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to <a href="www.hallenvironmental.com">www.hallenvironmental.com</a> or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

Andy Freeman

Laboratory Manager

4901 Hawkins NE

Albuquerque, NM 87109

#### **Analytical Report**

### Lab Order 1603A65

Date Reported: 3/30/2016

# Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Animas Environmental

COPC SJ 28-4 UNIT NP 202

Lab ID: 1603A65-001

Project:

Client Sample ID: S-1

Collection Date: 3/21/2016 9:28:00 AM

Received Date: 3/22/2016 7:05:00 AM

Analyses	Result PQL Qual Units			DF	Batch	
EPA METHOD 418.1: TPH					Analys	st: TOM
Petroleum Hydrocarbons, TR	ND	20	mg/Kg	1	3/23/2016	24376
EPA METHOD 300.0: ANIONS					Analys	st: LGT
Chloride	ND	30	mg/Kg	20	3/28/2016 4:47:37 PM	24483
EPA METHOD 8021B: VOLATILES					Analys	st: NSB
Benzene	ND	0.023	mg/Kg	1	3/23/2016 12:14:49 P	M 24369
Toluene	. ND	0.047	mg/Kg	1	3/23/2016 12:14:49 P	M 24369
Ethylbenzene	ND	0.047	mg/Kg	1	3/23/2016 12:14:49 P	M 24369
Xylenes, Total	ND	0.094	mg/Kg	1	3/23/2016 12:14:49 P	M 24369
Surr: 4-Bromofluorobenzene	112	80-120	%Rec	1	3/23/2016 12:14:49 P	M 24369

Matrix: SOIL

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Sample Diluted Due to Matrix D
- Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit ND
- RPD outside accepted recovery limits
- % Recovery outside of range due to dilution or matrix
- Analyte detected in the associated Method Blank
- Value above quantitation range E
- Analyte detected below quantitation limits Page 1 of 4 J

- P Sample pH Not In Range
- Reporting Detection Limit RL
- Sample container temperature is out of limit as specified

# **QC SUMMARY REPORT**

# Hall Environmental Analysis Laboratory, Inc.

WO#:

1603A65

30-Mar-16

Client:

Animas Environmental

Project:

COPC SJ 28-4 UNIT NP 202

Sample ID MB-24483

SampType: MBLK

TestCode: EPA Method 300.0: Anions

Client ID:

**PBS** 

Batch ID: 24483

RunNo: 33131

Prep Date:

Units: mg/Kg

Analyte

3/28/2016 Result

Analysis Date: 3/28/2016

SeqNo: 1017182 SPK value SPK Ref Val %REC LowLimit

HighLimit

%RPD **RPDLimit**  Qual

Chloride

**PQL** ND 1.5

Sample ID LCS-24483

LCSS

SampType: LCS

Batch ID: 24483

PQL

TestCode: EPA Method 300.0: Anions

RunNo: 33131

Prep Date: 3/28/2016 Analysis Date: 3/28/2016 SeqNo: 1017183

Units: mg/Kg

0

HighLimit LowLimit

%RPD

Analyte

Client ID:

Result

SPK value SPK Ref Val %REC 1.5

93.1

90

110

**RPDLimit** 

Qual

Chloride

14

15.00

#### Qualifiers:

Value exceeds Maximum Contaminant Level.

Sample Diluted Due to Matrix D

Holding times for preparation or analysis exceeded H

Not Detected at the Reporting Limit ND

R RPD outside accepted recovery limits

% Recovery outside of range due to dilution or matrix S

В Analyte detected in the associated Method Blank

Е Value above quantitation range

Analyte detected below quantitation limits

Page 2 of 4

Sample pH Not In Range

Reporting Detection Limit RL

Sample container temperature is out of limit as specified

# **QC SUMMARY REPORT**

## Hall Environmental Analysis Laboratory, Inc.

WO#:

1603A65

30-Mar-16

Client:

Animas Environmental

Project:

Analyte

Analyte

COPC SJ 28-4 UNIT NP 202

Result

ND

Sample ID MB-24376

SampType: MBLK

TestCode: EPA Method 418.1: TPH

Client ID: PBS

Batch ID: 24376

RunNo: 32998

Prep Date: 3/22/2016 Analysis Date: 3/23/2016

SeqNo: 1012162

Units: mg/Kg

HighLimit %RPD **RPDLimit** 

Qual

Petroleum Hydrocarbons, TR

Sample ID LCS-24376

Client ID: LCSS

PQL 20

SampType: LCS

TestCode: EPA Method 418.1: TPH

Batch ID: 24376

RunNo: 32998

Prep Date: 3/22/2016

Analysis Date: 3/23/2016

SeqNo: 1012163

Units: mg/Kg

%RPD

Petroleum Hydrocarbons, TR

Result 99 PQL 20 100.0

SPK value SPK Ref Val %REC 0 99.0

SPK value SPK Ref Val %REC LowLimit

LowLimit 83.4 HighLimit 127 **RPDLimit** 

Qual

Client ID: LCSS02

Sample ID LCSD-24376

SampType: LCSD Batch ID: 24376 TestCode: EPA Method 418.1: TPH

0

RunNo: 32998

Units: mg/Kg

Prep Date: 3/22/2016

Analysis Date: 3/23/2016

SeqNo: 1012164 %REC

LowLimit HighLimit %RPD

**RPDLimit** 

Qual

Analyte Petroleum Hydrocarbons, TR Result 100

PQL SPK value SPK Ref Val 20

100.0

103

83.4

127

4.20

20

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

Holding times for preparation or analysis exceeded Η

Not Detected at the Reporting Limit ND

RPD outside accepted recovery limits R

S % Recovery outside of range due to dilution or matrix

Analyte detected in the associated Method Blank B

Е Value above quantitation range

J Analyte detected below quantitation limits

Page 3 of 4

P Sample pH Not In Range

RL Reporting Detection Limit

Sample container temperature is out of limit as specified

# **QC SUMMARY REPORT**

# Hall Environmental Analysis Laboratory, Inc.

WO#:

1603A65

30-Mar-16

Client:

Animas Environmental

Project:

COPC SJ 28-4 UNIT NP 202

Sample ID MB-24369	nt ID: PBS Batch ID: 24369			TestCode: EPA Method 8021B: Volatiles						
Client ID: PBS				F	RunNo: 33018					
Prep Date: 3/22/2016				SeqNo: 1012945			Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Kylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.1		1.000		106	80	120			

Sample ID LCS-24369 SampType: LCS				TestCode: EPA Method 8021B: Volatiles						
Client ID: LCSS	Batch	Batch ID: 24369			RunNo: 33018					
Prep Date: 3/22/2016	Analysis Date: 3/23/2016			SeqNo: 1012946			Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.93	0.025	1.000	0	92.8	75.3	123			
Toluene	0.92	0.050	1.000	0	92.4	80	124			
Ethylbenzene	0.95	0.050	1.000	0	95.0	82.8	121			
Xylenes, Total	2.8	0.10	3.000	0	93.5	83.9	122			
Surr: 4-Bromofluorobenzene	1.1		1.000		111	80	120			

#### Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

Page 4 of 4

P Sample pH Not In Range

RL Reporting Detection Limit

W Sample container temperature is out of limit as specified



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

# Sample Log-In Check List

Work Order Number: 1603A65 RcptNo: 1 Animas Environmental Client Name: Received by/date: Logged By: Lindsay Mangin 3/22/2016 7:05:00 AM Completed By: Lindsay Mangin 3/22/2016 8:56:08 AM Reviewed By: Chain of Custody No 🗌 Not Present 🗹 Yes 1 Custody seals intact on sample bottles? Yes 🗸 No Not Present 2. Is Chain of Custody complete? 3 How was the sample delivered? Courier Log In No [] NA  $\square$ Yes 🗹 4. Was an attempt made to cool the samples? NA 🗌 5. Were all samples received at a temperature of >0° C to 6.0°C Yes 🗸 No 🗌 No 🗆 Yes 🗸 6. Sample(s) in proper container(s)? Yes 🗹 No  $\square$ 7. Sufficient sample volume for indicated test(s)? No 🗌 Yes V 8. Are samples (except VOA and ONG) properly preserved? No V NA 🗆 Yes 9. Was preservative added to bottles? No VOA Vials 🗹 No 🗆 Yes 10. VOA vials have zero headspace? Yes [] No 🗸 11. Were any sample containers received broken? # of preserved bottles checked for pH: No 🗌 12. Does paperwork match bottle labels? (<2 or >12 unless noted) (Note discrepancies on chain of custody) Adjusted? No 🗌 13. Are matrices correctly identified on Chain of Custody? No 🗌 Yes V 14. Is it clear what analyses were requested? Yes 🗸 No 🗆 Checked by: 15. Were all holding times able to be met? (If no, notify customer for authorization.) Special Handling (if applicable) Yes [] No 🗌 NA V 16. Was client notified of all discrepancies with this order? Person Notified: Date By Whom: Via: eMail Phone Fax In Person Regarding: Client Instructions: 17. Additional remarks: 18. Cooler Information Cooler No Temp °C Condition Seal Intact | Seal No Seal Date Signed By 1.1 Good Yes

,	>	S							(1	<b>1</b> 10	Y) səldduB ıiA						-			
ENTAL	ANALYSIS LABORATORY		7109	2																
HALL ENVIRONMENTAL	ABOR	ental.com	4901 Hawkins NE - Albuquerque, NM 87109	Fax 505-345-4107	nest															
FNVTR	SISL	www.hallenvironmental.com	Albuquer	Fax 50	Analysis Request															hillips
INT	ANAL	www.hal	kins NE -	Tel. 505-345-3975	An										-					Remarks: Bill to Conoco Phillips WO # 21340555 Supervisor: Hamilton USERID: MKSPENC
			J1 Haw	I. 505-						0.	Ohlorides - 300	×		 1						Remarks: Bill to Cono WO # 21340555 Supervisor: Hamilton USERID: MKSPENC
			49	Te						ļ	BTEX - 8021B TPH - EPA 418.	×			-	+		-		emarks 10 # 2 upervis SERID
		Name: COPC SJ 28-4 UNIT NP 202							oval I No	調理を対する。	HEALING:	100-								3/21/16 17/0 8
III G.	□ Rush	COPC SJ 28-				er:	E. Skyles		Glasşes/J. Sandoval		Preservative Type	cool	2							Made
Lum-Around Line.	X Standard	Project Name:		Project #:		Project Manager:			Sampler: S. Gl	Sample Temperatures	Container Type and #	1 - 4 oz.								Received by:
Chain-of-Custody Record	Animas Environmental Services, LLC		604 W Pinon St.	Farmington, NM 87401		eskyles@animasenvironmental.com Project		☐ Level 4 (Full Validation)			Sample Request ID	S-1								fuished by:
F-Cust	Environ		604 W F	Farming	.2281	eskyles@		gg. 1953	□ Other		Matrix	SOIL								Relinquished by:
lain-ol	Animas		dress:		505-564-2281	ax#:	:kage:	q	ion:	ype)	Time	0928								Time:
ວັ	Client:		Mailing Address:		Phone #:	Email or Fax#;	QA/QC Package:	X Standard	Accreditation:	□ EDD (Type)	Date	3/21/16								Date: // /2/ // // // // Date: // // // // // // // // // // // // //

Photo #1

Client: ConocoPhillips

Project Name: San Juan 28-4 Unit NP 202

Rio Arriba County, NM

Date Photo Taken: March 23, 2016

BGT GPS and Location: 36.65908, -107.29732

NW¼ SW¼, Section 18, T28N, R4W

Taken by: Sam Glasses, AES



Subject: BGT sampling, March 2016

Description: Facing N, overview of entire location.

#### Photo #2

Client: ConocoPhillips

Project Name: San Juan 28-4 Unit NP 202

Rio Arriba County, NM

Date Photo Taken: March 23, 2016

BGT GPS and Location: 36.65908, -107.29732

NW¼ SW¼, Section 18, T28N, R4W

Taken by: Sam Glasses, AES



Subject: BGT sampling, March 2016

Description: Facing E, sample location.