District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

# State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 Revised June 6, 2013

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.

For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Below-Grade		RECEIVED By kcollins at 11:49 am, Apr 11, 2016
Proposed Alternative Method Permit	and the second s	
Type of action:  Below grade tank registration  Permit of a pit or proposed alternative  Closure of a pit, below-grade tank, or  Modification to an existing permit/or in  Closure plan only submitted for an existing permit or proposed alternative method	method proposed alternative method registration	
Instructions: Please submit one application (Form C-144) per in	dividual pit, below-grade tank or alternati	ve request
lease be advised that approval of this request does not relieve the operator of liability shou avironment. Nor does approval relieve the operator of its responsibility to comply with an		
Operator: Burlington Resources Oil & Gas Company, LP OGRID #: 14538  Address: PO BOX 4289, Farmington, NM 87499  Facility or well name: CANYON LARGO UNIT COM 138  API Number: 30-039-82261 OCD Permit Number:		BGT CLOSED PRIOR TO CLOSURE PLAN APPROVAL
U/L or Qtr/Qtr _J (NWSE) Section _4 Township _25N Center of Proposed Design: Latitude36.426228 _aN Longitude107.469 Surface Owner: ☐ Federal ☐ State ☒ Private ☐ Tribal Trust or Indian Allotmen	<u>793</u> <u>•</u> <u>W</u> NAD: □1927 ⊠ 1983	<u>iba</u>
Pit: Subsection F, G or J of 19.15.17.11 NMAC  Temporary: □ Drilling □ Workover □ Permanent □ Emergency □ Cavitation □ P&A □ Multi-Well Fluid Manaş □ Lined □ Unlined Liner type: Thicknessmil □ LLDPE □ HDPE □ □ String-Reinforced  Liner Seams: □ Welded □ Factory □ Other Vol	PVC Other	
3.    Below-grade tank: Subsection I of 19.15.17.11 NMAC   Volume:	lift and automatic overflow shut-off	
4.  Alternative Method:  Submittal of an exception request is required. Exceptions must be submitted to the	Santa Fe Environmental Bureau office for	consideration of approval.
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporal Chain link, six feet in height, two strands of barbed wire at top (Required if local institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four	ted within 1000 feet of a permanent residen	ce, school, hospital,

☐ Alternate. Please specify

6.  Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  □ Screen □ Netting □ Other_						
☐ Monthly inspections (If netting or screening is not physically feasible)						
7.  Signs: Subsection C of 19.15.17.11 NMAC  12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  Signed in compliance with 19.15.16.8 NMAC						
Variances and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.						
9. <u>Siting Criteria (regarding permitting)</u> : 19.15.17.10 NMAC <i>Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acce<sub>l</sub> material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.</i>	ptable source					
General siting						
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☑ NA					
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells						
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks)  - Written confirmation or verification from the municipality; Written approval obtained from the municipality						
Within the area overlying a subsurface mine. (Does not apply to below grade tanks)  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No					
<ul> <li>Within an unstable area. (Does not apply to below grade tanks)</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> </ul>	☐ Yes ☐ No					
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	Yes No					
Below Grade Tanks						
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☒ No					
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;.  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☑ No					
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)						
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.)  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No					
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application.	☐ Yes ☐ No					
<ul> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> </ul>						
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application.  NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No					

Within 100 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Temporary Pit Non-low chloride drilling fluid								
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image								
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Within 300 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Permanent Pit or Multi-Well Fluid Management Pit								
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No							
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site								
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 Natural Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the document of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.13 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC	NMAC 15.17.9 NMAC							
Previously Approved Design (attach copy of design) API Number: or Permit Number:	- <del>-</del>							
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the dot attached.  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  A List of wells with approved application for permit to drill associated with the pit.  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 and 19.15.17.13 NMAC  Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	.15.17.9 NMAC							
Previously Approved Design (attach copy of design) API Number: or Permit Number:								

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the	documents are
### Author of Paragraph (1) of Subsection B of 19.15.17.9 NMAC    Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC    Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC    Climatological Factors Assessment     Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC    Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC    Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC    Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC    Quality Control/Quality Assurance Construction and Installation Plan    Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC    Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC    Nuisance or Hazardous Odors, including H₂S, Prevention Plan    Emergency Response Plan    Oil Field Waste Stream Characterization    Monitoring and Inspection Plan    Erosion Control Plan    Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F  Alternative  Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method	luid Management Pit
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached.  □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. I 19.15.17.10 NMAC for guidance.	rce material are Please refer to
Ground water is less than 25 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
<ul> <li>Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</li> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> </ul>	☐ Yes ☐ No
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	N-0 15-0

adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality								
4.04 10 00 00 00 00 00 00 00 00 00 00 00 00	☐ Yes ☐ No							
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No							
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological								
Society; Topographic map Within a 100-year floodplain.	Yes No							
- FEMA map	Yes No							
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC  Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.11 NMAC  Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC								
Operator Application Certification:								
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and bel	ief.							
Name (Print): Title:								
Signature: Date:								
e-mail address: Telephone:								
18.  OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)								
() 1/()								
OCD Representative Signature: Approval Date: Approval Date:	016							
OCD Representative Signature: Approval Date: Approval Date: Compliance Officer OCD Permit Number:	016							
	g the closure report.							
Title: Compliance Officer  OCD Permit Number:  Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC  Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do no section of the form until an approved closure plan has been obtained and the closure activities have been completed.  Closure Completion Date: 3/19/2016	g the closure report.							
Title: Compliance Officer  OCD Permit Number:  Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC  Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do no section of the form until an approved closure plan has been obtained and the closure activities have been completed.  Closure Completion Date: 3/19/2016	g the closure report. t complete this							

22.	- Children Co.			
Operator Clos	ure Certification:			
I hereby certify belief. I also ce	that the information and attachments submitted wit ertify that the closure complies with all applicable cl	th this o	closure report is true, accur requirements and condition	ate and complete to the best of my knowledge and s specified in the approved closure plan.
Name (Print)	Crystal Walker Tit	tle:	Regulatory Coordinator	
Signature:	Gatal Walker		Date:	4/1/16
e-mail address:	crystal.walker@cop.com Telephone:	(505)	326-9837	_

## Burlington Resources Oil & Gas Company, LP San Juan Basin Below Grade Tank Closure Report

Lease Name: Canyon Largo Unit Com 138

API No.: 30-039-82261

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the below-grade tank referenced above. All proper documentation regarding closure activities is being included with the C-144.

#### General Plan:

1. BR shall close a below-grade tank within 60 days of cessation of operations per Subsection G.4 of 19.15.17.13 NMAC. This will include a) below-grade tanks that do not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC within five years, if not retrofitted to comply with Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC; b) an earlier date that the division requires because of imminent danger to fresh water, public health or the environment. For any closure, BR will file the C144 Closure Report as required.

The below-grade tank referenced above was permitted and closed within 60 days of cessation of the below-grade tanks operation.

2. BR shall remove liquids and sludge from a below-grade tank prior to implementing a closure method and shall dispose of the liquids and sludge in a division-approved facility. The facilities to be used will be Basin Disposal (Permit #NM-01-005), JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) and Envirotech Land Farm (Permit #NM-01-011). The liner after being cleaned well (Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC) will be disposed of at the San Juan County Regional Landfill located on CR 3100.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B). The liner was cleaned per Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC was disposed of at the San Juan County Regional Landfill located on CR 3100.

3. BR will receive prior approval to remove the below-grade tank and dispose of it in a division-approved facility or recycle, reuse, or reclaim it in a manner that the appropriate division district office approves.

The below-grade tank was disposed of in a division-approved manner.

4. If there is any on-site equipment associated with a below-grade tank, then BR shall remove the equipment, unless the equipment is required for some other purpose.

All on-site equipment associated with the below-grade tank was removed.

5. BR will test the soils beneath the below-grade tank to determine whether a release has occurred. BR shall collect, at a minimum, a five point, composite sample; collect individual grab samples from any area that is wet, discolored or showing other evidence of a release; and analyzed for the constituents listed in Table I of 19.15.17.13 NMAC. COPC shall notify the division of its results on form C-141.

A five point composite sample was taken of the below-grade tank using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached). Form C-141 is attached.

Components	Tests Method	Limit (mg/kg		
Benzene	EPA SW-846 8021B or 8260B	0.2		
BTEX	EPA SW-846 8021B or 8260B	50		
TPH	EPA SW-846 418.1	100		
Chlorides	EPA 300.0	250		

6. If BR or the division determines that a release has occurred, then BR shall comply with 19.15.3.116 NMAC and 19.15.1.19 NMAC, as appropriate.

A release was not determined for the above referenced well.

7. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Table I of 19.15.17.13 NMAC, then BR shall backfill the excavation with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover; recontour and re-vegetate the site.

The below-grade tank area passed all requirements of Paragraph (4) of Subsection E of 19.15.17.13 NMAC and was backfilled with compacted, non-waste containing, earthen material.

- 8. Notice of Closure will be given prior to closure to the Aztec Division office between 72 hours and one week via email or verbally. The notification of closure will include the following:
  - i. Operator's name
  - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

#### Notification is attached.

9. The surface owner shall be notified of BR's closing of the below-grade tank 72 hours, but not more than one week, prior to closure as per the approved closure plan via certified mail, return receipt requested.

The closure process notification to the landowner was sent via certified mail.

10. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The below-grade tank area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Re-shaping including drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

11. BR shall seed the disturbed areas the first favorable growing season following closure of a below-grade tank. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM stipulated seed mixes will used on federally regulated lands and division-approved seed mixtures (administratively approved if required) will be utilized on all State or private lands. A uniform vegetative cover has been established that reflects a life-form ratio of plus or minus fifty percent (50%) of pre- disturbance levels and a total percent plant cover of at least seventy percent (70%) of pre-disturbance levels, excluding noxious weeds. If alternate seed mix is required by the state, private owner or tribe, it will be implemented with administrative approval if needed. COPC will repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 13 was accomplished through complying with Private seeding requirements.

12. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material, with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.

The below-grade tank area was backfilled and more than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

- 13. All closure activities will include proper documentation and be available for review upon request and will be submitted to OCD within 60 days of closure of the below-grade tank. Closure report will be filed on C-144 and incorporate the following:
  - Soil Backfilling and Cover Installation (See Report)
  - Re-vegetation application rates and seeding techniques (See Report)
  - Photo documentation of the site reclamation (Included as an attachment)
  - Confirmation Sampling Results (Included as an attachment)
  - Proof of closure notice (Included as an attachment)

#### Walker, Crystal

From:

Walker, Crystal

Sent:

Tuesday, March 15, 2016 2:36 PM

To:

Cory Smith; Fields, Vanessa, EMNRD; Flaniken, Mike (Mike\_Flaniken@blm.gov);

Katherina Diemer (kdiemer@blm.gov)

Cc:

Farrell, Juanita R; GRP:SJBU Regulatory; Jones, Lisa; SJBU E-Team;

'eskyles@animasenvironmental.com'

Subject:

UPDATED: BGT Re-Sample Notification for sampling 3/18

#### Good afternoon,

The following locations contained below-grade tanks that require re-sampling, which is scheduled for **Friday, March 18**<sup>th</sup> to begin at 9:00am at the first location and continue to the next. \*ADDED WELLS

Sampling Order	Name	BGT Latitude	BGT Longitude	Surface Owner
1	Canyon Largo Unit 430	36.397214	-107.547679	FEDERAL
2	Canyon Largo Unit 65	36.432545	-107.450724	FEDERAL
3	Canyon Largo Unit Com 138	36.426228	-107.469793	PRIVATE
4	Sanchez A 3	36.467931	-107.488061	FEDERAL
5	Johnston A 15	36.439970	-107.412488	STATE

Please feel free to contact me at any time if you have any questions or concerns regarding this information.

Thank you,

#### Crystal Walker

Regulatory Coordinator ConocoPhillips Lower 48

T: 505-326-9837 | F: 505-599-4086 | M: 505-215-4361 | <u>crystal.walker@cop.com</u>

Visit the new Lower 48 website: www.conocophillipsuslower48.com



Lisa Jones Senior Associate Surface Land ConocoPhillips Company 3401 E. 30<sup>th</sup> Street PO Box 4289 Farmington, NM 87499-1429 (505) 326-9558

### CERTIFIED MAIL – RETURN RECEIPT REQUESTED 9214 7969 0099 9790 1003 1674 55

March 15, 2016

Mary Beth Truby PO Box 276 Bloomfield, NM 87413

Re:

**CANYON LARGO UNIT COM 138** 

API: 30-039-82261 NWSE Section 4, T25N, R6W Rio Arriba County, New Mexico

Dear Landowner:

Pursuant to New Mexico Administrative Code § 19.15.17.13 (E) (1) operator shall provide the surface owner of the operator's proposal to close a below- grade tank. In compliance with this requirement, please consider this letter as notification that ConocoPhillips intends to re-sample a closed below-grade tank on the subject well pad. The sampling will occur on 3/18/2016.

If you have any questions, please contact the Surface Land Department at (505) 324-6111.

Sincerely,

Lisa Jones

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

#### State of New Mexico Energy Minerals and Natural Resources

Form C-141 Revised August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit 1 Copy to appropriate District Office to accordance with 19.15.29 NMAC.

Release Notification and Corrective Action												
						OPERATOR						Final Report
				oil & Gas Compa		Contact Crystal Walker						
Address 340							No.(505) 326-98	337				
Facility Nar	ne: Canyo	n Largo Un	it Com 1	38		Facility Typ	e: Gas Well					
Surface Ow	ner FEE			Mineral O	wner F	EE			API No	. 30-039-8	2261	
				LOCA	TIOI	OF RE	LEASE					
Unit Letter	Section	Township	Range 6W	Feet from the 1760		South Line	Feet from the 1820		est Line ast	County Rio Arrib		
J	4	25N	0.40000					L	ası	KIO ATTID	а	
Latitude <u>36.426228</u> Longitude <u>-107.469793</u>												
				NAT	URE	OF REL			Production in the control of the con	NO. 1028		
Type of Rele						Volume of			William Section Section (Section)	Recovered		
Source of Re	lease					Date and F	Hour of Occurrence	ce	Date and	Hour of Dis	covery	
Was Immedia	ate Notice (			N MN D		If YES, To	Whom?	'				
D 1111 0		_	Yes	No Not Re	quirea	D-411	Ť	_	-			
By Whom? Was a Watero	course Read	shed?				Date and H	olume Impacting t	the Water	course			
was a water	course reac		Yes 🛛 N	No		II ILO, V	nume impacting t	the water	course.			
If a Watercou	irse was Im	pacted, Descr	ibe Fully.*									
N/A	,											
Describe Cau	se of Probl	em and Reme	dial Action	n Taken.*								
No release w	as encount	ered during	the BGT (	Closure.								
	1.00	1.61	m. 1	ul.								
Describe Are N/A	a Affected	and Cleanup A	Action Tak	en.*								
IVA												
I hereby certi	fy that the i	nformation gi	ven above	is true and compl	ete to th	he best of my	knowledge and u	ınderstan	d that purs	suant to NM	OCD rı	ules and
regulations al	1 operators	are required t	o report an	d/or file certain re	lease n	otifications a	nd perform correc	ctive action	ons for rel	eases which	may er	ndanger
public health	or the envi	ronment. The	acceptanc	e of a C-141 repor	rt by the	e NMOCD m	arked as "Final R	eport" do	es not rel	ieve the ope	rator of	`liability
should their o	perations h	ave failed to a	adequately	investigate and re tance of a C-141 r	mediate	e contaminati	on that pose a three the operator of	eat to gro	ound water	r, suriace wa	ner, nui vith ans	man neam other
federal, state,				tance of a C-141 I	cport	oes not renev	e the operator of	гозроные	onity for c	omphance v	vicii uni	other
Nation 1				11.19			OIL CON	SERV	ATION	DIVISIO	N	
Signature:	0	40	11/-	14.								
Approved by Environmental Specialist:												
Printed Name	e: Crystal V	Walker			-	. Ipproved by	Ziiii omionai o	r common				-
Title: Regula	atory Coor	dinator			5	Approval Da	te:	E	xpiration	Date:		
E-mail Addre	2001 000	ystal.walker@	eon com			Conditions o	f Annroval				· ·	
	III.	ysiai, waikei(u	cop.com	71		Conditions 0	i i ipprovai.			Attached		

Date: Phone: (505) 326-9837

\* Attach Additional Sheets If Necessary



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

March 28, 2016

Emilee Skyles Animas Environmental 604 Pinon Street Farmington, NM 87401 TEL: (505) 564-2281

FAX

RE: COPC Canyon Largo Unit Com 138

OrderNo.: 1603A08

#### Dear Emilee Skyles:

Hall Environmental Analysis Laboratory received 1 sample(s) on 3/19/2016 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to <a href="www.hallenvironmental.com">www.hallenvironmental.com</a> or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

Andy Freeman

Laboratory Manager

andyl

4901 Hawkins NE

Albuquerque, NM 87109

#### **Analytical Report**

#### Lab Order 1603A08

Date Reported: 3/28/2016

#### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Animas Environmental

Client Sample ID: S-1

Project: COPC Canyon Largo Unit Com 138

Collection Date: 3/18/2016 11:48:00 AM

Lab ID: 1603A08-001

Received Date: 3/19/2016 11:00:00 AM

Analyses	Result	PQL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 418.1: TPH					Analyst	том
Petroleum Hydrocarbons, TR	ND	20	mg/Kg	1	3/23/2016	24342
EPA METHOD 300.0: ANIONS					Analyst	SRM
Chloride	ND	30	mg/Kg	20	3/26/2016 4:53:14 AM	24453
EPA METHOD 8021B: VOLATILES					Analyst	NSB
Benzene	ND	0.023	mg/Kg	1	3/22/2016 5:22:17 PM	24355
Toluene	ND	0.046	mg/Kg	1	3/22/2016 5:22:17 PM	24355
Ethylbenzene	ND	0.046	mg/Kg	1	3/22/2016 5:22:17 PM	24355
Xylenes, Total	ND	0.093	mg/Kg	1	3/22/2016 5:22:17 PM	24355
Surr: 4-Bromofluorobenzene	105	80-120	%Rec	1	3/22/2016 5:22:17 PM	24355

Matrix: SOIL

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits Page 1 of 4
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

#### **QC SUMMARY REPORT**

#### Hall Environmental Analysis Laboratory, Inc.

WO#:

1603A08

28-Mar-16

Client:

Animas Environmental

Project:

COPC Canyon Largo Unit Com 138

Sample ID MB-24453

SampType: MBLK

TestCode: EPA Method 300.0: Anions

Client ID:

**PBS** 

Batch ID: 24453

RunNo: 33096

Analyte

Prep Date: 3/25/2016

Analysis Date: 3/25/2016

SeqNo: 1015563

%REC LowLimit

Units: mg/Kg HighLimit

%RPD **RPDLimit**  Qual

Chloride

PQL Result ND 1.5

SampType: LCS

**PQL** 

TestCode: EPA Method 300.0: Anions

LCSS

Batch ID: 24453

RunNo: 33096

Prep Date: 3/25/2016

Sample ID LCS-24453

Analysis Date: 3/25/2016

SeqNo: 1015564

Units: mg/Kg

%RPD HighLimit

Analyte

Client ID:

Result

15.00

90

LowLimit

**RPDLimit** 

1.5

SPK value SPK Ref Val

SPK value SPK Ref Val

%REC 93.5

Chloride

14

110

Qual

Qualifiers:

S

Value exceeds Maximum Contaminant Level.

Sample Diluted Due to Matrix D

Holding times for preparation or analysis exceeded H

% Recovery outside of range due to dilution or matrix

ND Not Detected at the Reporting Limit

RPD outside accepted recovery limits R

В Analyte detected in the associated Method Blank Value above quantitation range

Е J

Analyte detected below quantitation limits

Page 2 of 4

P Sample pH Not In Range

Reporting Detection Limit RL

Sample container temperature is out of limit as specified

#### QC SUMMARY REPORT

#### Hall Environmental Analysis Laboratory, Inc.

WO#:

1603A08

28-Mar-16

Client:

Animas Environmental

Project:

Analyte

COPC Canyon Largo Unit Com 138

Sample ID MB-24342

SampType: MBLK

TestCode: EPA Method 418.1: TPH

LowLimit

Client ID: PBS

Batch ID: 24342

PQL

RunNo: 32998

%REC

Prep Date: 3/21/2016 Analysis Date: 3/23/2016

SeqNo: 1012149

Units: mg/Kg

HighLimit

Qual

Petroleum Hydrocarbons, TR

Result ND

20

TestCode: EPA Method 418.1: TPH

%RPD

%RPD

Sample ID LCS-24342

SampType: LCS

Client ID: LCSS Prep Date: 3/21/2016

Batch ID: 24342 Analysis Date: 3/23/2016

PQL

RunNo: 32998

Units: mg/Kg

SPK value SPK Ref Val

SPK value SPK Ref Val

SeqNo: 1012150 %REC LowLimit

109

HighLimit

**RPDLimit** 

Petroleum Hydrocarbons, TR

Client ID: LCSS02

110

Result

20

127

**RPDLimit** 

Qual

Analyte

83.4 TestCode: EPA Method 418.1: TPH

Sample ID LCSD-24342

SampType: LCSD

Batch ID: 24342

RunNo: 32998

SeqNo: 1012151

Units: mg/Kg

**RPDLimit** Qual

Analyte

Prep Date:

3/21/2016

Analysis Date: 3/23/2016

Result

SPK value SPK Ref Val

100.0

%REC

0

LowLimit 105 83.4 HighLimit 127

%RPD

20

Petroleum Hydrocarbons, TR

PQL 100 20

100.0

3.98

Qualifiers:

Value exceeds Maximum Contaminant Level.

Sample Diluted Due to Matrix D

Holding times for preparation or analysis exceeded Η

ND Not Detected at the Reporting Limit R RPD outside accepted recovery limits

% Recovery outside of range due to dilution or matrix S

В Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits Page 3 of 4

P Sample pH Not In Range RL Reporting Detection Limit

Sample container temperature is out of limit as specified

#### **QC SUMMARY REPORT**

#### Hall Environmental Analysis Laboratory, Inc.

WO#:

1603A08

28-Mar-16

Client:

Animas Environmental

Project:

Xylenes, Total

Surr: 4-Bromofluorobenzene

COPC Canyon Largo Unit Com 138

0.10

2.7

1.1

3.000

1.000

Sample ID MB-24355	SampT	SampType: MBLK TestCode: EPA Method						tiles		
Client ID: PBS	Batch	Batch ID: 24355 RunNo: 32985								
Prep Date: 3/21/2016	Analysis D	ate: 3/	22/2016	5	SeqNo: 1	011677	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.1		1.000		111	80	120			
Sample ID LCS-24355	SampT	ype: LC	S	Tes	tCode: E	PA Method	8021B: Vola	tiles		
Client ID: LCSS	Batch	1D: <b>24</b>	355	F	RunNo: 3	2985				
Prep Date: 3/21/2016	Analysis D	ate: 3/	22/2016	5	SeqNo: 1	011678	Units: mg/k	ζg		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.89	0.025	1.000	0	88.9	75.3	123			
Toluene	0.89	0.050	1.000	0	88.8	80	124			
Ethylbenzene	0.92	0.050	1.000	0	91.7	82.8	121			

90.6

111

83.9

80

122

120

#### Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

to detected below quantitation initis

P Sample pH Not In Range

RL Reporting Detection Limit

W Sample container temperature is out of limit as specified

Page 4 of 4



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

#### Sample Log-In Check List

The state of the s	and the second s		1000			
Client Name: Animas Environmental	Work Order Number:	1603A	.08		Rcpt	No: 1
Received by/date:	03/19/16					
Logged By: Joe Archuleta	3/19/2016 11:00:00 AM			H. 161		
Completed By: Joe Archuleta	3/19/2016 12:04:35 PM			Helst Helst		
1	102 ZIN4			f		
Reviewed By:	VSIZITY					
Chain of Custody				[7]		(20)
1. Custody seals intact on sample bottles?		Yes		No []	Not Present	
2. Is Chain of Custody complete?		Yes		No 🛄	Not Present	[_]
3. How was the sample delivered?		Cour	<u>er</u>			
Log In						
Was an attempt made to cool the sample	s?	Yes		No 🗌	NA	
The state of the s						
5. Were all samples received at a temperatu	re of >0° C to 6.0°C	Yes		No [.]	NA	
6. Complete in proper container(e)?		Yes		No 🗆		
6. Sample(s) in proper container(s)?		100				
7. Sufficient sample volume for indicated tes	st(s)?	Yes		No []		
8. Are samples (except VOA and ONG) prop	erly preserved?	Yes		No [		
9. Was preservative added to bottles?		Yes		No 🕷	NA	
40.454.444.		Yes		No 🗀	No VOA Vials	
10.VOA vials have zero headspace?	I 0	Yes		No 🖃	10 707, 7	
11. Were any sample containers received bro	oken?	res		INO EXI	# of preserved	
42 Dans assessment motor hottle labele?		Yes		No [. ]	bottles checke for pH:	ea
12. Does paperwork match bottle labels? (Note discrepancies on chain of custody)		100	LE3			(<2 or >12 unless noted)
13. Are matrices correctly identified on Chain	of Custody?	Yes		No 🗌	Adjuste	d?
14. Is it clear what analyses were requested?		Yes		No []		
15. Were all holding times able to be met?		Yes		No 🗀	Checked	by:
(If no, notify customer for authorization.)						
Special Handling (if applicable)				2000		£1949
16. Was client notified of all discrepancies wi	th this order?	Yes	LJ	No []	NA	
Person Notified:	Date	11/112 827/16	MIISE MEAN	**************************************		
By Whom:	Via: [	eM		Phone Tax	[iii] In Person	
Regarding:	ه در کاره در در این این از در	1614,14A.14II	AINCHE LEDIN	THE ROOM AND ADDRESS AND ADDRE		Action 1
Client Instructions:	hannen sänd Kriti Lichte dat die Schille State ander de 18 februarie 19 februarie	p, turin sini di	area every birth 1.85	man a managan da managa		TO CONTROL OF THE PARTY OF THE
17. Additional remarks:						
18. Cooler Information						
Cooler No Temp °C Condition	Seal Intact   Seal No	Seal D	ate	Signed By	_	
1 1.1 Good	Yes			20 (2) (5	1	

IMENTAL	ORATORY	тох	JM 87109	5-4107					(1	(N 10	Y) səldduB iA								
HALL ENVIRONMENTAL	ANALYSIS LABORATORY	www.hallenvironmental.com	4901 Hawkins NE - Albuquerque, NM 87109	-3975 Fax 505-345-4107	Analysis Request		W-											noco Phillips	Spearman
	A	M	4901 Hawkins	Tel. 505-345-3975	が と と と と と と と と と と と と と と と と と と と		BTEX - 8021B TPH - EPA 418.1 Chlorides - 300.0					×						Remarks: Bill to Conoco Phillips WO # 21340555 Supervisor: Nelson USERID: MCINNSK	OserciD, inclinioso Area: 9 Ordered by: Bobby Spearman
I uin-Aiouna i iiie.	rd 🗆 Rush			Project #:	COPC CANYON LARGO UNIT COM 138	<u>om</u> Project Manager:	E. Skyles		Sampler: CL/DTD	Sample Lemoerature	HEALNO Wood Ab B	100-						Date Time $3/(\beta/1.c \ I THZ)$	Date Time 03/19/16 1100
		me:									er Preservative	2000						der: Vatulslack	Blut
		Project Name:										1 - 4 02.				 		Received by:	Received by.
Chain-of-Custody Record	Animas Environmental Services, LLC		Mailing Address: 604 W Pinon St.	Farmington, NM 87401	1-2281	eskyles@animasenvironmental.com Project Manager		X Standard □ Level 4 (Full Validation)	ation:		Sample Request ID	S-1						ilah Darsi	Minquished by:
											Matrix	SOIL						Relinquished by: $\mathcal{K}_{el}$	Relinquished by:
					505-564-2281	Fax#:	sckage:				Тіте	11:48						Time: 1715	Time: 1804
	Client				Phone #:	Email or Fax#:	JA/QC Package:		Accreditation: ☐ NELAP	□ EDD (Type)	Date	3/18/16	63					Date: 3/18/16	Date: /



