District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505

Form C-144 Revised June 6, 2013

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.

For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

	Santa 1 6, 14141 67505 to the appropriate 1	WIGGD DISTRICT OFFICE.
	Pit, Below-Grade Tank, or	RECEIVED By kcollins at 11:50 am, Apr 11, 2016
	Proposed Alternative Method Permit or Closure Plan Application	<u>on</u>
14675	Type of action: Below grade tank registration Permit of a pit or proposed alternative method Closure of a pit, below-grade tank, or proposed alternative method Modification to an existing permit/or registration Closure plan only submitted for an existing permitted or non-permitted pit, or proposed alternative method	below-grade tank,
	Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative	ative request
environment. N	ed that approval of this request does not relieve the operator of liability should operations result in pollution of surface values approval relieve the operator of its responsibility to comply with any other applicable governmental authority's	vater, ground water or the rules, regulations or ordinances.
1. Operator:	Burlington Resources Oil & Gas Company, LP OGRID #: 14538	BGT CLOSED
	PO BOX 4289, Farmington, NM 87499	PRIOR TO
A	vell name: HARE 4	CLOSURE PLAN
	r:30-045-07788 OCD Permit Number:	APPROVAL
1	Qtr O (SWSE) Section 25 Township 29N Range 10W County: Sa	ın Iuan
200	roposed Design: Latitude 36.692342 •N Longitude -107.833106 •W NAD: 1927	
	ner: Federal State Private Tribal Trust or Indian Allotment	Z 1903
	ner. — Federal — State Marivate — Tribai Trust of indian Anothent	
2.	absection F, G or J of 19.15.17.11 NMAC	
	Drilling Workover	
	ent	Fluid ves no
V-	☐ Unlined Liner type: Thicknessmil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other	- A C
☐ String-Re		
-	s: Welded Factory Other Volume: bbl Dimensions: L x W	хD
3.	1.4. 1. 0.1. 4. T. 0.10.15 17.11.NRAG	
5	rade tank: Subsection I of 19.15.17.11 NMAC	
	120 bbl Type of fluid: Produced Water	
	ruction material: Metal	
1	ary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off	
	sidewalls and liner Visible sidewalls only Other	
Liner type:	Thicknessmil	
4.	4 - We is - 1	
8	tive Method:	
Submittal of	f an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for	or consideration of approval.
5.		
10	ubsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)	
Chain lin	nk, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent resid r church)	ence, school, hospital,
9000-00 M	t height, four strands of barbed wire evenly spaced between one and four feet	

Alternate. Please specify

6. Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	
☐ Screen ☐ Netting ☐ Other	
☐ Monthly inspections (If netting or screening is not physically feasible)	
7.	
Signs: Subsection C of 19.15.17.11 NMAC	
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
☐ Signed in compliance with 19.15.16.8 NMAC	
8.	
<u>Variances and Exceptions:</u> Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.	
Please check a box if one or more of the following is requested, if not leave blank:	
☐ Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.	
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
9.	
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable.	ptable source
material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.	
General siting	
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank.	☐ Yes ☐ No
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	⊠ NA
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes☐ No☐ NA
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within the area overlying a subsurface mine. (Does not apply to below grade tanks) - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
 Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	☐ Yes ☐ No
Below Grade Tanks	
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured	☐ Yes ☑ No
from the ordinary high-water mark).	☐ res ☑ No
- Topographic map; Visual inspection (certification) of the proposed site	
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☑ No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial	☐ Yes ☐ No
application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No

Previously Approved Design (attach copy of design) API Number: or Permit Number:	
☐ Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 and 19.15.17.13 NMAC	
11.	
 ☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC ☐ Previously Approved Design (attach copy of design) API Number: or Permit Number: 	
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 N Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Payers 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.	NMAC
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Permanent Pit or Multi-Well Fluid Management Pit	
Within 300 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pit Non-low chloride drilling fluid	
 Within 100 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	☐ Yes ☐ No

12.	
<u>Permanent Pits Permit Application Checklist</u> : Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the	documents are
attached. ☐ Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC ☐ Climatological Factors Assessment ☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Quality Control/Quality Assurance Construction and Installation Plan ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC ☐ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Nuisance or Hazardous Odors, including H₂S, Prevention Plan ☐ Emergency Response Plan ☐ Oil Field Waste Stream Characterization ☐ Monitoring and Inspection Plan ☐ Erosion Control Plan ☐ Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
<u>Proposed Closure</u> : 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F	luid Management Pit
Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only)	
On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial	
Alternative Closure Method	
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached. ☐ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC ☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC ☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC ☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC ☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. In 19.15.17.10 NMAC for guidance.	
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	5.5

adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	
	Yes No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	Yes No
Within an unstable area Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	
Society; Topographic map	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17. Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cann Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	.11 NMAC .15.17.11 NMAC
17. Operator Application Certification:	
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and bel	
Name (Print): Title:	
Signature: Date:	<u> </u>
e-mail address: Telephone:	7
18.	
OCD Approval: Permit Application (including closure plan) Closure Plan (enly) OCD Conditions (see attachment)	
OCD Approval: Permit Application (including closure plan) Closure Plan (enly) OCD Conditions (see attachment)	2016
OCD Approval: Permit Application (including closure plan) Closure Plan (enly) OCD Conditions (see attachment)	2016
OCD Approval: Permit Application (including closure plan) Closure Plan (early) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 7/12/2	the closure report.
OCD Approval: Permit Application (including closure plan) Closure Plan (enly) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 7/12/2 Title: Compliance Officer OCD Permit Number: OCD Permit Number: Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed.	the closure report.

22. Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and
belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Crystal Walker Title: Regulatory Coordinator
Signature: Date: 4/1/16
e-mail address: <u>crystal.walker@cop.com</u> Telephone: <u>(505)_326-9837</u>

Burlington Resources Oil & Gas Company, LP San Juan Basin Below Grade Tank Closure Report

Lease Name: Hare 4 API No.: 30-045-07788

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the below-grade tank referenced above. All proper documentation regarding closure activities is being included with the C-144.

General Plan:

1. BR shall close a below-grade tank within 60 days of cessation of operations per Subsection G.4 of 19.15.17.13 NMAC. This will include a) below-grade tanks that do not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years, if not retrofitted to comply with Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC; b) an earlier date that the division requires because of imminent danger to fresh water, public health or the environment. For any closure, BR will file the C144 Closure Report as required.

The below-grade tank referenced above was permitted and closed within 60 days of cessation of the below-grade tanks operation.

2. BR shall remove liquids and sludge from a below-grade tank prior to implementing a closure method and shall dispose of the liquids and sludge in a division-approved facility. The facilities to be used will be Basin Disposal (Permit #NM-01-005), JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) and Envirotech Land Farm (Permit #NM-01-011). The liner after being cleaned well (Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC) will be disposed of at the San Juan County Regional Landfill located on CR 3100.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B). The liner was cleaned per Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC was disposed of at the San Juan County Regional Landfill located on CR 3100.

3. BR will receive prior approval to remove the below-grade tank and dispose of it in a division-approved facility or recycle, reuse, or reclaim it in a manner that the appropriate division district office approves.

The below-grade tank was disposed of in a division-approved manner.

4. If there is any on-site equipment associated with a below-grade tank, then BR shall remove the equipment, unless the equipment is required for some other purpose.

All on-site equipment associated with the below-grade tank was removed.

5. BR will test the soils beneath the below-grade tank to determine whether a release has occurred. BR shall collect, at a minimum, a five point, composite sample; collect individual grab samples from any area that is wet, discolored or showing other evidence of a release; and analyzed for the constituents listed in Table I of 19.15.17.13 NMAC. COPC shall notify the division of its results on form C-141.

A five point composite sample was taken of the below-grade tank using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached). Form C-141 is attached.

Components	Tests Method	Limit (mg/kg)
Benzene	EPA SW-846 8021B or 8260B	0.2
BTEX	EPA SW-846 8021B or 8260B	50
TPH	EPA SW-846 418.1	100
Chlorides	EPA 300.0	250

6. If BR or the division determines that a release has occurred, then BR shall comply with 19.15.3.116 NMAC and 19.15.1.19 NMAC, as appropriate.

A release was not determined for the above referenced well.

7. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Table I of 19.15.17.13 NMAC, then BR shall backfill the excavation with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover; recontour and re-vegetate the site.

The below-grade tank area passed all requirements of Paragraph (4) of Subsection E of 19.15.17.13 NMAC and was backfilled with compacted, non-waste containing, earthen material.

- 8. Notice of Closure will be given prior to closure to the Aztec Division office between 72 hours and one week via email or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

9. The surface owner shall be notified of BR's closing of the below-grade tank 72 hours, but not more than one week, prior to closure as per the approved closure plan via certified mail, return receipt requested.

The closure process notification to the landowner was sent via certified mail. (See Attached) (Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

10. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The below-grade tank area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Re-shaping including drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

11. BR shall seed the disturbed areas the first favorable growing season following closure of a below-grade tank. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM stipulated seed mixes will used on federally regulated lands and division-approved seed mixtures (administratively approved if required) will be utilized on all State or private lands. A uniform vegetative cover has been established that reflects a life-form ratio of plus or minus fifty percent (50%) of pre- disturbance levels and a total percent plant cover of at least seventy percent (70%) of pre-disturbance levels, excluding noxious weeds. If alternate seed mix is required by the state, private owner or tribe, it will be implemented with administrative approval if needed. COPC will repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

12. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material, with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.

The below-grade tank area was backfilled and more than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

- 13. All closure activities will include proper documentation and be available for review upon request and will be submitted to OCD within 60 days of closure of the below-grade tank. Closure report will be filed on C-144 and incorporate the following:
 - Soil Backfilling and Cover Installation (See Report)
 - Re-vegetation application rates and seeding techniques (See Report)
 - Photo documentation of the site reclamation (Included as an attachment)
 - Confirmation Sampling Results (Included as an attachment)
 - Proof of closure notice (Included as an attachment)

Walker, Crystal

From:

Walker, Crystal

Sent:

Tuesday, March 08, 2016 9:14 AM

To:

Cory Smith; Jonathan Kelly; Katherina Diemer (kdiemer@blm.gov); Flaniken, Jon

(mflanike@blm.gov)

Cc:

Busse, Dollie L; Farrell, Larissa L; Roberts, Kelly G; Walker, Crystal; SJBU E-Team; Coats,

Nathan W; Notor, Lori

Subject:

BGT Re-Sample Notification for sampling 3/14 & 3/15

Good morning,

The following locations contained below-grade tanks that require re-sampling, which is scheduled for Monday, March 14th and Tuesday, March 15th will begin at 9:00am at the first location and continue to the next.

Sampling Order	Name	Sampling Date
1	PHILLIPS COM 1E	3/14/2016
2	PINON MESA A 100*	3/14/2016
3	MCCORD 104S	3/14/2016
4	HUDSON 2	3/14/2016
5	CORNELL 1R	3/14/2016
6	MURPHY 1	3/15/2016
7	GRENIER A 2R	3/15/2016
8	HARE 15M	3/15/2016
9	HARE 4	3/15/2016
10	DELO 9	3/15/2016
*indicates a long v	valk to location due to reclamatio	n

Please feel free to contact me at any time if you have any questions or concerns regarding this information.

Thank you,

Crystal Walker

Regulatory Coordinator ConocoPhillips Lower 48

T: 505-326-9837 | F: 505-599-4086 | M: 505-215-4361 | crystal.walker@cop.com

Visit the new Lower 48 website: www.conocophillipsuslower48.com

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 1301 W. Grand Avenue, Artesia, NM 88210 District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Submit 1 Copy to appropriate District Office to accordance with 19.15.29 NMAC.

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-141 Revised August 8, 2011

			Rele	ease Notific	atio	n and Co	orrective A	ction				
						OPERA	TOR		Initia	al Report	\boxtimes	Final Repor
				Oil & Gas Comp			ystal Walker					
Address 340		St, Farmin	gton, NN	1			No.(505) 326-98	37				
Facility Nat	ne: Hare 4					Facility Typ	e: Gas Well					
Surface Ow	ner: Privat	е		Mineral O	wner:	Federal (SF	-076958)		API No	. 30-045-0)7788	
		311 33 1000		LOCA	TIO	N OF RE	LEASE					
Unit Letter O	Section 25	Township 29N	Range 10W	Feet from the 990		/South Line South	Feet from the 1650	East/Wes		County San Juan		
				le <u>36.692342</u>	Longi	tude <u>-107.</u>	833106					
				NAT	URE	OF REL	EASE					
Type of Rele						Volume of	CL SCOCK RELIGIOUS TO A CANADA			Recovered		
Source of Re	lease					Date and F	Hour of Occurrenc	e D	ate and	Hour of Dis	covery	
Was Immedia	ate Notice G	iven?				If YES, To	Whom?					
1, 45 111114			Yes [No 🛛 Not Re	quired							
By Whom?						Date and H	lour					
Was a Water	course Reach					If YES, Vo	olume Impacting t	he Waterco	ourse.			
		ш	Yes 🛛 1	No								
If a Watercou	ırse was Imp	acted, Descri	ibe Fully.	k								
N/A												
Describe Cau												
No release w	as encounte	red during t	the BGT	Closure.								
Describe Are	a Affected a	nd Cleanup A	Action Tak	cen.*								
N/A												
								= 2				
				is true and compled is true and compled is in the interest of the certain reasons.								
				ce of a C-141 repo								
should their o	perations ha	ve failed to a	dequately	investigate and re	mediat	e contaminati	on that pose a thre	eat to groun	nd water	, surface wa	ter, hu	man health
				tance of a C-141 r	eport d	oes not reliev	e the operator of r	responsibil	ity for co	ompliance v	ith any	y other
federal, state,	or local law	s and/or regu	ilations.				OIL COM	SEDVA	TION	DIMIGIO) N.T.	
Signature:		9 5		1			OIL CONS	SERVA	HON	DIAIPIC	<u>M</u>	
	-	tal (Wal	Ken								
Duinted Norma	Constal W					Approved by	Environmental Sp	pecialist:				
Printed Name	e: Crystai w	aiker					·					
Title: Regula	atory Coord	linator			Ĭ.	Approval Dat	te:	Exp	oiration I	Date:		
E-mail Addre	1001 CW	ystal.walker@	Dean com		3	Conditions of	f Approvel:				n	
E-man Addre	os. Cry	ysiai.waiker(a	geop.com	110		Conditions of	т Арргочаг.			Attached		
Date: 4	1/16	Phone: (505		7								
Attach Addi	tional Sheet	ts If Necess	ary									



Lisa Jones Senior Associate Surface Land ConocoPhillips Company 3401 E. 30th Street PO Box 4289 Farmington, NM 87499-1429 (505) 326-9558

CERTIFIED MAIL – RETURN RECEIPT REQUESTED 9214 7969 0099 9790 1003 0798 40

March 8, 2016

Vonda Stowell 17 Road 4995 Bloomfield, NM 87413

Re: Hare 4

API: 30-045-07788

SWSE Section 25, T29N, R10W San Juan County, New Mexico

Dear Landowner:

Pursuant to New Mexico Administrative Code § 19.15.17.13 (E) (1) operator shall provide the surface owner of the operator's proposal to close a below-grade tank. In compliance with this requirement, please consider this letter as notification that ConocoPhillips intends to re-sample a closed below-grade tank on the subject well pad. The sampling will occur on 3/15/2016.

If you have any questions, please contact the Surface Land Department at (505) 324-6111.

Sincerely,

Lisa Jones



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

March 23, 2016

Emilee Skyles Animas Environmental 604 Pinon Street Farmington, NM 87401 TEL: (505) 564-2281

FAX

RE: COPC HARE 4

OrderNo.: 1603801

Dear Emilee Skyles:

Hall Environmental Analysis Laboratory received 1 sample(s) on 3/16/2016 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

Andy Freeman

Laboratory Manager

Indist

4901 Hawkins NE

Albuquerque, NM 87109

Analytical Report

Lab Order 1603801

Date Reported: 3/23/2016

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Animas Environmental

Client Sample ID: S-1

Project: COPC HARE 4

Collection Date: 3/15/2016 11:36:00 AM

Lab ID: 1603801-001

Matrix: SOIL

Received Date: 3/16/2016 7:45:00 AM

Analyses	Result	PQL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 418.1: TPH					Analyst	: TOM
Petroleum Hydrocarbons, TR	ND	19	mg/Kg	1	3/18/2016	24299
EPA METHOD 300.0: ANIONS					Analyst	: LGT
Chloride	35	30	mg/Kg	20	3/22/2016 1:47:30 AM	24365
EPA METHOD 8021B: VOLATILES					Analyst	: NSB
Benzene	ND	0.024	mg/Kg	1	3/17/2016 10:53:16 AM	24284
Toluene	ND	0.048	mg/Kg	1	3/17/2016 10:53:16 AM	24284
Ethylbenzene	ND	0.048	mg/Kg	1	3/17/2016 10:53:16 AM	24284
Xylenes, Total	ND	0.097	mg/Kg	1	3/17/2016 10:53:16 AM	24284
Surr: 4-Bromofluorobenzene	114	80-120	%Rec	1	3/17/2016 10:53:16 AM	24284

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits Page 1 of 4
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#:

1603801

23-Mar-16

Client:

Animas Environmental

Project:

COPC HARE 4

Sample ID MB-24365

SampType: MBLK

TestCode: EPA Method 300.0: Anions

Batch ID: 24365

Client ID:

PBS

RunNo: 32963

Prep Date:

3/21/2016

Analysis Date: 3/21/2016

SeqNo: 1011048

Units: mg/Kg HighLimit

Qual

Analyte Chloride

Result ND

PQL SPK value SPK Ref Val %REC LowLimit 1.5

%RPD

RPDLimit

Sample ID LCS-24365

SampType: LCS

Batch ID: 24365

RunNo: 32963

3/21/2016 Prep Date:

LCSS

Analysis Date: 3/21/2016

SeqNo: 1011049

TestCode: EPA Method 300.0: Anions

Units: mg/Kg

%RPD HighLimit

Analyte

Client ID:

Result PQL

94.5

Chloride

14

15.00

SPK value SPK Ref Val %REC LowLimit

110

Qual

RPDLimit

Page 2 of 4

1.5

90

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Sample Diluted Due to Matrix D
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- RPD outside accepted recovery limits R
- % Recovery outside of range due to dilution or matrix S
- В Analyte detected in the associated Method Blank
- E Value above quantitation range J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- Sample container temperature is out of limit as specified

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#:

1603801

23-Mar-16

Client:

Animas Environmental

Project:

COPC HARE 4

Project: COPC	ПАКЕ 4 				
Sample ID MB-24299	SampType: MBLK	TestCode: EPA Method	418.1: TPH		
Client ID: PBS	Batch ID: 24299	RunNo: 32887			
Prep Date: 3/17/2016	Analysis Date: 3/18/2016	SeqNo: 1008187	Units: mg/Kg		
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD	RPDLimit (Qual
Petroleum Hydrocarbons, TR	ND 20				
Sample ID LCS-24299	SampType: LCS	TestCode: EPA Method	418.1: TPH		
Client ID: LCSS	Batch ID: 24299	RunNo: 32887			
Prep Date: 3/17/2016	Analysis Date: 3/18/2016	SeqNo: 1008188	Units: mg/Kg		
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD	RPDLimit	Qual
Petroleum Hydrocarbons, TR	97 20 100.0	0 96.8 83.4	127		
Sample ID LCSD-24299	SampType: LCSD	TestCode: EPA Method	418.1: TPH		
Client ID: LCSS02	Batch ID: 24299	RunNo: 32887			
Prep Date: 3/17/2016	Analysis Date: 3/18/2016	SeqNo: 1008189	Units: mg/Kg		
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD	RPDLimit (Qual
Petroleum Hydrocarbons, TR	100 20 100.0	0 101 83.4	127 4.29	20	A

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits

Page 3 of 4

- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#:

1603801

23-Mar-16

Client:

Animas Environmental

Project:	COPC H	THE T									
Sample ID	MB-24284	SampT	уре: МЕ	BLK	Tes	tCode: El	PA Method	8021B: Vola	tiles		
Client ID:	PBS	Batcl	n ID: 24	284	Б	RunNo: 3	2868				
Prep Date:	3/16/2016	Analysis D	Date: 3/	17/2016	S	SeqNo: 10	007424	Units: mg/h	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene		ND	0.025								
Toluene		ND	0.050								
Ethylbenzene		ND	0.050								
Xylenes, Total		ND	0.10								
Surr: 4-Bron	nofluorobenzene	1.2		1.000		117	80	120			
Sample ID	LCS-24284	SampT	ype: LC	s	Tes	tCode: EF	PA Method	8021B: Vola	tiles		
Client ID:	LCSS	Batcl	n ID: 24	284	Б	RunNo: 3	2868				
Prep Date:	3/16/2016	Analysis E)ate: 3/	17/2016	8	SeqNo: 10	007426	Units: mg/k	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene		1.1	0.025	1.000	0	108	80	120			
Toluene		1.0	0.050	1.000	0	101	80	120			
Ethylbenzene		1.0	0.050	1.000	0	101	80	120			
Xylenes, Total		3.0	0.10	3.000	0	100	80	120			
Surr: 4-Bron	nofluorobenzene	1.2		1.000		120	80	120			
CONTRACTOR OF THE STATE OF		1/2/5025		\$5500 600		120					
Sample ID	1603796-001AMS	SampT	уре: МS	ESC. 100	Tes			8021B: Vola	tiles		
Sample ID Client ID:	1603796-001AMS BatchQC	1.200.00.000.000	ype: M \$	\$ 100 miles	25 5030		A Method		tiles		
	BatchQC	1.200.00.000.000	n ID: 24	5 284	F	tCode: EF	PA Method 2868				
Client ID:	BatchQC	Batcl	n ID: 24	3 284 17/2016	F	tCode: EF	PA Method 2868	8021B: Vola		RPDLimit	Qual
Client ID: Prep Date:	BatchQC	Batcl Analysis D	n ID: 24 Date: 3 /	3 284 17/2016	F	tCode: EF RunNo: 33 SeqNo: 10	PA Method 2868 007429	8021B: Vola	(g	RPDLimit	Qual
Client ID: Prep Date: Analyte	BatchQC	Batcl Analysis D Result	n ID: 24 . Date: 3/ PQL	5 284 17/2016 SPK value	SPK Ref Val	tCode: ER RunNo: 3: SeqNo: 10 %REC	PA Method 2868 007429 LowLimit	8021B: Vola Units: mg/K HighLimit	(g	RPDLimit	Qual
Client ID: Prep Date: Analyte Benzene	BatchQC	Batch Analysis D Result 1.1	PQL 0.024	SPK value 0.9488	SPK Ref Val	tCode: EF RunNo: 33 SeqNo: 10 %REC 117	PA Method 2868 007429 LowLimit 71.5 71.2	8021B: Volate Units: mg/k HighLimit 122	(g	RPDLimit	Qual
Client ID: Prep Date: Analyte Benzene Toluene	BatchQC 3/16/2016	Batch Analysis D Result 1.1 1.1	PQL 0.024 0.047	SPK value 0.9488 0.9488	SPK Ref Val	tCode: ER RunNo: 33 SeqNo: 10 %REC 117 111	PA Method 2868 007429 LowLimit 71.5 71.2	8021B: Volar Units: mg/k HighLimit 122 123	(g	RPDLimit	Qual
Client ID: Prep Date: Analyte Benzene Toluene Ethylbenzene Xylenes, Total	BatchQC 3/16/2016	Batch Analysis D Result 1.1 1.1	PQL 0.024 0.047	284 17/2016 SPK value 0.9488 0.9488 0.9488	SPK Ref Val 0 0 0	RunNo: 3: BeqNo: 10 %REC 117 111 112	PA Method 2868 007429 LowLimit 71.5 71.2 75.2	8021B: Volati Units: mg/k HighLimit 122 123 130	(g	RPDLimit	Qual
Client ID: Prep Date: Analyte Benzene Toluene Ethylbenzene Xylenes, Total Surr: 4-Bron	BatchQC 3/16/2016	Batcl Analysis D Result 1.1 1.1 1.1 3.2 1.1	PQL 0.024 0.047	284 17/2016 SPK value 0.9488 0.9488 0.9488 2.846 0.9488	SPK Ref Val 0 0 0 0	RunNo: 33 SeqNo: 10 %REC 117 111 112 112 118	PA Method 2868 007429 LowLimit 71.5 71.2 75.2 72.4 80	8021B: Volati Units: mg/k HighLimit 122 123 130 131	% RPD	RPDLimit	Qual
Client ID: Prep Date: Analyte Benzene Toluene Ethylbenzene Xylenes, Total Surr: 4-Bron	BatchQC 3/16/2016	Result 1.1 1.1 1.1 3.2 1.1 C SampT	PQL 0.024 0.047 0.047 0.095	SPK value 0.9488 0.9488 0.9488 2.846 0.9488	SPK Ref Val 0 0 0 0 Tes	RunNo: 33 SeqNo: 10 %REC 117 111 112 112 118	PA Method 2868 207429 LowLimit 71.5 71.2 75.2 72.4 80	8021B: Volate Units: mg/k HighLimit 122 123 130 131 120	% RPD	RPDLimit	Qual
Client ID: Prep Date: Analyte Benzene Toluene Ethylbenzene Xylenes, Total Surr: 4-Bron	BatchQC 3/16/2016 nofluorobenzene 1603796-001AMSI BatchQC	Result 1.1 1.1 1.1 3.2 1.1 C SampT	PQL 0.024 0.024 0.047 0.047 0.095 Type: MS	SPK value 0.9488 0.9488 0.9488 2.846 0.9488	SPK Ref Val 0 0 0 0 0	RunNo: 32 SeqNo: 10 %REC 117 111 112 112 118 tCode: EF	PA Method 2868 207429 LowLimit 71.5 71.2 75.2 72.4 80 PA Method 2868	8021B: Volate Units: mg/k HighLimit 122 123 130 131 120	%RPD	RPDLimit	Qual
Client ID: Prep Date: Analyte Benzene Toluene Ethylbenzene Xylenes, Total Surr: 4-Bron Sample ID Client ID:	BatchQC 3/16/2016 nofluorobenzene 1603796-001AMSI BatchQC	Result 1.1 1.1 1.1 3.2 1.1 C SampT Batcl	PQL 0.024 0.024 0.047 0.047 0.095 Type: MS	SPK value 0.9488 0.9488 0.9488 2.846 0.9488	SPK Ref Val 0 0 0 0 0	RunNo: 33 SeqNo: 10 %REC 117 111 112 112 118 Code: EF	PA Method 2868 207429 LowLimit 71.5 71.2 75.2 72.4 80 PA Method 2868	8021B: Volar Units: mg/k HighLimit 122 123 130 131 120 8021B: Volar	%RPD	RPDLimit RPDLimit	Qual
Client ID: Prep Date: Analyte Benzene Toluene Ethylbenzene Xylenes, Total Surr: 4-Bron Sample ID Client ID: Prep Date:	BatchQC 3/16/2016 nofluorobenzene 1603796-001AMSI BatchQC	Result 1.1 1.1 1.1 3.2 1.1 D SampT Batcl	PQL 0.024 0.047 0.047 0.095 Type: MS	SPK value 0.9488 0.9488 0.9488 2.846 0.9488	SPK Ref Val 0 0 0 0 Tes	RunNo: 3: SeqNo: 10 %REC 117 111 112 112 118 Code: EF	PA Method 2868 007429 LowLimit 71.5 71.2 75.2 72.4 80 PA Method 2868 007430	8021B: Volar Units: mg/k HighLimit 122 123 130 131 120 8021B: Volar Units: mg/k	%RPD		
Client ID: Prep Date: Analyte Benzene Toluene Ethylbenzene Xylenes, Total Surr: 4-Bron Sample ID Client ID: Prep Date: Analyte	BatchQC 3/16/2016 nofluorobenzene 1603796-001AMSI BatchQC	Batcl Analysis E Result 1.1 1.1 1.1 3.2 1.1 D SampT Batcl Analysis E Result	PQL 0.024 0.047 0.047 0.095 Type: MS a ID: 24 PQL	SPK value 0.9488 0.9488 0.9488 2.846 0.9488 6D 284 17/2016 SPK value	SPK Ref Val 0 0 0 0 Tes F	RunNo: 3: SeqNo: 10 %REC 117 111 112 112 118 CCode: EF RunNo: 3: SeqNo: 10 %REC	PA Method 2868 007429 LowLimit 71.5 71.2 75.2 72.4 80 PA Method 2868 007430 LowLimit	8021B: Volar Units: mg/k HighLimit 122 123 130 131 120 8021B: Volar Units: mg/k HighLimit	%RPD tiles %RPD	RPDLimit	
Client ID: Prep Date: Analyte Benzene Toluene Ethylbenzene Xylenes, Total Surr: 4-Bron Sample ID Client ID: Prep Date: Analyte Benzene	BatchQC 3/16/2016 nofluorobenzene 1603796-001AMSI BatchQC	Batcl Analysis D Result 1.1 1.1 1.1 3.2 1.1 D SampT Batcl Analysis D Result 1.1	PQL 0.024 0.047 0.047 0.095 Type: MS Date: 3/ PQL 0.024	SPK value 0.9488 0.9488 0.9488 2.846 0.9488 6D 284 17/2016 SPK value 0.9579	SPK Ref Val 0 0 0 0 Tes: F SSPK Ref Val 0	RunNo: 3: SeqNo: 10 %REC 117 111 112 112 118 CCode: ER RunNo: 3: SeqNo: 10 %REC 119	PA Method 2868 007429 LowLimit 71.5 71.2 75.2 72.4 80 PA Method 2868 007430 LowLimit 71.5	8021B: Volar Units: mg/k HighLimit 122 123 130 131 120 8021B: Volar Units: mg/k HighLimit 122	%RPD tiles %RPD 2.44	RPDLimit 20	
Client ID: Prep Date: Analyte Benzene Toluene Ethylbenzene Xylenes, Total Surr: 4-Bron Sample ID Client ID: Prep Date: Analyte Benzene Toluene	BatchQC 3/16/2016 nofluorobenzene 1603796-001AMSI BatchQC 3/16/2016	Result 1.1 1.1 1.1 3.2 1.1 D SampT Batcl Analysis E Result 1.1 1.1	PQL 0.024 0.047 0.095 Type: MS par ID: 24 0.024 0.024 0.024 0.024 0.024	SPK value 0.9488 0.9488 0.9488 2.846 0.9488 6D 284 17/2016 SPK value 0.9579 0.9579	SPK Ref Val 0 0 0 0 Tes F S SPK Ref Val 0 0	tCode: EF RunNo: 3: SeqNo: 10 %REC 117 111 112 112 118 tCode: EF RunNo: 3: SeqNo: 10 %REC 119 113	PA Method 2868 007429 LowLimit 71.5 71.2 75.2 72.4 80 PA Method 2868 007430 LowLimit 71.5 71.2	8021B: Volar Units: mg/k HighLimit 122 123 130 131 120 8021B: Volar Units: mg/k HighLimit 122 123	%RPD tiles %RPD 2.44 2.77	RPDLimit 20 20	

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- RPD outside accepted recovery limits R
- % Recovery outside of range due to dilution or matrix
- В Analyte detected in the associated Method Blank
- Е Value above quantitation range
- J Analyte detected below quantitation limits

Page 4 of 4

- P Sample pH Not In Range
- Reporting Detection Limit
- Sample container temperature is out of limit as specified



Hall Environmental Analysis Laboratory 4901 Hawkins NE

Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4167 Website: www.hallenvironmental.com

Sample Log-In Check List

ReptNo: 1 Work Order Number: 1603801 Client Name: Animas Environmental 02/14/16 Received by/date: 3/16/2016 7:45:00 AM Logged By: Lindsay Mangin Completed By: Lindsay Mangin 3/16/2016 10:51:05 AM Reviewed By: 03/16/10 10 Chain of Custody No | Not Present V Yes 1. Custody seals intact on sample bottles? Yes V No | Not Present 2. Is Chain of Custody complete? 3. How was the sample delivered? Log In No 🗌 NA Yes V 4. Was an attempt made to cool the samples? NA 🗌 No 5. Were all samples received at a temperature of >0° C to 6.0°C No 🗌 Yes 🗸 Sample(s) in proper container(s)? No 🗌 Yes V 7. Sufficient sample volume for indicated test(s)? No 🗌 Yes V 8. Are samples (except VOA and ONG) properly preserved? NA | No V Yes 9. Was preservative added to bottles? No 🗌 No VOA Vials V 10. VOA via's have zero headspace? Yes No V 11. Were any sample containers received broken? # of preserved bottles checked No 🗌 for pH: 12. Does paperwork match bottle labels? Yes 🗸 (<2 or >12 unless noted) (Note discrepancies on chain of custody) Adjusted? No | 13. Are matrices correctly identified on Chain of Custody? No 🗌 Yes V 14. Is it clear what analyses were requested? No 🗌 Checked by Yes V 15. Were all holding times able to be met? (If no, notify customer for authorization.) Special Handling (if applicable) Yes NA 🗌 No V 16. Was client notified of all discrepancies with this order? Date Person Notified: Via: eMail Phone Fax In Person By Whom: Regarding: Clent Instructions: 17. Additional remarks:

18. Cooler Information

	RY									(N 1	0,	Y) səlddu8 ıiA										
HALL ENVIRONMENTAL	ANALYSIS LABORATORY	ntal.com	ue, NM 87109	Fax 505-345-4107	lest		•															
I ENVIR	ILYSIS L	www.hallenvironmental.com	4901 Hawkins NE - Albuquerque, NM 87109		Analysis Request														co Phillips		oearman	
HAI	ANA	ww	4901 Hawkins	Tel. 505-345-3975							۲.٤	BTEX - 8021E TPH - EPA 418 Chlorides - 30	×××		-				Remarks: Bill to Conoco Phillips WO # 21340555	Supervisor: Mars	OSERID: MASPENC Area: 2 Ordered by: Bobby Spearman	
_					RE 4							TERNO.	100-						 Time	``	Date Time A	_
<u> </u>	□ Rush_				COPC HARE 4	jer.	E. Skyles		CL 1070	erature 77		Preservative Type	cool						. , ,	Jaeles		15
TUTH-ATOUTE TITLE		Project Name:		Project #:		Project Manag			Sampler: CL/O		entropies (handelen entropies	Container Type and #	1 - 4 oz.						Received by:	12/2/	Received by:	Х.
Chain-of-Custody Record	Animas Environmental Services, LLC		inon St.	Farmington, NM 87401		eskyles@animasenvironmental.com Project Manager.		□ Level 4 (Full Validation)				Sample Request ID	8-1						4 /	Jul Work		W.W.W.LAir
f-Cust	s Environ		604 W Pinon St	Farming	-2281	eskyles@			Š			Matrix	SOIL						Refinquished by:	Nellelle	Relinquished by:	
hain-o	Anima		ddress:		505-564-2281	-ax#:	ckage:	ard	tion:	Type)) j. j.	Time	11:36						Time:	12	Time:	101
ರ	Client:		Mailing Address:		Phone #:	Email or Fax#:	QA/QC Package:	X Standard	Accreditation:	EDD (Type)		Date	3/15/16				0.		Date:	115/10	Date: Time:	

Walker, Crystal

From:

Walker, Crystal

Sent:

Tuesday, March 08, 2016 9:14 AM

To:

Cory Smith; Jonathan Kelly; Katherina Diemer (kdiemer@blm.gov); Flaniken, Jon

(mflanike@blm.gov)

Cc:

Busse, Dollie L; Farrell, Larissa L; Roberts, Kelly G; Walker, Crystal; SJBU E-Team; Coats,

Nathan W; Notor, Lori

Subject:

BGT Re-Sample Notification for sampling 3/14 & 3/15

Good morning,

The following locations contained below-grade tanks that require re-sampling, which is scheduled for Monday, March 14th and Tuesday, March 15th will begin at 9:00am at the first location and continue to the next.

PHILLIPS COM 1E PINON MESA A 100* MCCORD 104S HUDSON 2	3/14/2016 3/14/2016 3/14/2016
ACCORD 104S	3/14/2016
ILIDSON 3	
IUDJUN Z	3/14/2016
CORNELL 1R	3/14/2016
MURPHY 1	3/15/2016
GRENIER A 2R	3/15/2016
IARE 15M	3/15/2016
IARE 4	3/15/2016
DELO 9	3/15/2016
	MURPHY 1 GRENIER A 2R HARE 15M HARE 4

Please feel free to contact me at any time if you have any questions or concerns regarding this information.

Thank you,

Crystal Walker

Regulatory Coordinator ConocoPhillips Lower 48

T: 505-326-9837 | F: 505-599-4086 | M: 505-215-4361 | crystal.walker@cop.com

Visit the new Lower 48 website: www.conocophillipsuslower48.com



