District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr.

Form C-144 Revised June 6, 2013

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.

For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Santa Fe, NM 87505 **RECEIVED** Pit, Below-Grade Tank, or By kcollins at 3:32 pm, May 23, 2016 Proposed Alternative Method Permit or Closure Plan Application Below grade tank registration Type of action: Permit of a pit or proposed alternative method Closure of a pit, below-grade tank, or proposed alternative method 15337 Modification to an existing permit/or registration Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances. **BGT CLOSED** Operator: Burlington Resources Oil & Gas Company, LP OGRID #: 14538 PRIOR TO Address: PO BOX 4289, Farmington, NM 87499 CLOSURE PLAN Facility or well name: Hudson 2 APPROVAL OCD Permit Number: API Number: <u>30-045-08950</u> U/L or Qtr/Qtr P Section 34 Township 30N Range 12W County: San Juan Center of Proposed Design: Latitude 36.76531 N Longitude -108.07737 N NAD: ☐ 1927 ☐ 1983 Surface Owner: ☐ Federal ☐ State ☒ Private ☐ Tribal Trust or Indian Allotment Pit: Subsection F, G or J of 19.15.17.11 NMAC Temporary: Drilling Workover ☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A ☐ Multi-Well Fluid Management ☐ Low Chloride Drilling Fluid ☐ yes ☐ no ☐ Lined ☐ Unlined Liner type: Thickness mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other ☐ String-Reinforced Liner Seams: Welded Factory Other Volume: bbl Dimensions: L x W x D Below-grade tank: Subsection I of 19.15.17.11 NMAC bbl Type of fluid: Produced Water 120 Tank Construction material: Metal ☐ Secondary containment with leak detection ☒ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off ☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other mil HDPE PVC Other <u>UNSPECIFIED</u> Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital,

Four foot height, four strands of barbed wire evenly spaced between one and four feet

institution or church)

Alternate. Please specify

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)									
Screen Netting Other									
Monthly inspections (If netting or screening is not physically feasible)									
7.									
Signs: Subsection C of 19.15.17.11 NMAC									
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers									
☐ Signed in compliance with 19.15.16.8 NMAC									
8. X									
Variances and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.									
Please check a box if one or more of the following is requested, if not leave blank:									
☐ Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.									
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.									
9.									
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acce,	ntable source								
material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.									
General siting									
Cusund water is less than 25 feet below the bettem of a law ablavide temporary pit as below grade tank	D Vas D Na								
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank. - □ NM Office of the State Engineer - iWATERS database search; □ USGS; □ Data obtained from nearby wells	Yes No								
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No								
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No								
Within the area overlying a subsurface mine. (Does not apply to below grade tanks) - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No								
 Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No								
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	☐ Yes ☐ No								
Below Grade Tanks									
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured									
from the ordinary high-water mark).	☐ Yes ☑ No								
- Topographic map; Visual inspection (certification) of the proposed site									
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☑ No								
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)									
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No								
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial	☐ Yes ☐ No								
 application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 									
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No								

Within 100 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Temporary Pit Non-low chloride drilling fluid								
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No							
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Within 300 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Permanent Pit or Multi-Well Fluid Management Pit								
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No							
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:								
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the docattached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 and 19.15.17.13 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number: or Permit Number:	.15.17.9 NMAC							

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the	doormants and
attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
13. Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method	luid Management Pit
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached. □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. I 19.15.17.10 NMAC for guidance.	
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	0.0000000000000000000000000000000000000

adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality										
	☐ Yes ☐ No									
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No									
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 										
Within a 100-year floodplain FEMA map	Yes No									
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC										
Operator Application Certification:										
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and bel	ief.									
Name (Print): Title:										
Signature: Date:										
e-mail address:										
18. OCD Approval: Permit Application (including closure plan) Closure Plan OCD Conditions (see attachment)										
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)	016									
OCD Approval: Permit Application (including closure plan) X Closure Plan (only) OCD Conditions (see attachment)	016									
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 7/12/2	the closure report.									
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 7/12/2 Title: Compliance Officer OCD Permit Number: OCD Permit Number: 19. Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed.	the closure report.									

22. Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Crystal Walker Title: Regulatory Coordinator
Signature: Date: 5/9/2016
e-mail address: <u>_crystal.walker@cop.com</u> Telephone: <u>(505) 326-9837</u>

Burlington Resources Oil & Gas Company, LP San Juan Basin Below Grade Tank Closure Report

Lease Name: Hudson 2 API No.: 30-045-08950

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the below-grade tank referenced above. All proper documentation regarding closure activities is being included with the C-144.

General Plan:

1. BR shall close a below-grade tank within 60 days of cessation of operations per Subsection G.4 of 19.15.17.13 NMAC. This will include a) below-grade tanks that do not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC within five years, if not retrofitted to comply with Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC; b) an earlier date that the division requires because of imminent danger to fresh water, public health or the environment. For any closure, BR will file the C144 Closure Report as required.

The below-grade tank referenced above was permitted and closed within 60 days of cessation of the below-grade tanks operation.

2. BR shall remove liquids and sludge from a below-grade tank prior to implementing a closure method and shall dispose of the liquids and sludge in a division-approved facility. The facilities to be used will be Basin Disposal (Permit #NM-01-005), JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) and Envirotech Land Farm (Permit #NM-01-011). The liner after being cleaned well (Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC) will be disposed of at the San Juan County Regional Landfill located on CR 3100.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B). The liner was cleaned per Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC was disposed of at the San Juan County Regional Landfill located on CR 3100.

3. BR will receive prior approval to remove the below-grade tank and dispose of it in a division-approved facility or recycle, reuse, or reclaim it in a manner that the appropriate division district office approves.

The below-grade tank was disposed of in a division-approved manner.

4. If there is any on-site equipment associated with a below-grade tank, then BR shall remove the equipment, unless the equipment is required for some other purpose.

All on-site equipment associated with the below-grade tank was removed.

5. BR will test the soils beneath the below-grade tank to determine whether a release has occurred. BR shall collect, at a minimum, a five point, composite sample; collect individual grab samples from any area that is wet, discolored or showing other evidence of a release; and analyzed for the constituents listed in Table I of 19.15.17.13 NMAC. COPC shall notify the division of its results on form C-141.

A five point composite sample was taken of the below-grade tank using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached). Form C-141 is attached.

Components	Tests Method	Limit (mg/kg)		
Benzene	EPA SW-846 8021B or 8260B	0.2		
BTEX	EPA SW-846 8021B or 8260B	50		
TPH	EPA SW-846 418.1	100		
Chlorides	EPA 300.0	250		

6. If BR or the division determines that a release has occurred, then BR shall comply with 19.15.3.116 NMAC and 19.15.1.19 NMAC, as appropriate.

A release was not determined for the above referenced well.

7. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Table I of 19.15.17.13 NMAC, then BR shall backfill the excavation with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover; recontour and re-vegetate the site.

The below-grade tank area passed all requirements of Paragraph (4) of Subsection E of 19.15.17.13 NMAC and was backfilled with compacted, non-waste containing, earthen material.

- 8. Notice of Closure will be given prior to closure to the Aztec Division office between 72 hours and one week via email or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

9. The surface owner shall be notified of BR's closing of the below-grade tank 72 hours, but not more than one week, prior to closure as per the approved closure plan via certified mail, return receipt requested.

The closure process notification to the landowner was sent via certified mail. (See Attached) (Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

10. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The below-grade tank area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Re-shaping including drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

11. BR shall seed the disturbed areas the first favorable growing season following closure of a below-grade tank. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM stipulated seed mixes will used on federally regulated lands and division-approved seed mixtures (administratively approved if required) will be utilized on all State or private lands. A uniform vegetative cover has been established that reflects a life-form ratio of plus or minus fifty percent (50%) of pre- disturbance levels and a total percent plant cover of at least seventy percent (70%) of pre-disturbance levels, excluding noxious weeds. If alternate seed mix is required by the state, private owner or tribe, it will be implemented with administrative approval if needed. COPC will repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

12. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material, with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.

The below-grade tank area was backfilled and more than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

- 13. All closure activities will include proper documentation and be available for review upon request and will be submitted to OCD within 60 days of closure of the below-grade tank. Closure report will be filed on C-144 and incorporate the following:
 - Soil Backfilling and Cover Installation (See Report)
 - Re-vegetation application rates and seeding techniques (See Report)
 - Photo documentation of the site reclamation (Included as an attachment)
 - Confirmation Sampling Results (Included as an attachment)
 - Proof of closure notice (Included as an attachment)

Walker, Crystal

From:

Walker, Crystal

Sent:

Tuesday, March 08, 2016 9:14 AM

To:

Cory Smith; Jonathan Kelly; Katherina Diemer (kdiemer@blm.gov); Flaniken, Jon

(mflanike@blm.gov)

Cc:

Busse, Dollie L; Farrell, Larissa L; Roberts, Kelly G; Walker, Crystal; SJBU E-Team; Coats,

Nathan W; Notor, Lori

Subject:

BGT Re-Sample Notification for sampling 3/14 & 3/15

Good morning,

The following locations contained below-grade tanks that require re-sampling, which is scheduled for Monday, March 14th and Tuesday, March 15th will begin at 9:00am at the first location and continue to the next.

Sampling Order	Name	Sampling Date
1	PHILLIPS COM 1E	3/14/2016
2	PINON MESA A 100*	3/14/2016
3	MCCORD 104S	3/14/2016
4	HUDSON 2	3/14/2016
5	CORNELL 1R	3/14/2016
6	MURPHY 1	3/15/2016
7	GRENIER A 2R	3/15/2016
8	HARE 15M	3/15/2016
9	HARE 4	3/15/2016
10	DELO 9	3/15/2016
*indicates a long v	valk to location due to reclama	tion

Please feel free to contact me at any time if you have any questions or concerns regarding this information.

Thank you,

Crystal Walker

Regulatory Coordinator ConocoPhillips Lower 48

T: 505-326-9837 | F: 505-599-4086 | M: 505-215-4361 | crystal.walker@cop.com

Visit the new Lower 48 website:

www.conocophillipsuslower48.com



Lisa Jones Senior Associate Surface Land ConocoPhillips Company 3401 E. 30th Street PO Box 4289 Farmington, NM 87499-1429 (505) 326-9558

CERTIFIED MAIL – RETURN RECEIPT REQUESTED 9214 7969 0099 9790 1003 0800 75

March 8, 2016

John S. Scott Trust 1110 W. Aztec Blvd. Unit 4 Aztec, NM 87410

Re: HUDSON 2

API: 30-045-08950

SESE Section 34, T30N, R12W San Juan County, New Mexico

Dear Landowner:

Pursuant to New Mexico Administrative Code § 19.15.17.13 (E) (1) operator shall provide the surface owner of the operator's proposal to close a below- grade tank. In compliance with this requirement, please consider this letter as notification that ConocoPhillips intends to re-sample a closed below-grade tank on the subject well pad. The sampling will occur on 3/14/2016.

If you have any questions, please contact the Surface Land Department at (505) 324-6111.

Sincerely,

Lisa Jones

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit 1 Copy to appropriate District Office to accordance with 19.15.29 NMAC.

Form C-141 Revised August 8, 2011

			Rele	ase Notific	atio	n and Co	orrective A	ction					
						OPERATOR Initial Report Final Re						Report	
				Oil & Gas Co.		Contact Crystal Walker							
Address 340			gton, NM			Telephone No.(505) 326-9837							
Facility Na	Facility Name: Hudson 2						Facility Type: Gas Well						
Surface Ow	ner FEE			Mineral O	wner	FEE		A	PI No	0. 30-045-	08950		
				LOCA		N OF RE	LEASE			-			
Unit Letter P	Section 34	Township 30N	Range 12W	Feet from the	North	/South Line	Feet from the	East/West	Line	County San Juan	ĭ		
			Latit	ude 36.76531		Longitu	de <u>-108.0773</u>	7					
						OF REL	*	-					
Type of Rele	ase			* ***		Volume of	V. TVI 110	Vo	lume I	Recovered			
Source of Re						Date and I	Iour of Occurrenc			Hour of Di	scovery		
Was Immedia	ate Notice G	liven?				If YES, To	Whom?						
			Yes	No 🛛 Not Re	quired								
By Whom?						Date and I	Hour						
Was a Water	course Reac					If YES, Vo	olume Impacting t	he Watercou	ırse.				
			Yes 🛛 1	10									
If a Watercou	ırse was Imp	oacted, Descri	ibe Fully.*										
N/A			8)										
Describe Cau	se of Proble	em and Remed	dial Action	Taken.*									
No release w	as encount	ered during t	the BGT (Closure.									
Describe Are	a Affected a	and Cleanup /	Action Tak	en.*									
N/A													
						W 12 20	(S) (S) (A) (1						
				is true and compl									
				d/or file certain re e of a C-141 repor									
should their o	perations ha	ave failed to a	dequately	investigate and re	mediat	te contaminati	on that pose a thre	eat to ground	d water	r, surface w	ater, hu	man heal	lth
or the environ	nment. In ac	ddition, NMO	CD accep	tance of a C-141 r	eport d	loes not reliev	e the operator of	responsibilit	y for c	ompliance v	with any	y other	
federal, state,	or local lav	vs and/or regu	ılations.				OII COM	OEDWAT	TONT	DIMIGIA)NI		
Signature:		1 1	g ar sa	0			OIL CON	SEKVA1	ION	DIA1210	<u>JIV</u>		
<	-	tal	Wal	kee									
					Approved by	Environmental S	pecialist:						
Printed Name	e: Crystal W	vaiker		***************************************		,							
Title: Regula	tory Coordi	nator				Approval Dat	te:	Expi	ration	Date:			
E-mail Addre	egg envetal	walker@con	com			Conditions of	f Approval:				w		
	1			4.70-1077		Conditions 01	трргочан		Attached				
Date: 5/9	12016	Phone: (505	326-983	7									
Attach Addi	donal Shee	ts If Necess	ary										



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

April 29, 2016

Emilee Skyles
Animas Environmental
604 Pinon Street
Farmington, NM 87401
TEL: (505) 564-2281

FAX

RE: COPC HUDSON 2

OrderNo.: 1604A78

Dear Emilee Skyles:

Hall Environmental Analysis Laboratory received 1 sample(s) on 4/23/2016 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

Andy Freeman

Laboratory Manager

andyl

4901 Hawkins NE

Albuquerque, NM 87109

Analytical Report

Lab Order 1604A78

Date Reported: 4/29/2016

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Animas Environmental

Project: COPC HUDSON 2

Lab ID: 1604A78-001

Client Sample ID: S-1

Collection Date: 4/22/2016 9:55:00 AM

Received Date: 4/23/2016 8:45:00 AM

Analyses	Result PQL Qual Units		al Units	DF	Date Analyzed	Batch
EPA METHOD 418.1: TPH					Analyst	: TOM
Petroleum Hydrocarbons, TR	87	19	mg/Kg	1	4/27/2016	24991
EPA METHOD 300.0: ANIONS					Analyst	: LGT
Chloride	ND	30	mg/Kg	20	4/27/2016 4:16:15 PM	25044
EPA METHOD 8021B: VOLATILES					Analyst	: NSB
Benzene	ND	0.023	mg/Kg	1	4/28/2016 8:10:44 PM	25013
Toluene	ND	0.047	mg/Kg	1	4/28/2016 8:10:44 PM	25013
Ethylbenzene	ND	0.047	mg/Kg	1	4/28/2016 8:10:44 PM	25013
Xylenes, Total	ND	0.093	mg/Kg	1	4/28/2016 8:10:44 PM	25013
Surr: 4-Bromofluorobenzene	98.5	80-120	%Rec	1	4/28/2016 8:10:44 PM	25013

Matrix: SOIL

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits Page 1 of 5
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#:

1604A78 29-Apr-16

Client:

Animas Environmental

Project:

COPC HUDSON 2

Sample ID MB-25044

SampType: MBLK

TestCode: EPA Method 300.0: Anions

Client ID:

PBS

Batch ID: 25044

RunNo: 33845

Prep Date:

Result

SeqNo: 1042570

Units: mg/Kg

Analyte

4/27/2016

Analysis Date: 4/27/2016 PQL

%REC LowLimit

HighLimit

Qual

Chloride

ND 1.5

Sample ID LCS-25044

SampType: LCS

TestCode: EPA Method 300.0: Anions

%RPD

LCSS Client ID:

Batch ID: 25044

PQL

1.5

RunNo: 33845

Prep Date: 4/27/2016

Sample ID 1604A38-001AMS

Units: mg/Kg

Analysis Date: 4/27/2016

SeqNo: 1042571

RPDLimit

Result 14 SPK value SPK Ref Val 15.00

%REC 94.9

HighLimit LowLimit 90 110 %RPD **RPDLimit** Qual

Analyte Chloride

SampType: MS

SPK value SPK Ref Val

TestCode: EPA Method 300.0: Anions

Client ID:

BatchQC

Batch ID: 25044

RunNo: 33845

Units: mg/Kg

Prep Date:

4/27/2016

Analysis Date: 4/27/2016

Result

SeqNo: 1042586 %REC

%RPD

Analyte

PQL 1.5

PQL

1.5

SPK value SPK Ref Val 15.00 7.744

LowLimit 96.0 64.2

HighLimit 131 **RPDLimit**

Qual

Qual

Chloride

Client ID:

Prep Date:

Sample ID 1604A38-001AMSD

SampType: MSD Batch ID: 25044 TestCode: EPA Method 300.0: Anions

RunNo: 33845

Analyte

BatchQC 4/27/2016

Analysis Date: 4/27/2016

SeqNo: 1042587

LowLimit

Units: mg/Kg HighLimit

%RPD

RPDLimit

Chloride

Result 22 SPK value SPK Ref Val

15.00

7.744

%REC 92.5

64.2

131

2.45

20

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

Η Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit R RPD outside accepted recovery limits

S % Recovery outside of range due to dilution or matrix Analyte detected in the associated Method Blank

Sample container temperature is out of limit as specified

Value above quantitation range E

J Analyte detected below quantitation limits Page 2 of 5

P Sample pH Not In Range

RL Reporting Detection Limit

Hall Environmental Analysis Laboratory, Inc.

WO#:

1604A78 29-Apr-16

Client:

Animas Environmental

Project:

COPC HUDSON 2

Sample ID MB-24991

SampType: MBLK

TestCode: EPA Method 418.1: TPH

Client ID:

PBS

Batch ID: 24991

PQL

RunNo: 33828

Prep Date:

Analysis Date: 4/27/2016

20

SeqNo: 1042049

Units: mg/Kg

RPDLimit Qual

Analyte

4/26/2016

SPK value SPK Ref Val

%REC LowLimit

HighLimit %RPD

Petroleum Hydrocarbons, TR Sample ID LCS-24991 ND

Result

SampType: LCS

TestCode: EPA Method 418.1: TPH

RunNo: 33828

Prep Date: 4/26/2016

Client ID:

LCSS

Batch ID: 24991 Analysis Date: 4/27/2016

SeqNo: 1042050

Units: mg/Kg

Analyte

Result

PQL SPK value SPK Ref Val 20 100.0

%REC 0 110

LowLimit 83.4 HighLimit 127 **RPDLimit**

Qual

Petroleum Hydrocarbons, TR

110

SampType: LCSD

TestCode: EPA Method 418.1: TPH

Client ID: LCSS02

Sample ID LCSD-24991 Batch ID: 24991

RunNo: 33828

Units: mg/Kg

Analyte

Prep Date: 4/26/2016

Analysis Date: 4/27/2016

20

SeqNo: 1042051 SPK value SPK Ref Val %REC

LowLimit

HighLimit

%RPD **RPDLimit**

Qual

Petroleum Hydrocarbons, TR

Result PQL 110

100.0

0

110

83.4

127

0

%RPD

20

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits S % Recovery outside of range due to dilution or matrix
- Analyte detected in the associated Method Blank
- E Value above quantitation range
- Analyte detected below quantitation limits J
- Page 3 of 5

- P Sample pH Not In Range
- RL Reporting Detection Limit
- Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#: 1604A78

29-Apr-16

Client: Project:		Invironmen UDSON 2	ntal								
Sample ID	MB-25015	SampTy	уре: МІ	BLK	Tes	tCode: El	PA Method	8021B: Vola	tiles		
Client ID:	PBS	Batch ID: 25015			F	RunNo: 3	3826				
Prep Date:	4/26/2016	Analysis Da	ate: 4	/27/2016	9	SeqNo: 1	042402	Units: %Re	С		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Brom	ofluorobenzene	0.99		1.000		99.1	80	120			
Sample ID	LCS-25015	SampTy	ype: LC	s	Tes	tCode: El	PA Method	8021B: Vola	tiles		
Client ID:	LCSS	Batch	ID: 25	015	F	tunNo: 3	3826				
Prep Date:	4/26/2016	Analysis Da	ate: 4	/27/2016	8	SeqNo: 1	042403	Units: %Re	С		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Brom	ofluorobenzene	1.0		1.000		105	80	120			
Sample ID	MB-25013 SampType: MBLK				Tes	Code: El	PA Method	8021B: Vola	tiles		
Client ID:	PBS	Batch ID: 25013			F	tunNo: 3	3826				
Prep Date:	4/26/2016	Analysis Date: 4/27/2016			S	eqNo: 1	042404	Units: mg/K	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene		ND	0.025								
Toluene		ND	0.050								
Ethylbenzene		ND	0.050								
Xylenes, Total		ND	0.10								
Surr: 4-Brom	ofluorobenzene	1.0		1.000		101	80	120			
Sample ID	LCS-25013	SampTy	ype: LC	s	TestCode: EPA Method 8021B: Volatiles						
Client ID:	LCSS	Batch	ID: 25	013	RunNo: 33826						
Prep Date:	4/26/2016	Analysis Da	ate: 4/	27/2016	SeqNo: 1042405 Units: mg/Kg				(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene		0.97	0.025	1.000	0	97.0	75.3	123			
Toluene		0.92	0.050	1.000	0	91.7	80	124			
Ethylbenzene		0.89	0.050	1.000	0	89.1	82.8	121			
Xylenes, Total		2.7	0.10	3.000	0	88.5	83.9	122			
Surr: 4-Brom	ofluorobenzene	1.0		1.000		105	80	120			
Sample ID	1604A78-001AMS	SampTy	/pe: M \$	3	Tes	Code: El	PA Method	8021B: Volat	tiles		
Client ID:	S-1	Batch	ID: 25	013	R	unNo: 3	3826				
Prep Date:	4/26/2016	Analysis Date: 4/27/2016			SeqNo: 1042406 Units: mg/Kg			(g			
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene		0.99	0.024	0.9690	0	103	71.5	122			
Toluene		0.92	0.048	0.9690	0	95.0	71.2	123			
Ethylbenzene		0.89	0.048	0.9690	0	91.9	75.2	130			
Xylenes, Total		2.6	0.097	2.907	0	90.3	72.4	131			

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

Page 4 of 5

P Sample pH Not In Range

RL Reporting Detection Limit

W Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#:

RPDLimit

1604A78

29-Apr-16

Client:

Animas Environmental

Project:

COPC HUDSON 2

Sample ID 1604A78-001AMS

SampType: MS

TestCode: EPA Method 8021B: Volatiles

LowLimit

80

Client ID:

S-1

Batch ID: 25013

PQL

RunNo: 33826

Prep Date:

%REC

104

Units: mg/Kg

4/26/2016

Result

SPK value SPK Ref Val

Analyte

Analysis Date: 4/27/2016

SeqNo: 1042406

HighLimit

Qual

Surr: 4-Bromofluorobenzene

1.0

0.9690

TestCode: EPA Method 8021B: Volatiles

120

%RPD

Sample ID 1604A78-001AMSD

SampType: MSD

RunNo: 33826

Client ID:

Batch ID: 25013

Units: mg/Kg

Prep Date: 4/26/2016

Analysis Date: 4/27/2016

SeqNo: 1042407

Analyte
Benzene
Toluene
Ethylbenzene

. rep = are madaere	. analysis a site in married to									
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.99	0.024	0.9709	0	102	71.5	122	0.951	20	
Toluene	0.91	0.049	0.9709	0	93.8	71.2	123	1.06	20	
Ethylbenzene	0.88	0.049	0.9709	0	90.7	75.2	130	1.13	20	
Xylenes, Total	2.6	0.097	2.913	0	89.6	72.4	131	0.668	20	
Surr: 4-Bromofluorobenzene	0.99		0.9709		102	80	120	0	0	

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

Holding times for preparation or analysis exceeded Η

Not Detected at the Reporting Limit ND

R RPD outside accepted recovery limits % Recovery outside of range due to dilution or matrix В Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits Page 5 of 5

P Sample pH Not In Range

RL Reporting Detection Limit

Sample container temperature is out of limit as specified



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX; 505-345-4107

Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name.	Animas Environmental	Work Order Number:	1604A78		ReptNo:	1
Received by/da	te: A67	04/03/16				
Logged By:	Lindsay Mangin	4/23/2016 8:45:00 AM		JulyHlago	·	
Completed By:	Lindsay Mangin	4/25/2016 1:28:35 PM		Junky Halige	r	
Reviewed By:	Da o	4/25/16 @	143	0		
Chain of Cus	stody /		1 -1-7	0		
1. Custody sea	als intact on sample bottles	?	Yes	No 🗌	Not Present 🗹	
2. Is Chain of	Custody complete?		Yes 🗸	No 🗔	Not Present	
3. How was th	e sample delivered?		Courier			
Log In						
4. Was an atte	empt made to cool the sam	ples?	Yes 🗸	No 🗌	NA 🗆	
5. Were all sa	mples received at a tempor	ature of >0° C to 6.0°C	Yes 🔽	No 🗆	NA 🗀	
6. Sample(s) i	in proper container(s)?		Yes 🗸	No 🗌		
7. Sufficient sa	ample volume for indicated t	est(s)?	Yes 🗸	No 📙		
8. Are samples	s (except VOA and ONG) pi	operly preserved?	Yes 🗸	No 🗆		
9. Was presen	vative added to bottles?		Yes	No 🗸	na 🗆	
10. VOA vials h	ave zero headspace?		Yes 🗌	No 🗆	No VOA Vials	
11. Were any s	ample containers received l	oraken?	Yes -	No 🗹	# of preserved	
12 Daga canan	work match bottle labels?	v == = = = = = = = = = = = = = = = = =	Yes 🗹	No 🗌	bottles checked of for pH:	
	pancies on chain of custod	()	res 🖭	NO L		>12 unless noted)
	s correctly identified on Cha		Yes 🗸	No 🗌	Adjusted?	
14. Is it clear wh	nat analyses were requested	1?	Yes 🗸	No 🗆		
	ding times able to be met? customer for authorization.)	Yes 🗸	No 🗌	Checked by:	
A V Transit Tr	iling (if applicable)					
16. Was client n	notified of all discrepancies	with this order?	Yes	No 🗆	NA 🗹	
Person	n Notified:	Date				
By Wi		Via:	eMail []	Phone Fax	☐ In Person	
Regar	Name and the same					
	Instructions:					
17. Additional r	emarks:					
18. Cooler Info	and the same of th	Seal Intact Seal No S	ead Data I	Cinnad D. I		
1	1.0 Good	Not Present	Seal Date	Signed By		
•	Acres 10 To 10					

										(N	10	Air Bubbles (Y	1	T	I	T	T	I	T	T	T	T	T	T				7			
HALL ENVIRONMENTAL ANALYSIS LABORATORY																												1			
																												1-1-1			
Ĺ	Z Z		4901 Hawkins NE - Albuquerque, NM 87109	20		_							_			_	_	-	_				_					an an			
7	ğ	Com	NM	Fax 505-345-4107		L									_	_	\vdash	-	-	_	_	_	_					and her			
(ental	dne,	5-34	anes	-										-		+	\vdash	-		_	-	-				homony			
	V	Muo	rdner	ax 5(s Rec	-										_	-	\vdash	-					1				ar alane			
		lenvii	Albu	í.	Analysis Request																			Sdill			ยน	Marie M			
-		www.hallenvironmental.com	핗	3975	An																			등 등	7,		earm	whant de			
4		N/A	kins	Tel. 505-345-3975		_										_								S S	aapho	0	by Sp	orten-r			
			Hay	505-		_		-			0.0	Chlorides - 300	×					_	-				_	유	4055 Sch	ARR	: Bob	Anverig			
			4901	le.		-						TPH - EPA 418	×	-			_	-	-		_		_	rks: E	213, visor.	Ö. Ω.	ed by	MIME			
					_	BTEX - 8021B																-	Remarks: Bill to Conoco Philips	WO # 21340555 Supervisor: Schaaphok	USERID: GARRECD	3rder	ie noee				
										un ki	1	₽0															33 110 08 Us Ordered by: Bobby Spearman	ire of B			
								1				HEALNO.	0							1				Time	133/	Time	\propto	AR But			
	1		N									G HEAL	100-											Date	4/22/11	<u>a</u>	9)	Serve			
ig.	_		SON						1	2/	7 3	,											ă	7.	Ü,-	23	es.				
	□ Rush		COPC HUDSON 2				Sa				ative	70												ć		50	poratori				
 <u></u>			OPC				E. Skyles		ا ا	MI Yes	i i	Preservative Type	cool												100	\$	C	dited la			
Tum-Around Time:	70	ле:		-		ager	ш		리)	A Super	Sample Leuperalure.			_				_	_	_					-		1	er accre			
uno.	ındarı	t Nar		华		t Mar			er:	T a	ט ט	and	4 02.											d Dy:	Mit	- A	/ \	to oth			
*- E	X Standard	Project Name:		Project #:		rojec	ğ		Sampler:	Sample	D D	Container Type and #	Ť								ı			Received by:	-3	Receive	7	ntracted			
		<u>. </u>		ш		mox		_	אןנט	7 0.	,	22-4												<u>æ</u>		447	(F	suppo			
ō	S, L					ntal.c		alidat				est I															6	тау Бе			
Ö	rvice			7401		onme	3	Š				nbə	S-1												1		2	mental			
Re	II Se			M 8		envir	,	7				99	S												Z	-	1	Enviror			
g	enta		nor.	Z,		imas		□ Level 4 (Full Validation)				Sample Request ID												Ų	ر [.	ı.	4	to Hall			
sto	muo.		V Pir	ingto		s@ar	t	_	<u>.</u>	ו ق	-			\dashv					_		4	-		thed by	3	shed by	15	bmitted			
Ç	Animas Environmental Services, LLC		604 W Pinan St.	Farmington, NM 87401	281	eskyles@animasenvironmental.com Project Manager:			, 4 1 1			Matrix	SOIL											Relinquished by:	\mathbb{C}^{0}	Relinquished by:	3	ns sold			
Ġ	as E		©	1	64-2	ά			L	1	╟		10	-	_	-		\dashv		-	-	+		œ	-	œ `	_	unes) i Ku			
Chain-of-Custody Record	Anin		ress:		9#: 505-564-2281	3 装	age:		 .:	ne l	1	T e e	9:55											Time:	3	Time:	1840	finecessary, camples submitted to Hall Environmental may be subcontracted to ottler accredited laboratories. This serves as matter of this most hill. Any enhancement has unit he considered			
	22		lailing Address:							mail or Fax#:	A/QC Package:	Standard	ccreditation:	EDD (Type)		<u>a</u>	36														18
	lient		lailin		hone #:	mail	A/QC	SIS.	SCTE			Date	4/22/16											rije: -	12/10	ţţ.	12				

Photo #1 Client: ConocoPhillips Project Name: Hudson 2 San Juan County, NM Date Photo Taken: April 22, 2016 **BGT GPS and** Location: 36.76531, -108.07737 SE¼ SE¼, Section 34, T30N, R12W Taken by: Subject: BGT sampling, April 2016 Corwin Lameman, Description: Facing N, overview of entire location. **AES**

