For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office. For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Below-Grade Tank, or	RECEIVED By kcollins at 11:54 am, Apr 11, 2016
Proposed Alternative Method Permit or Closure Plan Application	<u>1</u>
14686 Type of action: Below grade tank registration Permit of a pit or proposed alternative method Closure of a pit, below-grade tank, or proposed alternative method Modification to an existing permit/or registration Closure plan only submitted for an existing permitted or non-permitted pit, be or proposed alternative method Submitted for an existing permitted or non-permitted pit, be	elow-grade tank,
Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternati	5-
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface wat environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's runner.	
1. Operator: Burlington Resources Oil & Gas Company, LPOGRID #:14538 Address: PO BOX 4289, Farmington, NM 87499 Facility or well name: GRAMBLING A 9 API Number: OCD Permit Number:	BGT CLOSED PRIOR TO CLOSURE PLAN APPROVAL
U/L or Qtr/Qtr <u>A (NENE)</u> Section <u>28</u> Township <u>28N</u> Range <u>8W</u> County: <u>San Ju</u>	lan
Center of Proposed Design: Latitude <u>36.636696</u> N Longitude <u>-107.680815</u> W NAD: 1927 X 19	
Surface Owner: 🛛 Federal 🗌 State 🗌 Private 🗌 Tribal Trust or Indian Allotment	
2.	
<u>Pit</u> : Subsection F, G or J of 19.15.17.11 NMAC	
Temporary: Drilling Workover	
Permanent Emergency Cavitation P&A Multi-Well Fluid Management Low Chloride Drilling F	fluid 🗌 yes 🗌 no
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other	
String-Reinforced	
Liner Seams: 🗌 Welded 🗋 Factory 🗋 Other Volume:bbl Dimensions: Lx Wx	D
3.	
Below-grade tank: Subsection I of 19.15.17.11 NMAC	
Volume: 120 bbl Type of fluid: Produced Water	
Tank Construction material: <u>Metal</u>	
🔲 Secondary containment with leak detection 🛛 Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off	
Visible sidewalls and liner Visible sidewalls only Other	
Liner type: Thicknessmil HDPE PVC OtherUNSPECIFIED	
 4. Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for 	consideration of approval.
 5. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent resident institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify 	nce, school, hospital,

 6. Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible) 						
 7. Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.16.8 NMAC 						
 <u>Variances and Exceptions:</u> Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. <i>Please check a box if one or more of the following is requested, if not leave blank:</i> Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. 						
^{9,} <u>Siting Criteria (regarding permitting)</u> : 19.15.17.10 NMAC <i>Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below.</i> Siting criteria does not apply to drying pads or above-grade tanks.	ptable source					
General siting						
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank	□ Yes □ No ⊠ NA					
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells						
 Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) Written confirmation or verification from the municipality; Written approval obtained from the municipality 						
Within the area overlying a subsurface mine. (Does not apply to below grade tanks) - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	🗌 Yes 🗌 No					
 Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	🗌 Yes 🗌 No					
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	🗌 Yes 🗌 No					
Below Grade Tanks						
 Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🛛 No					
 Topographic map; Visual inspection (certification) of the proposed site Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 						
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)						
 Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No					
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial	🗌 Yes 🗌 No					
application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image						
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	🗌 Yes 🗌 No					

 Within 100 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No						
Temporary Pit Non-low chloride drilling fluid							
 Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No						
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗌 Yes 🗌 No						
 Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No						
 Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No						
Permanent Pit or Multi-Well Fluid Management Pit							
 Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No						
 Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗌 Yes 🗌 No						
 Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No						
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No						
10. Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC nut 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:							
11.							
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the dot attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 and 19.15.17.13 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:	.15.17.9 NMAC						

12. Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Precboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Precboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Discence or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan						
13. Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well FI Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method	uid Management Pit					
 14. Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC 						
15. <u>Siting Criteria (regarding on-site closure methods only)</u> : 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. P 19.15.17.10 NMAC for guidance.	ce material are lease refer to					
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA					
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ Yes □ No □ NA					
 Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells 	☐ Yes ☐ No ☐ NA					
 Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No					
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗌 Yes 🗌 No					
 Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No					
Written confirmation or verification from the municipality; Written approval obtained from the municipality	🗌 Yes 🗌 No					
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	🗌 Yes 🗌 No					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance						

adopted pursuant to NMSA 1978, Section 3-27-3, as amended.								
- Written confirmation or verification from the municipality; Written approval obtained from the municipality	🗌 Yes 🗌 No							
 Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division 								
Within an unstable area.								
 Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 								
Within a 100-year floodplain. - FEMA map								
 16. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC 								
17. <u>Operator Application Certification</u> :	lief							
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and bel								
Name (Print): Title:								
Signature: Date:	Signature: Date:							
e-mail address: Telephone:								
e-mail address: Telephone:								
18								
18. OCD Approval: Dermit Application (including closure plan) 🛛 Closure Plan (only)- DOCD Conditions (see attachment)								
18. OCD Approval: Permit Application (including closure plan) Image: Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature:								
18. OCD Approval: □ Permit Application (including closure plan) ☑ Closure Plan (only) □ OCD Conditions (see attachment) OCD Representative Signature:	016							
18. OCD Approval: □ Permit Application (including closure plan) ☑ Closure Plan (only) □ OCD Conditions (see attachment) OCD Representative Signature:	016							
18. OCD Approval: □ Permit Application (including closure plan) ☑ Closure Plan (only) □ OCD Conditions (see attachment) OCD Representative Signature:	016 g the closure report. t complete this							
18. OCD Approval: Permit Application (including closure plan) Image: Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature:	016 g the closure report. t complete this oop systems only)							
18. OCD Approval: Permit Application (including closure plan) Image: Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature:	016 g the closure report. t complete this oop systems only)							
18. OCD Approval: Permit Application (including closure plan) Image: Closure Plan (only)- OCD Conditions (see attachment) OCD Representative Signature:	016 g the closure report. t complete this oop systems only)							
18. OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature:	016 g the closure report. t complete this oop systems only)							
18. OCD Approval: Permit Application (including closure plan) Closure Pian (anly)- OCD Conditions (see attachment) OCD Representative Signature:	016 g the closure report. t complete this oop systems only)							
18. OCD Approval: Permit Application (including closure plan) Closure Pian (only) OCD Conditions (see attachment) OCD Representative Signature:	016 g the closure report. t complete this oop systems only)							
18. OCD Approval: Permit Application (including closure plan) Closure Pier (end) OCD Conditions (see attachment) OCD Representative Signature:	016 g the closure report. t complete this oop systems only)							

22. Operator Closure Certification:

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print)	_Crystal Walker	Title:	Regulatory Coordin	nator		
Signature:	Gotal.	Walker	D	Date:	4/1/16	
e-mail address:	crystal.walker@cop.com	Telephone: (505)326-9837		-	

Burlington Resources Oil & Gas Company, LP San Juan Basin Below Grade Tank Closure Report

Lease Name: Grambling A 9 API No.: 30-045-21044

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the below-grade tank referenced above. All proper documentation regarding closure activities is being included with the C-144.

General Plan:

 BR shall close a below-grade tank within 60 days of cessation of operations per Subsection G.4 of 19.15.17.13 NMAC. This will include a) below-grade tanks that do not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years, if not retrofitted to comply with Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC; b) an earlier date that the division requires because of imminent danger to fresh water, public health or the environment. For any closure, BR will file the C144 Closure Report as required.

The below-grade tank referenced above was permitted and closed within 60 days of cessation of the below-grade tanks operation.

 BR shall remove liquids and sludge from a below-grade tank prior to implementing a closure method and shall dispose of the liquids and sludge in a division-approved facility. The facilities to be used will be Basin Disposal (Permit #NM-01-005), JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) and Envirotech Land Farm (Permit #NM-01-011). The liner after being cleaned well (Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC) will be disposed of at the San Juan County Regional Landfill located on CR 3100.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B). The liner was cleaned per Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC was disposed of at the San Juan County Regional Landfill located on CR 3100.

3. BR will receive prior approval to remove the below-grade tank and dispose of it in a division-approved facility or recycle, reuse, or reclaim it in a manner that the appropriate division district office approves.

The below-grade tank was disposed of in a division-approved manner.

4. If there is any on-site equipment associated with a below-grade tank, then BR shall remove the equipment, unless the equipment is required for some other purpose.

All on-site equipment associated with the below-grade tank was removed.

5. BR will test the soils beneath the below-grade tank to determine whether a release has occurred. BR shall collect, at a minimum, a five point, composite sample; collect individual grab samples from any area that is wet, discolored or showing other evidence of a release; and analyzed for the constituents listed in Table I of 19.15.17.13 NMAC. COPC shall notify the division of its results on form C-141.

A five point composite sample was taken of the below-grade tank using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached). Form C-141 is attached.

Components	Tests Method	Limit (mg/kg		
Benzene	EPA SW-846 8021B or 8260B	0.2		
BTEX	EPA SW-846 8021B or 8260B	50		
TPH	EPA SW-846 418.1	100		
Chlorides	EPA 300.0	250		

6. If BR or the division determines that a release has occurred, then BR shall comply with 19.15.3.116 NMAC and 19.15.1.19 NMAC, as appropriate.

A release was not determined for the above referenced well.

7. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Table I of 19.15.17.13 NMAC, then BR shall backfill the excavation with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover; recontour and re-vegetate the site.

The below-grade tank area passed all requirements of Paragraph (4) of Subsection E of 19.15.17.13 NMAC and was backfilled with compacted, non-waste containing, earthen material.

- 8. Notice of Closure will be given prior to closure to the Aztec Division office between 72 hours and one week via email or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

9. The surface owner shall be notified of BR's closing of the below-grade tank 72 hours, but not more than one week, prior to closure as per the approved closure plan via certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached) (Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

10. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The below-grade tank area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Re-shaping including drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

11. BR shall seed the disturbed areas the first favorable growing season following closure of a below-grade tank. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM stipulated seed mixes will used on federally regulated lands and division-approved seed mixtures (administratively approved if required) will be utilized on all State or private lands. A uniform vegetative cover has been established that reflects a life-form ratio of plus or minus fifty percent (50%) of pre- disturbance levels and a total percent plant cover of at least seventy percent (70%) of pre-disturbance levels, excluding noxious weeds. If alternate seed mix is required by the state, private owner or tribe, it will be implemented with administrative approval if needed. COPC will repeat seeding or planting will be continued until successful vegetative growth occurs. Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

12. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material, with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.

The below-grade tank area was backfilled and more than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

- 13. All closure activities will include proper documentation and be available for review upon request and will be submitted to OCD within 60 days of closure of the below-grade tank. Closure report will be filed on C-144 and incorporate the following:
 - Soil Backfilling and Cover Installation (See Report)
 - Re-vegetation application rates and seeding techniques (See Report)
 - Photo documentation of the site reclamation (Included as an attachment)
 - Confirmation Sampling Results (Included as an attachment)
 - Proof of closure notice (Included as an attachment)

Walker, Crystal

From:	Walker, Crystal
Sent:	Thursday, March 10, 2016 12:29 PM
То:	Cory Smith; Jonathan Kelly; Katherina Diemer (kdiemer@blm.gov); Flaniken, Jon (mflanike@blm.gov)
Cc:	GRP:SJBU Regulatory; SJBU E-Team; Farrell, Juanita R; Notor, Lori; 'eskyles@animasenvironmental.com'
Subject:	BGT Re-Sample Notification for sampling 3/16 & 3/17

Good afternoon,

The following locations contained below-grade tanks that require re-sampling, which is scheduled for Wednesday, March 16th and Thursday, March 17th will begin at 9:00am at the first location and continue to the next.

Sampling Order	Name	Sampling Date	BGT LATITUDE	BGT LONGITUDE
1	CHACO PLANT 28	3/16/16	36.486129	-108.056724
2	GRAHAM 1R	3/16/16	36.541435	-107.869382
3	HALE 5	3/16/16	36.849354	-107.668026
4	HALE 1	3/16/16	36.873086	-107.657422
5	PRICE 2	3/17/16	36.656857	-107.656942
6	GRAMBLING A 9	3/17/16	36.636696	-107.680815
7	SAN JUAN 28-7 UNIT NP 40	3/17/16	36.575822	-107.610690
8	HAMMOND WN FEDERAL 6	3/17/16	36.541962	-107.658297

Please feel free to contact me at any time if you have any questions or concerns regarding this information.

Thank you,

Crystal Walker Regulatory Coordinator

ConocoPhillips Lower 48

T: 505-326-9837 | F: 505-599-4086 | M: 505-215-4361 | crystal.walker@cop.com

Visit the new Lower 48 website: www.conocophillipsuslower48.com

Form C-141 Revised August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 1 Copy to appropriate District Office to accordance with 19.15.29 NMAC.

			Rele	ease Notific	atio	n and Co	orrective A	ctior	1			
						OPERA '	ГOR		🔲 Initia	al Report	\boxtimes	Final Report
				Contact Crystal Walker								
					No.(505) 326-98 be: Gas Well	\$37						
						7 71	ic. Gas wen		1			
Surface Ow	ner FED	ERAL		Mineral C)wner	FEDERAL			API No	. 30-045-2	21044	
				LOCA	TIO	N OF RE	LEASE					
Unit Letter	Section	Township	Range	Feet from the	1.450.V02-010068	/South Line	Feet from the	Subschool and	West Line	County		
A	28	28N	8W	1070		North	1030		East	San Juan		
				Latitude <u>36.63</u>	<u>6696</u>	Longitude	-107.680815					
				NAT	URE	OF REL	1. HE HOR LAND WAT WAT					
Type of Rele						Volume of		-		Recovered		
Source of Re	lease					Date and I	Iour of Occurrent	ce	Date and	Hour of Dis	covery	
Was Immedia	ate Notice (1		If YES, To	Whom?					
			Yes] No 🛛 Not Re	equired		T					
By Whom? Was a Water	course Read	hed?				Date and H	olume Impacting	the Wat	ercourse.			
Tras a Tratery	course recu		Yes 🛛 1	No			b					
If a Watercou	irse was Im	pacted, Descr	ibe Fully.'	k								
N/A			199 - 1999 - 1999 - 1 99									
Describe Cau	ise of Probl	em and Reme	dial Actio	n Taken.*								
No release w	as encount	ered during	the BGT	Closure.								
		4										-
Describe Are	a Affected	and Cleanup A	Action Tak	cen.*								
I hereby certi	fy that the	information gi	ven above	e is true and comp	lete to t	he best of my	knowledge and u	indersta	nd that purs	suant to NM	OCD r	ules and
regulations a	ll operators	are required t	o report ai	nd/or file certain r	elease n	notifications a	nd perform correct	ctive act	ions for rel	eases which	may en	ndanger
public health	or the envi	ronment. The	acceptance	ce of a C-141 report investigate and r	ort by th emediat	te NMOCD m te contaminat	arked as "Final R	ceport" of the second s	loes not rel	eve the ope	rator of ater, hu	t liability
or the environ	nment. In a	ddition, NMC	CD accep	otance of a C-141	report d	loes not reliev	e the operator of	respons	ibility for c	ompliance v	with any	y other
federal, state,	or local la	ws and/or regu	ilations.					~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		DINING		
Signature: OIL CONSERVATION DIVISION												
<u></u>	R	tal l	Val	key								
D . (1)	0	17.11				Approved by	Environmental S	pecialis	t:			
Printed Name	e: Crystal V	walker						ſ				
Title: Regul	atory Coor	dinator				Approval Da	te:		Expiration	Date:		
E-mail Addre	ess: c	rystal.walker@	acop.com			Conditions o	f Approval:				Ē	
11							**			Attached		
E-mail Address: crystal.walker@cop.com Conditions of Approval: Attached Date: 4/1/16 Phone: (505) 326-9837 Attached												

* Attach Additional Sheets If Necessary



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

March 28, 2016

Emilee Skyles Animas Environmental 604 Pinon Street Farmington, NM 87401 TEL: (505) 564-2281 FAX

RE: COPC GRAMBLING A 9

OrderNo.: 1603947

Dear Emilee Skyles:

Hall Environmental Analysis Laboratory received 1 sample(s) on 3/17/2016 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to <u>www.hallenvironmental.com</u> or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

andy

Andy Freeman Laboratory Manager 4901 Hawkins NE Albuquerque, NM 87109

Analytical Report Lab Order 1603947 Date Reported: 3/28/2016

Hall Environmental Analysis Laboratory, Inc.

CLIENT:Animas EnvironmentalProject:COPC GRAMBLING A 9Lab ID:1603947-001	Matrix: 3			Date: 3/1	1 .6/2016 10:36:00 AM .7/2016 7:33:00 AM	
Analyses	Result	PQL Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 418.1: TPH					Analyst	том
Petroleum Hydrocarbons, TR	ND	20	mg/Kg	1	3/23/2016	24342
EPA METHOD 300.0: ANIONS					Analyst	SRM
Chloride	60	30	mg/Kg	20	3/26/2016 12:32:35 AM	24453
EPA METHOD 8021B: VOLATILES					Analyst	NSB
Benzene	ND	0.024	mg/Kg	1	3/19/2016 10:58:40 AM	24328
Toluene	ND	0.049	mg/Kg	1	3/19/2016 10:58:40 AM	24328
Ethylbenzene	ND	0.049	mg/Kg	1	3/19/2016 10:58:40 AM	24328
Xylenes, Total	ND	0.098	mg/Kg	1	3/19/2016 10:58:40 AM	24328
Surr: 4-Bromofluorobenzene	109	80-120	%Rec	1	3/19/2016 10:58:40 AM	24328

.

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	в	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	Н	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits Page 1 of 4
	ND	Not Detected at the Reporting Limit	Р	Sample pH Not In Range
	R	RPD outside accepted recovery limits	RL	Reporting Detection Limit
	S	% Recovery outside of range due to dilution or matrix	W	Sample container temperature is out of limit as specified

QC SUMMARY REPORT Hall Environmental Analysis Laboratory, Inc.

Client: Animas Environmental Project: COPC GRAMBLING A 9

Sample ID MB-24453	SampType: MBLK	TestCode: EPA Method	300.0: Anions
Client ID: PBS	Batch ID: 24453	RunNo: 33096	
Prep Date: 3/25/2016	Analysis Date: 3/25/2016	SeqNo: 1015563	Units: mg/Kg
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit Qual
Chloride	ND 1.5		
Sample ID LCS-24453	SampType: LCS	TestCode: EPA Method	300.0: Anions
Client ID: LCSS	Batch ID: 24453	RunNo: 33096	
Prep Date: 3/25/2016	Analysis Date: 3/25/2016	SeqNo: 1015564	Units: mg/Kg
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit Qual
		0 93.5 90	110

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Page 2 of 4

1603947 28-Mar-16

WO#:

QC SUMMARY REPORT Hall Environmental Analysis Laboratory, Inc.

Client: Animas Environmental Project: COPC GRAMBLING A 9

Sample ID MB-24342	SampType: MBLK	TestCode: EPA Method	418.1: TPH						
Client ID: PBS	Batch ID: 24342								
Prep Date: 3/21/2016	Analysis Date: 3/23/2016	Units: mg/Kg							
Analyte	Result PQL SPK value	HighLimit %RPD	RPDLimit Qual						
Petroleum Hydrocarbons, TR	ND 20								
Sample ID LCS-24342	418.1: TPH								
Client ID: LCSS	Batch ID: 24342	RunNo: 32998							
Prep Date: 3/21/2016	Analysis Date: 3/23/2016	SeqNo: 1012150	Units: mg/Kg						
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD	RPDLimit Qual					
Petroleum Hydrocarbons, TR	110 20 100.0	0 109 83.4	127						
Sample ID LCSD-24342	SampType: LCSD TestCode: EPA Method 418.1: TPH								
Client ID: LCSS02	Batch ID: 24342	Batch ID: 24342 RunNo: 32998							
Prep Date: 3/21/2016	Analysis Date: 3/23/2016	SeqNo: 1012151	Units: mg/Kg						
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD	RPDLimit Qual					
Petroleum Hydrocarbons, TR	100 20 100.0	127 3.98	20						

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Page 3 of 4

WO#: 1603947

28-Mar-16

-

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

Client: Animas Environmental Project: COPC GRAMBLING A 9

Sample ID MB-24328	SampT	уре: МЕ	BLK	Tes	Code: El	PA Method								
Client ID: PBS	Batch	h ID: 24	328	R	tunNo: 3									
Prep Date: 3/18/2016	Analysis D	Date: 3/	19/2016	S	eqNo: 1	008960	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual				
Benzene	ND	0.025												
Toluene	ND	0.050												
Ethylbenzene	ND	0.050												
Xylenes, Total	ND	0.10												
Surr: 4-Bromofluorobenzene	1.2	1.2 1.000 119 80												
Sample ID LCS-24328	SampT	Type: LC	S	TestCode: EPA Method 8021B: Volatiles										
Client ID: LCSS	Batcl	h ID: 24	328	F	RunNo: 3									
Prep Date: 3/18/2016	Analysis D	Date: 3/	19/2016	S	SeqNo: 1	008961	Units: mg/k	۲g						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual				
Benzene	0.93	0.025	1.000	0	93.1	80	120							
Toluene	1.0	0.050	1.000	0	101	80	120							
Ethylbenzene	1.0	0.050	1.000	0	0 103 80									
Xylenes, Total	3.1	0.10	3.000	0	104	80	120							
Surr: 4-Bromofluorobenzene	1.2		1.000		121	80	120			S				

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Page 4 of 4

WO#: 1603947 28-Mar-16

HALL Hall Environmental Analysis Laboratory: 4901 Hawkins NE ANALYSIS Sal LABORATORY TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com Sal Client Name: Animas Environmental Work Order Number: 1603947

Sample Log-In Check List

Client Name:	Animas Environmental	Work Order Number:	16039	47		RcptN	lo: 1
Received by/dat	: AM	03/17/10			A5		
Logged By:	Ashley Gallegos	3/17/2016 7:33:00 AM			SAJ		
Completed By:	Ashley Gallegos	3/17/2016 6:24:03 PM			A		
Reviewed By:	G	03/18/16					
Chain of Cus	tody	0 // 0//					
1. Custody sea	als intact on sample bottles?		Yes	[_]	No []]	Not Present	
2. Is Chain of C	Custody complete?		Yes		No [.]	Not Present L]
3. How was the	e sample delivered?		Cour	ier			
<u>Log In</u>							
4. Was an atte	ampt made to cool the samp	les?	Yes		No 🗌	NA (]
5. Were all sa	mples received at a tempera	ture of >0° C to 6.0°C	Yes		No [_]	na C]
6. Sample(s) i	in proper container(s)?	ai i	Yes		No [7]		
7. Sufficient sa	ample volume for indicated to	est(s)?	Yes		No 🗀		
8. Are sample	s (except VOA and ONG) pro	operly preserved?	Yes		No 🗌		
9. Was preser	vative added to bottles?		Yes		No 🛃	NA	1
10.VOA vials h	ave zero headspace?		Yes	[]]	No []	No VOA Vials	
11. Were any s	ample containers received b	roken?	Yes		No 🐱	# of preserved	
Manager 1977					. Г.)	bottles checked	
a a	work match bottle labels? epancies on chain of custody)	Yes		No [_]	for pH: (<	<2 or >12 unless noted)
•	s correctly identified on Chai		Yes		No 🗌	Adjusted?	
14. Is it clear w	hat analyses were requested	17	Yes		No []		
	Iding times able to be met? customer for authorization.)	l	Yes		No 🗀	Checked b	y:
Special Hope	dling (if applicable)						
	notified of all discrepancies v	with this order?	Yes	[1]	No []]	NA	
2.7.2	والمراجع المراجع	handara takata a sala	105	لا مربي مستعم			T
	on Notified:	Date)					
By W	Same new meril and a first state of the	Via: [_] eM	111 [] miqiyojianga	Phone [_] Fax	[] In Person	a.,
Rega	Instructions:	HARLYWAL I HEAL WINS CO. SAME COMMON PROPERTY.	er eksennen af bekene	ndon-adathi	**************************************	ineed bleach edward blit, an let waardoord o	•
17. Additional							
18. Cooler Inf	ormation						
Cooler N	1	Seal Intact Seal No S	Seal D	ate	Signed By		
1	2.2 Good	Yes		1 <i>.</i>			

ليو									((N J	o Y) sə	Air Bubbl				 				 				
HALL ENVIRONMENTAL	ANALYSIS LABORATORY		60																	 				
ME	ORA	Eo	4901 Hawkins NE - Albuquerque, NM 87109	4107																 				
NO	AB	www.hallenvironmental.com	que, N	Fax 505-345-4107	luest						2631													
VTR	S S	ironme	nquen	ax 50	Analysis Request	-					•					 								
N H	NS.	allenv	- Alb	ш. Ю	nalysi																Phillips			
	AL	h.ww	JS NE	5-397	A													 _		 	Duoco	ield	U 2002	5010
I	R	>	Hawkir	Tel. 505-345-3975												 					Remarks: Bill to Conoco Phillips	WO # 21340555 Supervisor: Birchfield	USERID: GARRECD Area: 6 Ordend hy: Pobhy: Sportmon	60000
			1901 F	Tel. 5								Chlorides	××		_	 	-	 			rks: Bi	visor.		2
			V					-		• • • •		8 - X3T8				 _		 		 	Remar	Supervisor: Birch	USERIL Area: 6 Ordorod	5
																						1750		
				-								HEALNo 10550	100								Time	2	Time	PH33
					GA9				No.				2			2					Date	3/ whi	Date	
	ush				MBLIN					2		Ne le				 		 				3	~	210
aj	🗆 Rush				COPC GRAMBLING A 9		E. Skyles		/JS	tureZ	•	Preservative Type	cool				5				-	leb.	0	13
MIII D	q	ne:			COPC	nager:	ш		U	mbera		, n,				 		 _				N.		1
I urn-Arouna Time:	X Standard	Project Name:	I	sct #:		ect Mai			Sampler: CL/JS	ple te		Type and #	- 4 oz.								Received by:	Ital	NA PAN	>
	X	Proje		Project #:		n Proje	-,	÷	Sam	Sam		35	1							 	Recei	2	Receive)(
_	, LLC					tal.cor		dation				st ID									720			Rea
Soro	vices			401		nmen		il Vali				Sample Request ID	Ţ.											il le
Rec	al Ser		St.	IM 87		senviro		el 4 (Fi				ple R	S-1									l		33
ody	nenta		inon :	ton, N		animas		Level 4 (Full Validation)				Sam									;; Aq	3	in t	menn un
uste	viron		604 W Pinon St.	Farmington, NM 87401	-	eskyles@animasenvironmental.com Project Manager.		L	Other			Matrix	SOIL								Relinquished by:	·	Reinquished by:	NAM.
of-C	is En		604	Far	4-228	eski														 	Relin	\subseteq		4
Chain-of-Custody Record	Animas Environmental Services,		dress:		505-564-2281	ax#:	kage:	q	:uo	(be)	•	Time	1036						l		Time:	esti	Time:	2011
сh	Client:		Mailing Address:		Phone #:	Email or Fax#:	QA/QC Package:	X Standard	Accreditation:	C EDD (Type)		Date	3/16/16								te:	ه [[م	te: 	1/17
	Ü		Ž		<u>م</u>	ឃ័	6	×	¥□									8	1		Date:	3/16	י Date:	7

