District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. South Fe NIM 87505

Form C-144 Revised June 6, 2013

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.

For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

	Sama re, NWI 67303	to the appropriate Nivi	IOCD DISTRICT OTRICE.
Proposed Alte	Pit, Below-Grade Tank, or ernative Method Permit or Closure P.		RECEIVED By kcollins at 11:58 am, Apr 11, 2016
14691 Type of action: Below Permit Closur Modif Closur or proposed alternative metl	grade tank registration t of a pit or proposed alternative method re of a pit, below-grade tank, or proposed alternativ fication to an existing permit/or registration re plan only submitted for an existing permitted or mod	ve method non-permitted pit, be	elow-grade tank,
	ne application (Form C-144) per individual pit, below-g	7	(7)
	ot relieve the operator of liability should operations result in of its responsibility to comply with any other applicable gov		
1.		reminental authority 3 fu	
Operator: Burlington Resources Oil & Gas Co			BGT CLOSED PRIOR TO
Address: PO BOX 4289, Farmington, NM 8	<u>7499</u>		CLOSURE PLAN
Facility or well name: <u>HARE 15M</u>			APPROVAL
.	OCD Permit Number:		
	3 Township 29N Range		
	751113 <u>°N</u> Longitude <u>-107.869321</u> <u>°</u>	<u>W</u> NAD: ∐1927 ⊠	1983
Surface Owner: Federal State Private	Tribal Trust or Indian Allotment		
2.	IMAC		
Temporary: Drilling Workover	WIAC		
	P&A Multi-Well Fluid Management L	ow Chloride Drilling F	luid □ ves □ no
	mil LLDPE HDPE PVC Other		
☐ String-Reinforced			
N 10	r Volume:bbl Dime	ensions: Lx Wx	D
3. Subsection I of 19.15.	17.11 NMAC		
Volume: 120 bbl Typ			
Tank Construction material: Metal			
	☐ Visible sidewalls, liner, 6-inch lift and automatic o	verflow shut-off	
☐ Visible sidewalls and liner ☐ Visible side	ewalls only Other		
Liner type: Thicknessn	nil HDPE PVC Other Unspecified		
4.			
Alternative Method:			
Submittal of an exception request is required. I	Exceptions must be submitted to the Santa Fe Environment	ental Bureau office for	consideration of approval.
5.			
7	(Applies to permanent pits, temporary pits, and below-g		
Chain link, six feet in height, two strands of institution or church)	barbed wire at top (Required if located within 1000 feet	of a permanent residen	ce, school, hospital,

Alternate. Please specify

Four foot height, four strands of barbed wire evenly spaced between one and four feet

6.	
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	
Screen Netting Other	
Monthly inspections (If netting or screening is not physically feasible)	
7.	
Signs: Subsection C of 19.15.17.11 NMAC	
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
☐ Signed in compliance with 19.15.16.8 NMAC	
8.	
Variances and Exceptions:	
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.	
Please check a box if one or more of the following is requested, if not leave blank: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.	
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
9. Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptant material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.	otable source
General siting	
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank.	☐ Yes ☐ No
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	⊠ NA ¯
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☑ NA
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within the area overlying a subsurface mine. (Does not apply to below grade tanks) - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
 Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	Yes No
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	☐ Yes ☐ No
Below Grade Tanks	
	19-11
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark).	☐ Yes ☒ No
- Topographic map; Visual inspection (certification) of the proposed site	
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☑ No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial	□ Yes□ No
application.	
 Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No

Within 100 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pit Non-low chloride drilling fluid	
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Permanent Pit or Multi-Well Fluid Management Pit	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NI Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.1 and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number: or Permit Number:	uments are NMAC 5.17.9 NMAC
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:	15.17.9 NMAC

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	documents are
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well Flandstree Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method	uid Management Pit
Maste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be a closure plan. Please indicate, by a check mark in the box, that the documents are attached. ☐ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC ☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC ☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC ☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC ☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	attached to the
15. Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. P. 19.15.17.10 NMAC for guidance.	
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application.	Yes No
 NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site Written confirmation or verification from the municipality; Written approval obtained from the municipality 	☐ Yes ☐ No
Within 300 feet of a wetland.	☐ 193 ☐ 140
US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yes ☐ No

adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	
Within a 100-year floodplain.	☐ Yes ☐ No☐ Yes ☐ No
- FEMA map	
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17. Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannows Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	11 NMAC 15.17.11 NMAC
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and believed.	ef.
Name (Print): Title:	
Signature: Date:	
e-mail address: Telephone:	
18. OCD Approval: ☐ Permit Application (including closure plan) ☐ Closure Plan (only) ☐ OCD Conditions (see attachment) OCD Representative Signature: 7/12/2	016
	010
Title: Compliance Officer OCD Permit Number:	
Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date: 3/16/2016	
20. Closure Method: Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alternative Closure Method ☐ Waste Removal (Closed-log If different from approved plan, please explain.	op systems only)
21. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please in mark in the box, that the documents are attached. □ Proof of Closure Notice (surface owner and division) □ Proof of Deed Notice (required for on-site closure for private land only)	dicate, by a check

22.
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Crystal Walker Title: Regulatory Coordinator
Signature: Date: 4/1/16
e-mail address:crystal.walker@cop.com Telephone: (505) 326-9837

Burlington Resources Oil & Gas Company, LP San Juan Basin Below Grade Tank Closure Report

Lease Name: Hare 15M API No.: 30-045-24443

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the below-grade tank referenced above. All proper documentation regarding closure activities is being included with the C-144.

General Plan:

1. BR shall close a below-grade tank within 60 days of cessation of operations per Subsection G.4 of 19.15.17.13 NMAC. This will include a) below-grade tanks that do not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC within five years, if not retrofitted to comply with Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC; b) an earlier date that the division requires because of imminent danger to fresh water, public health or the environment. For any closure, BR will file the C144 Closure Report as required.

The below-grade tank referenced above was permitted and closed within 60 days of cessation of the below-grade tanks operation.

2. BR shall remove liquids and sludge from a below-grade tank prior to implementing a closure method and shall dispose of the liquids and sludge in a division-approved facility. The facilities to be used will be Basin Disposal (Permit #NM-01-005), JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) and Envirotech Land Farm (Permit #NM-01-011). The liner after being cleaned well (Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC) will be disposed of at the San Juan County Regional Landfill located on CR 3100.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B). The liner was cleaned per Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC was disposed of at the San Juan County Regional Landfill located on CR 3100.

3. BR will receive prior approval to remove the below-grade tank and dispose of it in a division-approved facility or recycle, reuse, or reclaim it in a manner that the appropriate division district office approves.

The below-grade tank was disposed of in a division-approved manner.

4. If there is any on-site equipment associated with a below-grade tank, then BR shall remove the equipment, unless the equipment is required for some other purpose.

All on-site equipment associated with the below-grade tank was removed.

5. BR will test the soils beneath the below-grade tank to determine whether a release has occurred. BR shall collect, at a minimum, a five point, composite sample; collect individual grab samples from any area that is wet, discolored or showing other evidence of a release; and analyzed for the constituents listed in Table I of 19.15.17.13 NMAC. COPC shall notify the division of its results on form C-141.

A five point composite sample was taken of the below-grade tank using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached). Form C-141 is attached.

Components	Tests Method	Limit (mg/kg)
Benzene	EPA SW-846 8021B or 8260B	0.2
BTEX	EPA SW-846 8021B or 8260B	50
TPH	EPA SW-846 418.1	100
Chlorides	EPA 300.0	250

6. If BR or the division determines that a release has occurred, then BR shall comply with 19.15.3.116 NMAC and 19.15.1.19 NMAC, as appropriate.

A release was not determined for the above referenced well.

7. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Table I of 19.15.17.13 NMAC, then BR shall backfill the excavation with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover; recontour and re-vegetate the site.

The below-grade tank area passed all requirements of Paragraph (4) of Subsection E of 19.15.17.13 NMAC and was backfilled with compacted, non-waste containing, earthen material.

- 8. Notice of Closure will be given prior to closure to the Aztec Division office between 72 hours and one week via email or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

9. The surface owner shall be notified of BR's closing of the below-grade tank 72 hours, but not more than one week, prior to closure as per the approved closure plan via certified mail, return receipt requested.

The closure process notification to the landowner was sent via email.

10. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The below-grade tank area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Re-shaping including drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

11. BR shall seed the disturbed areas the first favorable growing season following closure of a below-grade tank. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM stipulated seed mixes will used on federally regulated lands and division-approved seed mixtures (administratively approved if required) will be utilized on all State or private lands. A uniform vegetative cover has been established that reflects a life-form ratio of plus or minus fifty percent (50%) of pre-disturbance levels and a total percent plant cover of at least seventy percent (70%) of pre-disturbance levels, excluding noxious weeds. If alternate seed mix is required by the state, private owner or tribe, it will be implemented with administrative approval if needed. COPC will repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

12. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material, with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.

The below-grade tank area was backfilled and more than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

- 13. All closure activities will include proper documentation and be available for review upon request and will be submitted to OCD within 60 days of closure of the below-grade tank. Closure report will be filed on C-144 and incorporate the following:
 - Soil Backfilling and Cover Installation (See Report)
 - Re-vegetation application rates and seeding techniques (See Report)
 - Photo documentation of the site reclamation (Included as an attachment)
 - Confirmation Sampling Results (Included as an attachment)
 - Proof of closure notice (Attached)

Walker, Crystal

From:

Walker, Crystal

Sent:

Tuesday, March 08, 2016 9:14 AM

To:

Cory Smith; Jonathan Kelly; Katherina Diemer (kdiemer@blm.gov); Flaniken, Jon

(mflanike@blm.gov)

Cc:

Busse, Dollie L; Farrell, Larissa L; Roberts, Kelly G; Walker, Crystal; SJBU E-Team; Coats,

Nathan W; Notor, Lori

Subject:

BGT Re-Sample Notification for sampling 3/14 & 3/15

Good morning,

The following locations contained below-grade tanks that require re-sampling, which is scheduled for Monday, March 14th and Tuesday, March 15th will begin at 9:00am at the first location and continue to the next.

Sampling Order	Name	Sampling Date
1	PHILLIPS COM 1E	3/14/2016
2	PINON MESA A 100*	3/14/2016
3	MCCORD 104S	3/14/2016
4	HUDSON 2	3/14/2016
5	CORNELL 1R	3/14/2016
6	MURPHY 1	3/15/2016
7	GRENIER A 2R	3/15/2016
8	HARE 15M	3/15/2016
9	HARE 4	3/15/2016
10	DELO 9	3/15/2016
*indicates a long w	alk to location due to reclamation	1

Please feel free to contact me at any time if you have any questions or concerns regarding this information.

Thank you,

Crystal Walker

Regulatory Coordinator ConocoPhillips Lower 48

T: 505-326-9837 | F: 505-599-4086 | M: 505-215-4361 | <u>crystal.walker@cop.com</u>

Visit the new Lower 48 website: www.conocophillipsuslower48.com

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District III

1301 W. Grand Avenue, Artesia, NM 88210

District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-141 Revised August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit 1 Copy to appropriate District Office to accordance with 19.15.29 NMAC.

			Rele	ease Notific	eatio	n and Co	orrective A	ction					
						OPERA	W15456-50066		☐ Initi	al Report	\boxtimes	Final Rep	por
				il & Gas Compa	ny		ystal Walker						
Address 340 Facility Nat			gton, NM	U			No.(505) 326-98 be: Gas Well	337					
							e. Gas Well						
Surface Ow	ner Federa	1		Mineral C)wner	Federal			API No	.30-045-24	4443		
				LOCA	OITA	N OF RE	LEASE						
Unit Letter O	Section 3	Township 29N	Range 10W	Feet from the 930	North	/South Line South	Feet from the 1770		Vest Line East	County San Juan			
		-221	1011		75111		e <u>-107.869321</u>		2430			 	
						OF REL							
Type of Rele	ase			IVAI	UKE	Volume of			Volume F	Recovered			
Source of Re							Iour of Occurrence	e		Hour of Dis	covery		
Was Immedia	Was Immediate Notice Given?						Whom?						-
was minicula	ate Notice G		Yes	No Not Re	equired		WHOIII;						
By Whom?						Date and E	Iour					33	
Was a Water	Was a Watercourse Reached?					If YES, Vo	olume Impacting t	he Wate	rcourse.				
	☐ Yes ⊠ No												
If a Watercou	ırse was Imp	acted, Descri	be Fully.*										
IN/A													
D " C	CD 11	1.5		7 1 4									
Describe Cau No release w													
1 (o release w	as circounte	rea auring t	ne box s	Siosui c.									
Describe Are	a Affected a	nd Cleanup A	ction Tak	en.*									
N/A		1											
							knowledge and u						
							nd perform correc arked as "Final Ro						
							on that pose a thre						
or the environ	nment. In ad	dition, NMO	CD accep	tance of a C-141	report d	loes not reliev	e the operator of r	responsi	bility for co	ompliance v	vith any	other	
federal, state,	or local law	s and/or regu	iations.				OIL CONS	SEBA	ΔΤΙΩΝ	DIVISIO	M		
Signature:	10	101	. 11	1/			OIL COIN	JLIX V	ATION	אנטו אוער)IN		
-	Signature: Sold Walker				N 0202								
Printed Name	Printed Name: Crystal Walker					Approved by	Environmental Sp	pecialist	•				
Title: Regula	tory Coordin	nator				Approval Dat	e:	E	Expiration 1	Date:			
E-mail Addre	ss: crystal.	walker@con.	com			Conditions of	Approval:			1			
11	1110	•		_						Attached			
Date: 4	ional Sheet	Phone: (505		7									
THURST AUUI	nomai once	OCCUPATION OF	41 Y										



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

March 23, 2016

Emilee Skyles Animas Environmental 604 Pinon Street Farmington, NM 87401 TEL: (505) 564-2281

FAX

RE: COPC HARE 15M

OrderNo.: 1603799

Dear Emilee Skyles:

Hall Environmental Analysis Laboratory received 1 sample(s) on 3/16/2016 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Analytical Report

Lab Order 1603799

Date Reported: 3/23/2016

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Animas Environmental

Project: COPC HARE 15M

Lab ID: 1603799-001

Client Sample ID: S-1

Collection Date: 3/15/2016 10:39:00 AM

Received Date: 3/16/2016 7:45:00 AM

Analyses	Result	PQL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 418.1: TPH					Analys	t: TOM
Petroleum Hydrocarbons, TR	ND	20	mg/Kg	1	3/18/2016	24299
EPA METHOD 300.0: ANIONS					Analys	t: LGT
Chloride	ND	30	mg/Kg	20	3/22/2016 1:35:05 AM	24365
EPA METHOD 8021B: VOLATILES					Analys	t: NSB
Benzene	ND	0.025	mg/Kg	1	3/17/2016 10:29:32 AM	1 24284
Toluene	ND	0.050	mg/Kg	1	3/17/2016 10:29:32 AN	1 24284
Ethylbenzene	ND	0.050	mg/Kg	1	3/17/2016 10:29:32 AM	1 24284
Xylenes, Total	ND	0.099	mg/Kg	1	3/17/2016 10:29:32 AM	1 24284
Surr: 4-Bromofluorobenzene	113	80-120	%Rec	1	3/17/2016 10:29:32 AN	1 24284

Matrix: SOIL

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits Page 1 of 4
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1603799

23-Mar-16

Client:

Animas Environmental

Project:

COPC HARE 15M

Sample ID MB-24365

SampType: MBLK

TestCode: EPA Method 300.0: Anions

Client ID:

PBS

Batch ID: 24365

RunNo: 32963

HighLimit

Prep Date: 3/21/2016 Analysis Date: 3/21/2016

SeqNo: 1011048

Units: mg/Kg

RPDLimit

Qual

Analyte Chloride

Result

ND

SampType: LCS

PQL

RunNo: 32963

TestCode: EPA Method 300.0: Anions

Client ID:

Sample ID LCS-24365

LCSS

Batch ID: 24365

Prep Date: Analyte

3/21/2016

Analysis Date: 3/21/2016

PQL

SeqNo: 1011049 %REC

Units: mg/Kg

RPDLimit

SPK value SPK Ref Val

94.5

%RPD

%RPD

Chloride

Result 14

15.00

SPK value SPK Ref Val %REC LowLimit

HighLimit 110

Qual

1.5

LowLimit

90

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- Analyte detected in the associated Method Blank В
- Е Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- Reporting Detection Limit Sample container temperature is out of limit as specified

Page 2 of 4

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#:

1603799

23-Mar-16

Client:

Analyte

Analyte

Analyte

Animas Environmental

Project:

COPC HARE 15M

Sample ID MB-24299

SampType: MBLK

TestCode: EPA Method 418.1: TPH

Client ID: PBS

Batch ID: 24299

PQL

20

RunNo: 32887

SPK value SPK Ref Val %REC LowLimit

HighLimit

Prep Date: 3/17/2016

Analysis Date: 3/18/2016

SeqNo: 1008187

Units: mg/Kg

%RPD **RPDLimit**

Qual

Petroleum Hydrocarbons, TR

Sample ID LCS-24299

Result ND

SampType: LCS

TestCode: EPA Method 418.1: TPH

Client ID: LCSS

Batch ID: 24299

RunNo: 32887

%REC

96.8

Prep Date: 3/17/2016 Analysis Date: 3/18/2016

PQL

20

SeqNo: 1008188

Units: mg/Kg

127

HighLimit %RPD **RPDLimit**

Qual

Qual

Petroleum Hydrocarbons, TR Sample ID LCSD-24299 Result 97

SampType: LCSD

TestCode: EPA Method 418.1: TPH

Client ID: LCSS02 Batch ID: 24299

RunNo: 32887

Prep Date: 3/17/2016 Analysis Date: 3/18/2016

PQL

SeqNo: 1008189

Units: mg/Kg

HighLimit %RPD **RPDLimit**

Petroleum Hydrocarbons, TR

Result

SPK value SPK Ref Val 20

%REC 101

LowLimit 83.4

LowLimit

83.4

127

100

100.0

100.0

SPK value SPK Ref Val

0

4.29

20

Qualifiers:

Value exceeds Maximum Contaminant Level.

Sample Diluted Due to Matrix D

Holding times for preparation or analysis exceeded H

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

% Recovery outside of range due to dilution or matrix S

Analyte detected in the associated Method Blank B

E Value above quantitation range

J Analyte detected below quantitation limits Page 3 of 4

P Sample pH Not In Range

Reporting Detection Limit

Sample container temperature is out of limit as specified

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

ian Environmental	Amarysis	Labora	tory, in
			CONTRACTOR OF THE PARTY OF THE

Client: Project: Animas Environmental

COPC HARE 15M

Sample ID MB-24284	SampT	уре: МЕ	BLK	Tes	TestCode: EPA Method 8021B: Volatiles					
Client ID: PBS	Batch	n ID: 24 :	284	F	RunNo: 3					
Prep Date: 3/16/2016	Analysis D	ate: 3/	17/2016	7/2016 SeqNo: 100			Units: mg/k			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.2		1.000		117	80	120			
Sample ID LCS-24284	SampT	ype: LC	s	Tes	tCode: El	PA Method	8021B: Vola	tiles		
Client ID: LCSS	Batch	n ID: 24	284	F	RunNo: 3	2868				

Client ID: LCSS	Batcl	h ID: 24	284	F	RunNo: 3					
Prep Date: 3/16/2016	Analysis D	Date: 3/	17/2016	5	SeqNo: 1	007426	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.1	0.025	1.000	0	108	80	120			
Toluene	1.0	0.050	1.000	0	101	80	120			
Ethylbenzene	1.0	0.050	1.000	0	101	80	120			
Xylenes, Total	3.0	0.10	3.000	0	100	80	120			
Surr: 4-Bromofluorobenzene	1.2		1.000		120	80	120			

Sample ID 1603796-001AMS	Samp	Гуре: М	3	TestCode: EPA Method 8021B: Volatiles									
Client ID: BatchQC	Batc	h ID: 24	284	F									
Prep Date: 3/16/2016	Analysis [Date: 3/	17/2016	5	SeqNo: 1	007429	Units: mg/k						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual			
Benzene	1.1	0.024	0.9488	0	117	71.5	122						
Toluene	1.1	0.047	0.9488	0	111	71.2	123						
Ethylbenzene	1.1	0.047	0.9488	0	112	75.2	130						
Xylenes, Total	3.2	0.095	2.846	0	112	72.4	131						
Surr: 4-Bromofluorobenzene	1.1		0.9488		118	80	120						

Sample ID 1603796-001AM	SD SampTy	уре: МS	SD	TestCode: EPA Method 8021B: Volatiles								
Client ID: BatchQC	Batch	ID: 24	284	R								
Prep Date: 3/16/2016	Analysis Da	ate: 3/	17/2016	S	SeqNo: 1	007430	Units: mg/K	ζg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Benzene	1.1	0.024	0.9579	0	119	71.5	122	2.44	20			
Toluene	1.1	0.048	0.9579	0	113	71.2	123	2.77	20			
Ethylbenzene	1.1	0.048	0.9579	0	113	75.2	130	2.27	20			
Xylenes, Total	3.2	0.096	2.874	0	113	72.4	131	1.74	20			
Surr: 4-Bromofluorobenzene	1.2		0.9579		122	80	120	0	0	S		

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits

Page 4 of 4

WO#:

1603799

23-Mar-16

- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: Animas Environmental Work Order Number:	1603799		RcptNo:	1
Received by/date:				i
Logged By: Lindsay Mangin 3/16/2016 7:45:00 AM		Judy Hogo		
Completed By: Lindsay Mangin 3/16/2016 10:48:03 AN	Í	Street Hongs		*
Reviewed By: (3/16/16				
Chain of Custody			_	
1. Custody seals intact on sample bottles?	Yes 🗌	No 🗆	Not Present 🗹	
2. Is Chain of Custody complete?	Yes 🗹	No 🗀	Not Present 🗌	
3. How was the sample delivered?	Courier			
<u>Log In</u>				
4. Was an attempt made to cool the samples?	Yes 🔽	No 🗆	NA □	
5. Were all samples received at a temperature of >0° C to 6.0°C	Yes 🗹	No □	na 🗆	
6. Sample(s) in proper container(s)?	Yes 🔽	No 🗆		
7. Sufficient sample volume for indicated test(s)?	Yes 🗹	No 🗆		
8. Are samples (except VOA and ONG) properly preserved?	Yes 🔽	No 🗆		
9. Was preservative added to bottles?	Yes 🗌	No 🗸	NA 🗆	
10.VOA vials have zero headspace?	Yes 🗌	No 🗔	No VOA Vials 🔽	
11. Were any sample containers received broken?	Yes	No 🗹 🛚	# of preserved bottles checked	
12. Does paperwork match bottle labels?	Yes 🗸	No 🗆 🗄	for pH:	or >12 unless noted)
(Note discrepancies on chain of custody) 13. Are matrices correctly identified on Chain of Custody?	Yes 🗸	No 🗆 :	Adjusted?	
14. Is it clear what analyses were requested?	Yes 🗹	No 🗆 1		ı
15. Were all holding times able to be met? (If no, notify customer for authorization.)	Yes 🗹	No 🗆	Checked by:	
(ii iid, notily customer for assume the system)				
Special Handling (if applicable)				
16. Was client notified of all discrepancies with this order?	Yes 🗆	No □	NA 🗹	
Person Notified: Date	ALBERT AND	THE PARTY NAMED IN COLUMN TWO IS NOT THE PARTY N		
By Whom: Via:	eMail] Phone [] Fax	In Person	
Regarding:		The state of the s		*
Client Instructions:				8
17. Additional remarks:				
18. Cooler Information Cooler No Temp °C Condition Seal Intact Seal No 1 1.3 Good Yes	Seal Date	Signed By	 	

LAL	ORY									(M 1	0 ,	Y) səlddu8 TiA								
HALL ENVIRONMENTAL	ANALYSIS LABORATORY	www.hallenvironmental.com	4901 Hawkins NE - Albuquerque, NM 87109	Tel. 505-345-3975 Fax 505-345-4107	Analysis Request					C	1,8	TPH - EPA 418	××					Remarks: Bill to Conoco Phillips WO # 21340555 Supervisor: Mars	USERID: MKSPENC Area: 2	Ordered by Dobby Opening
					15M					1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	()	HEAL NO. ABJOOLEAN BOXIB	-001 x					Date Time R	/ Date Time A	7 / 2
	□ Rush				COPC HARE 15M	er	E. Skyles		GT01, 12.	7.2	Glature. C.1	Preservative Type	coal					aeta	7	- <
	LLC X Standard	Project Name:		Project #:		Project Manag			Sampler:	Sample Temps	Saulpic Leub	Container Type and #	1 - 4 02.					Received by:	Received by	X,
Chain-of-Custody Record	Animas Environmental Services, LLC		inon St.	Farmington, NM 87401		eskyles@animasenvironmental.com Project Manager:		□ Level 4 (Full Validation)				Sample Request ID	8-1					Les Cours	d by:	Č
-Cust	Environ		604 W Pinon St.	Farming	2281	eskyles@		J				Matrix	SOIL					Relinquished by:	Relinquished by:	
ain-oi	Animas		dress:		505-564-2281	ax#.	kage:	ď	on:	Cody	/adic	Time	10:39					Time: [7/]	Time:	00
ຣ	lient:		failing Address:		hone #:	:mail or Fax#.	MA/QC Package:	(Standard	ccreditation:	J NELAP	ין בחח	Date	3/15/16) sate: 	Date:	,



