District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe. NM 87505

## State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr.

Form C-144 Revised June 6, 2013

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.

For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

1220 5. 5t. 114110	13 Dr., Banta 1 C, 14141 07303	Santa Fe, NM 87505	to the appropriate NM	OCD District Office.
	n 1 i	Pit, Below-Grade Tank, o		RECEIVED By kcollins at 8:40 am, Apr 05, 2016
	Proposed A	Alternative Method Permit or Closu	ure Plan Application	<u>!</u>
14692	☐ Pe ☑ CI ☐ M ☐ CI	elow grade tank registration frmit of a pit or proposed alternative method osure of a pit, below-grade tank, or proposed alto odification to an existing permit/or registration osure plan only submitted for an existing permit		low-grade tank,
	or proposed alternative			
environment. Nor	that approval of this request do	nit one application (Form C-144) per individual pit, es not relieve the operator of liability should operations ator of its responsibility to comply with any other applic	result in pollution of surface water	er, ground water or the
1. Operator: B	urlington Resources Oil & Ga	s Company, LP OGRID #: 14538		BGT CLOSED
	O BOX 4289, Farmington, N			PRIOR TO
	Il name: NEWBERRY 9A	<u>01133</u>		CLOSURE PLAN
	*	OCD Permit Number:		APPROVAL
II.		ection 5 Township 31N Range		uan_
		36.932550 •N Longitude <u>-108.121496</u>		
		vate Tribal Trust or Indian Allotment		
2.				1 - 0
Pit: Sub	section F, G or J of 19.15.17.	11 NMAC		
100 00 00	☐ Drilling ☐ Workover			
100 market 100 mm 100 m	**************************************	n P&A Multi-Well Fluid Management		
		nessmil	Other	
String-Rei		5 W C 4 W C		
Liner Seams:	☐ Welded ☐ Factory ☐ (	Other Volume:bb	ol Dimensions: Lx Wx	D
3,				
	ade tank: Subsection I of 19			
		bbl Type of fluid:Produced Water		
	ction material: Meta			
		tion Visible sidewalls, liner, 6-inch lift and auto	matic overflow shut-off	
The state of the s	dewalls and liner  Visible	mil	ECIEIED	3
Liner type: 1	nickness	miii HDPEPVCOtilerONSPI	ECIFIED_	
4. Alternativ	ve Method:			
20		d. Exceptions must be submitted to the Santa Fe En	vironmental Bureau office for	consideration of approval.
5.				1
800	osection D of 19.15.17.11 NM	AC (Applies to permanent pits, temporary pits, and b	below-grade tanks)	
Chain link		s of barbed wire at top (Required if located within 10	)00 feet of a permanent residen	ce, school, hospital,

☐ Alternate. Please specify

Four foot height, four strands of barbed wire evenly spaced between one and four feet

6.  Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)							
Screen Netting Other							
Monthly inspections (If netting or screening is not physically feasible)							
7.							
Signs: Subsection C of 19.15.17.11 NMAC							
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers							
☐ Signed in compliance with 19.15.16.8 NMAC							
8.							
<u>Variances and Exceptions:</u> Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.							
Please check a box if one or more of the following is requested, if not leave blank:							
Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.							
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.							
9.							
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accep	otable source						
material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.							
General siting							
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☑ NA						
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells							
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. ( <b>Does not apply to below grade tanks</b> )							
- Written confirmation or verification from the municipality; Written approval obtained from the municipality							
Within the area overlying a subsurface mine. (Does not apply to below grade tanks)  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No						
Within an unstable area. (Does not apply to below grade tanks) - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	☐ Yes ☐ No						
Society; Topographic map	□ Yes □ No						
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map							
Below Grade Tanks							
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured	☐ Yes ☒ No						
from the ordinary high-water mark).							
- Topographic map; Visual inspection (certification) of the proposed site							
Vithin 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;.  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site							
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)							
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.)  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No						
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial	☐ Yes ☐ No						
application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image							
Within 2001 without 1 Cost of a continuous subjects of the first term in the last of the cost of the c							
Vithin 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock atering purposes, or 300fect of any other fresh water well or spring, in existence at the time of the initial application.  M Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site							

Within 100 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No				
Temporary Pit Non-low chloride drilling fluid					
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application;  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No				
Within 300 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No				
Permanent Pit or Multi-Well Fluid Management Pit					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No				
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No				
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No				
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 Natructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the docattached.    Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC   Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC   Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC   Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC   Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC   Previously Approved Design (attach copy of design)   API Number: or Permit Number: or Permit Number:	NMAC  15.17.9 NMAC				
Previously Approved Design (attach copy of design) Art Number or remit Number					
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the docattached.  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  A List of wells with approved application for permit to drill associated with the pit.  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 and 19.15.17.13 NMAC  Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Previously Approved Design (attach copy of design) API Number: or Permit Number: or Permit Number:	.15.17.9 NMAC				

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the	documents are				
### Action of Paragraph (1) of Subsection B of 19.15.17.9 NMAC    Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC    Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC    Climatological Factors Assessment   Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC   Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC   Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC   Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC   Quality Control/Quality Assurance Construction and Installation Plan   Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC   Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC   Nuisance or Hazardous Odors, including H₂S, Prevention Plan   Emergency Response Plan   Oil Field Waste Stream Characterization   Monitoring and Inspection Plan   Erosion Control Plan   Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC    Proposed Closure: 19.15.17.13 NMAC					
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.					
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F Alternative  Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems)	luid Management Pit				
☐ In-place Burial ☐ On-site Trench Burial ☐ Alternative Closure Method					
14.	100 1 100 11				
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached.  ☐ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC ☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC ☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC ☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC ☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
15.					
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. In 19.15.17.10 NMAC for guidance.					
Ground water is less than 25 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA				
Ground water is between 25-50 feet below the bottom of the buried waste  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells    Yes   No   NA					
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells    Yes   No   NA					
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site					
Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No				
Within 300 feet of a wetland.					
US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yes ☐ No				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance					

Page 4 of 6

adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No						
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division  ☐ Yes ☐ No							
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map							
Within a 100-year floodplain.							
- FEMA map	☐ Yes ☐ No						
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC  Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.11 NMAC  Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC  Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC							
Operator Application Certification:							
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and beli							
Name (Print): Title:	<u> </u>						
Signature: Date:							
e-mail address: Telephone:							
18.  OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)							
OCD Representative Signature: Approval Date: Approval Date: 7/12/2	016						
Title: Compliance Officer OCD Permit Number:							
19. Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not							
section of the form until an approved closure plan has been obtained and the closure activities have been completed.    Closure Completion Date: 12/18/2012							
section of the form until an approved closure plan has been obtained and the closure activities have been completed.							

22.		-
Operator Closure Cer	rtification:	
	e information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and at the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.	
Name (Print) Crysta	1 Walker Title: Regulatory Coordinator	
Signature:	Gotal Walker Date: 4/1/2016	
e-mail address:	crystal.walker@cop.com Telephone: (505) 326-9837	

### San Juan Basin: New Mexico Assets Below Grade Tank Closure Report

Below Grade Lank Closure Repo

Lease Name: Newberry 9A API No.: 30-045-26386

In accordance with Rule 19.15.17.13 NMAC, the following information describes the closure of the below-grade tank referenced above. All proper documentation regarding closure activities is being included with the C-144.

#### General Plan Requirements:

1. Prior to initiating any BGT closure, except in the case of an emergency, BR will notify the surface owner of the intent to close the BGT by certified mail no later than 72 hours or one week before closure and a copy of this notification will be included in the closure report. In the case of an emergency, the surface owner will be notified as soon as practical.

#### The surface owner notification was not found.

- Notice of closure will be given to the District Division office between 72 hours and one week of the scheduled closure via email or phone. The notification of closure will include the following:
  - a. Operators Name
  - b. Well Name and API Number
  - c. Location

#### Notification was not found.

3. All liquids will be removed from the BGT following cessation of operation. Produced water will be disposed of at one of COP's approved Salt Water Disposal facilities or at a District Division approved facility.

All recovered liquids were disposed of at an approved SWD facility or an approved District Division facility within 60 days of cessation of operation.

4. Solids and sludge's will be shoveled and/or vacuumed out for disposal at one of the District Division approved facilities, depending on the proximity of the BGT site: Envirotech Land Farm (Permit #NM-01-011), JFJ Land Farm % Industrial Ecosystems Inc. (Permit #NM-01-0010B), and Basin Disposal (Permit #NM-01-005).

Any sludge or soil required to be removed to facilitate closure was transported to Envirotech Land Farm (Permit # NM-01-011) and/or JFJ Landfarm % IEI (Permit# NM-01-0010B).

5. BR will obtain prior approval from District Division to dispose, recycle, reuse, or reclaim the BGT and provide documentation of the disposition of the BGT in the closure report. Steel materials will be recycled or reused as approved by the District Division. Fiberglass tanks will be empty, cut up or shredded, and EPA cleaned for disposal as solid waste. Liner materials will be cleaned without soils or contaminated material for disposal as solid waste. Fiberglass tanks and liner materials will meet the conditions of 19.15.35 NMAC. Disposal

will be at a licensed disposal facility, presently San Juan County Landfill operated by Waste Management under NMED Permit SWM-052426.

The below-grade tank was disposed of in a division-approved manner. The liner was cleaned per 19.15.35.8.C(1)(m) NMAC and disposed of at the San Juan County Regional Landfill located on CR 3100.

6. Any equipment associated with the BGT that is no longer required for some other purpose, following the closure, will be removed.

All on-site equipment associated with the below-grade tank was removed.

- 7. Following removal of the tank and any liner material, BR will test the soils beneath the BGT as follows:
  - a. At a minimum, a five-point composite sample will be taken to include any obvious stained or wet soils or any other evidence of contamination.
  - b. The laboratory sample shall be analyzed for the constituents listed in Table I of 19.15.17.13.

A five point composite sample was taken of the below-grade tank using sampling tools and all samples tested per Table I of 19.15.17.13 and the results are attached.

8. If the District Division and/or BR determine there is a release, BR will comply with 19.15.17.13.C.3b.

A release was not determined for the above referenced well.

9. Upon completion of the tank removal, pursuant to 19.15.17.13.C.3c, if all contaminant concentrations are less than or equal to the parameters listed in Table I of 19.15.17.13 NMAC, the excavation will be backfilled with non-waste earthen material compacted and covered with a minimum of one foot top soil or background thickness whichever is greater and to existing grade. The surface will be re-contoured to match the native grade and to prevent ponding.

The tank removal area passed all requirements of Table I of 19.15.17.13 NMAC and was backfilled with compacted, non-waste containing, earthen material which included at least one foot of suitable material to establish vegetation at the site.

10. For those portions of the former BGT area no longer required for production activities, BR will seed the disturbed area the first favorable growing season after the BGT is covered. Seeding will be accomplished via drilling on the contour whenever practical, or by other District Division-approved methods. BR will notify the District Division when reclamation and re-vegetation is complete.

Reclamation of the BGT shall be considered complete when:

- Vegetative cover reflects a life form ratio of +/- 50% of pre disturbance levels.
- Total percent plant cover of at least 70% of pre-disturbance levels (Excluding noxious weeds) OR
- Pursuant to 19.15.17.13.H.5d BR will comply with obligations imposed by other applicable federal or tribal agencies in which there re-vegetation and reclamation

requirements provide equal or better protection of fresh water, human health and the environment.

Provision 10 will be accomplished pursuant to 19.15.17.H.5d and notification will be submitted upon completion.

11. For those portions of the former BGT area required for production activities, reseeding will be done at well abandonment, and following the procedure noted above.

The former BGT area is required for production activities for the Culpepper Martin 109 and reseeding will be upon the Culpepper Martin 109 P&A activities, per the procedure noted above.

#### **Closure Report:**

All closure activities will include proper documentation and will be submitted to OCD within 60 days of the BGT closure on a Closure Report using District Division Form C-144. The Report will include the following:

- Proof of Closure Notice (surface owner and District Division) (Not Attached)
- Backfilling & cover installation (See Report)
- Confirmation Sampling Analytical Results (Attached)
- Application Rate & Seeding techniques (See Report)
- Photo Documentation of Reclamation (Attached)

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

#### State of New Mexico Energy Minerals and Natural Resources

Form C-141 Revised August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

**Release Notification and Corrective Action** 

Submit 1 Copy to appropriate District Office to accordance with 19.15.29 NMAC.

				OPERATOR Initial Report Sinal Rep				
			urces Oil & Gas Company	Contact Crystal Tafoya				
		St, Farming	on, NM	Telephone No.(505) 326-9837				
Facility Name: Newberry 9A				Facility Type: Gas Well				
Surface Ow	ner Fee		Mineral Owner	Fee		API No	.30-045-26386	
			LOCATIO	N OF RE	LEASE	S		
Unit Letter	Section	Township		th/South Line	Feet from the	East/West Line	County	
C	5	31N	12W 820	North	1800	West	San Juan	
Latitude <u>36.93272</u> Longitude <u>108.12092</u>								
			NATURI	E OF REL	EASE			
Type of Rele		iced Fluids		Volume o		Volume F	90/90 90 200 10 Description 0	
Source of Re	lease Belov	v Grade Tanl	<b>C</b>	Date and I	Hour of Occurrenc	e Date and	Hour of Discovery	
Was Immedia	ate Notice Gi			If YES, To	Whom?	1/2	- Alan Handing	
		Ш	Yes  No Not Require					
By Whom?				Date and I				
Was a Water	course Reach		es 🛛 No	If YES, V	olume Impacting t	he Watercourse.		
			0000 10000000					
If a Watercou	irse was Impa	acted, Describ	e Fully.*					
			al Action Taken.*					
Below Grade	e Tank Closi	ure Activities						
Describe Are	a Affected ar	nd Cleanup Ac	tion Taken.*		1.			
			t this site was determined to b					
			Chlorides were below the reg o further action is required. I				elines for Remediation of	
Leaks, Spins	and Kelease	e; therefore h	o turther action is required.	ine imai repo	t is attached for	i eview.		
			en above is true and complete to					
			report and/or file certain release ecceptance of a C-141 report by					
should their of	perations ha	ve failed to ad	equately investigate and remedi	ate contaminat	ion that pose a thre	eat to ground water	, surface water, human health	
or the environ	nment. In ad	dition, NMOC	D acceptance of a C-141 report	does not relieve	e the operator of	esponsibility for co	ompliance with any other	
federal, state,	federal, state, or local laws and/or regulations.							
OIL CONSERVATION DIVISION Simplesty						DIVISION		
Signature: Approved by Environmental Specialist:								
Printed Name	· Crystal T	afova						
1 IIIICG I WIIII	Orjonal I							
Title: Field	Environmen	tal Specialist		Approval Da	te:	Expiration l	Date:	
E-mail Addre	ess: crystal.ta	foya@conoco	phillips.com	Conditions o	f Approval:		Am 1 1	
DW7/ 2=	100 F II	5 mm					Attached	
Date: 1/22/2			05) 326-9837		The state of the s			
Attach Addi	tional Sheet	s If Necessar	У					



January 18, 2013

Crystal Tafoya ConocoPhillips San Juan Business Unit Office 214-05 5525 Hwy 64 Farmington, New Mexico 87401

624 E. Comanche

www.animasenvironmental.com

Farmington, NM 87401 505-564-2281

> Durango, Colorado 970-403-3084

RE: E

**Below Grade Tank Closure Report** 

Newberry #9A

San Juan County, New Mexico

Dear Ms. Tafoya:

Animas Environmental Services, LLC (AES) is pleased to provide the final report associated with the below grade tank (BGT) closure at ConocoPhillips (CoP) Newberry #9A, located in San Juan County, New Mexico. Tank removal had been completed by CoP contractors prior to AES' arrival at the location.

#### 1.0 Site Information

#### 1.1 Location

Site Name - Newberry #9A

Legal Description – NE¼ NW¼, Section 5, T31N, R12W, San Juan County, New Mexico Well Latitude/Longitude – N36.93272 and W108.12163, respectively BGT Latitude/Longitude – N36.93256 and W108.12150, respectively Land Jurisdiction – Private

Figure 1. Topographic Site Location Map

Figure 2. Aerial Site Map, December 2012

#### 1.2 NMOCD Ranking

Prior to site work, the New Mexico Oil Conservation Division (NMOCD) database was reviewed, and cathode report dated May 1991 for the Newberry #9A reported the depth to groundwater as 80 feet below ground surface (bgs). The New Mexico Office of the State Engineer (NMOSE) database was reviewed for nearby water wells, and no registered water wells were reported to be located within 1,000 feet of the location. Additionally, Google Earth and the New Mexico Tech Petroleum Recovery Research

Center online mapping tool (<a href="http://ford.nmt.edu/react/project.html">http://ford.nmt.edu/react/project.html</a>) were accessed to aid in the identification of downgradient surface water.

Once on site, AES personnel further assessed the ranking using topographical interpretation, Global Positioning System (GPS) elevation readings, and visual reconnaissance. AES personnel concluded that depth to groundwater at the site was between 50 and 99 feet bgs. An unnamed wash is located approximately 215 feet north of the location. Based on this information, the location was assessed a ranking score of 20.

#### 1.3 BGT Closure Assessment

AES was initially contacted by Jess Henson, CoP representative, on December 18, 2012, and on December 19, 2012, Deborah Watson and Heather Woods of AES mobilized to the location. AES personnel collected six soil samples from below the BGT liner. Four samples were collected from the perimeter of the BGT footprint, one sample was collected from the center of the BGT footprint, and one sample was composited from the four perimeter samples and one center sample.

#### 2.0 Soil Sampling

On December 19, 2012, AES personnel conducted field screening and collected five soil samples (S-1 through S-5) and one 5-point composite (SC-1) from below the BGT. Soil samples were collected from approximately 0.5 feet below the former BGT for field screening of volatile organic compounds (VOCs) and total petroleum hydrocarbon (TPH). Soil sample SC-1 was field screened for chloride and was submitted for confirmation laboratory analysis. Soil sample locations are included on Figure 2.

#### 2.1 Field Screening

#### 2.1.1 Volatile Organic Compounds

A portion of each sample was utilized for field screening of VOC vapors with a photo-ionization detector (PID) organic vapor meter (OVM). Before beginning field screening, the PID-OVM was first calibrated with 100 parts per million (ppm) isobutylene gas.

#### 2.1.2 Total Petroleum Hydrocarbons

Soil samples were also analyzed in the field for TPH per USEPA Method 418.1 using a Buck Scientific Model HC-404 Total Hydrocarbon Analyzer Infrared Spectrometer (Buck). A 3-point calibration was completed prior to conducting soil analyses. Field analytical protocol followed AES's Standard Operating Procedure: Field Analysis Total Petroleum Hydrocarbons per EPA Method 418.1.

#### 2.1.3 Chlorides

Soil sample SC-1 was field screened for chlorides using Chloride Drop Count Titration with silver nitrate. Sampling and analysis methods followed procedures provided by Hach Company.

#### 2.2 Laboratory Analyses

The composite soil sample SC-1 collected for laboratory analysis was placed into a new, clean, laboratory-supplied container, which was then labeled, placed on ice, and logged onto a sample chain of custody record. The sample was maintained on ice until delivery to the analytical laboratory, Hall Environmental Analysis Laboratory (Hall), in Albuquerque, New Mexico. Soil sample SC-1 was laboratory analyzed for:

- Benzene, toluene, ethylbenzene, and xylene (BTEX) per U.S. Environmental Protection Agency (USEPA) Method 8021B; and
- Chloride per USEPA Method 300.0.

#### 2.3 Field and Laboratory Analytical Results

Field screening readings for VOCs via OVM ranged from 0.0 ppm in S-3 through S-5 up to 0.7 ppm in S-2. Field TPH concentrations ranged from less than 20.0 mg/kg in S-2 up to 84.5 mg/kg in S-1. The field chloride concentration in SC-1 was 80 mg/kg. Field screening results are summarized in Table 1 and presented on Figure 2. The AES Field Screening Report is attached.

Table 1. Soil Field Screening VOCs, TPH, and Chloride Results
Newberry #9A BGT Closure, December 2012

Sample ID	Date Sampled	Depth below BGT (ft)	VOCs OVM Reading (ppm)	Field TPH (mg/kg)	Field Chlorides (mg/kg)
NMOCD Action L	evel (NMAC 19.	15.17.13E)		100	250
S-1	12/19/12	0.5	0.5	84.5	NA
S-2	12/19/12	0.5	0.7	<20.0	NA
S-3	12/19/12	0.5	0.0	54.5	NA
S-4	12/19/12	0.5	0.0	20.7	NA
S-5	12/19/12	0.5	0.0	40.3	NA
SC-1	12/19/12	0.5	NA	NA	80

NA - not analyzed

Laboratory analytical results reported benzene and total BTEX concentrations in SC-1 as less than 0.050 mg/kg and 0.25 mg/kg, respectively. The laboratory chloride

concentration was reported below the laboratory detection limit of 30 mg/kg. Laboratory analytical results are summarized in Table 2 and included on Figure 2. Laboratory analytical reports are attached.

Table 2. Soil Laboratory Analytical Results
Newberry #9A BGT Closure, December 2012

Sample ID	Date Sampled	Depth (ft)	Benzene (mg/kg)	BTEX (mg/kg)	TPH- GRO (mg/kg)	TPH- DRO (mg/kg)	Chlorides (mg/kg)
NMOCD Action	Level (NMAC 19.15	.17.13E)	0.2	50	10	00	250
SC-1	12/19/12	0.5	<0.050	<0.25	NA	NA	<30

NA - not analyzed

#### 3.0 Conclusions and Recommendations

NMOCD action levels for BGT closures are specified in New Mexico Administrative Code (NMAC) 19.15.17.13E. Benzene and total BTEX concentrations in SC-1 were below the NMOCD action level of 0.2 mg/kg and 50 mg/kg, respectively. Field TPH concentrations were below the NMOCD action level of 100 mg/kg, with the highest concentration reported in S-1 with 84.5 mg/kg. Chloride concentrations in SC-1 were below the NMOCD action level of 250 mg/kg. Based on field screening and laboratory analytical results for benzene, total BTEX, TPH, and chlorides, no further work is recommended at the Newberry #9A

If you have any questions about this report or site conditions, please do not hesitate to contact Deborah Watson at (505) 564-2281.

Sincerely,

Landrea Cupps

**Environmental Scientist** 

Elizabeth V McNolly


Landre R. Cupps

Elizabeth McNally, P.E.

Crystal Tafoya Newberry #9A BGT Closure Report January 18, 2013 Page 5 of 5

#### Attachments:

Figure 1. Topographic Site Location Map Figure 2. Aerial Site Map, December 2012 AES Field Screening Report 121912 Hall Analytical Report 1212907





SAMPLE LOCATIONS

	Field Scr	eening R	esults	
Sample ID Date		OVM- PID (ppm)	TPH (mg/kg)	Chlorides (mg/kg)
NMOCD AC	TION LEVEL		100	250
S-1	12/19/12	0.5	84.5	NA
S-2	12/19/12	0.7	<20.0	NA
S-3	12/19/12	0.0	54.5	NA
S-4	12/19/12	0.0	20.7	NA
S-5	12/19/12	0.0	40.3	NA
SC-1	12/19/12	NA	NA	80


SC-1 IS A 5-POINT COMPOSITE SAMPLE OF S-1 THROUGH S-5. NA - NOT ANALYZED

	Attack	Laborato	ry Analytico	al Results		
Sample ID	Date	Benzene (mg/kg)	Total BTEX (mg/kg)	TPH - GRO (mg/kg)	TPH - DRO (mg/kg)	Chlorides (mg/kg)
NMOCD ACTION LEVEL		0.2	50	10	00	250
SC-1	12/19/12	<0.050	<0.25	NA	NA	<30

SAMPLE WAS ANALYZED PER EPA METHOD 8021B AND 300.0.







AERIAL SOURCE: © 2012 PICTOMETRY INTERNATIONAL CORP. ONLINE, AERIAL TAKEN: APRIL 16, 2011 DRAWN BY: DATE DRAWN:

AES	
Animas Environn	nental Services, LLC

	C. Lameman	December 26, 2012
3.5	EVISIONS BY: C. Lameman	DATE REVISED: December 26, 2012
(	D. Watson	DATE CHECKED: December 26, 2012
A	PPROVED BY: E. McNally	DATE APPROVED: December 26, 2012

#### **AERIAL SITE MAP BELOW GRADE TANK CLOSURE DECEMBER 2012**

FIGURE 2

ConocoPhillips **NEWBERRY #9A** SAN JUAN COUNTY, NEW MEXICO NE¼ NW¼, SECTION 5, T31N, R12W N36.93272, W108.12163

# **AES Field Screening Report**

Client: ConocoPhillips

Project Location: Newberry #9A

Date: 12/19/2012

Matrix: Soil



624 E. Comanche Farmington, NM 87401 505-564-2281 Durango, Colorado 970-403-3274

		Time of			Field	Field TPH				ТРН
	Collection	Sample	Sample	MAO	Chloride	Analysis	Field TPH*	TPH PQL		Analysts
Sample ID	Date	Collection	Location	(ppm)	(mg/kg)	Time	(mg/kg)	(mg/kg)	DF	Initials
S-1	12/19/2012	10:31	North	0.5	NA	13:05	84.5	20.0	1	DAW
S-2	12/19/2012	10:33	South	0.7	NA	12:25	<20.0	20.0	1	DAW
S-3	12/19/2012	10:35	East	0.0	NA	12:45	54.5	20.0	1	DAW
S-4	12/19/2012	10:37	West	0.0	NA	12:30	20.7	20.0	1	DAW
S-5	12/19/2012	10:39	Center	0.0	NA	12:33	40.3	20.0	1	DAW
SC-1	12/19/2012	10:43	Composite	NA	08		Not A	Not Analyzed for TPH.	H.	

Field Chloride - Quantab Chloride Titrators or Drop Count Titration with

Silver Nitrate

Total Petroleum Hydrocarbons - USEPA 418.1

Analyst:

\*Field TPH concentrations recorded may be below PQL.

Not Analyzed Dilution Factor

Not Detected at the Reporting Limit

Practical Quantitation Limit

PQ N AN

Deman With

Page 1 Report Finalized: 12/19/12



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

December 26, 2012

Debbie Watson
Animas Environmental Services
624 East Comanche
Farmington, NM 87401
TEL: (505) 486-4071

FAX

RE: CoP Newberry 9A

OrderNo.: 1212907

#### Dear Debbie Watson:

Hall Environmental Analysis Laboratory received 1 sample(s) on 12/20/2012 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to <a href="www.hallenvironmental.com">www.hallenvironmental.com</a> or the state specific web sites. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. All samples are reported as received unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

Sincerely,

Andy Freeman

Laboratory Manager

andyl

4901 Hawkins NE

Albuquerque, NM 87109

#### **Analytical Report**

#### Lab Order 1212907

Date Reported: 12/26/2012

#### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Animas Environmental Services

CoP Newberry 9A

Lab ID: 1212907-001

Project:

Client Sample ID: SC-1

Collection Date: 12/19/2012 10:43:00 AM

Matrix: MEOH (SOIL) Received Date: 12/20/2012 10:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.050	mg/Kg	1	12/20/2012 3:16:04 PM
Toluene	ND	0.050	mg/Kg	1	12/20/2012 3:16:04 PM
Ethylbenzene	ND	0.050	mg/Kg	1	12/20/2012 3:16:04 PM
Xylenes, Total	ND	0.10	mg/Kg	1	12/20/2012 3:16:04 PM
Surr: 4-Bromofluorobenzene	106	80-120	%REC	1	12/20/2012 3:16:04 PM
EPA METHOD 300.0: ANIONS					Analyst: JRR
Chloride	ND	30	mg/Kg	20	12/20/2012 2:14:02 PM

A	lifiers
Qua	HILLERS

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

#### OC SUMMARY REPORT

#### Hall Environmental Analysis Laboratory, Inc.

WO#:

1212907

26-Dec-12

Client:

Animas Environmental Services

Project:

CoP Newberry 9A

Sample ID MB-5385

SampType: MBLK Batch ID: 5385

TestCode: EPA Method 300.0: Anions

Client ID: PBS

RunNo: 7660

Prep Date: 12/20/2012 Analysis Date: 12/20/2012

SegNo: 222457

Units: mg/Kg

Analyte

Result PQL

SPK value SPK Ref Val %REC LowLimit

HighLimit

**RPDLimit** 

Qual

Chloride

ND 1.5

Sample ID LCS-5385

SampType: LCS

TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 5385

RunNo: 7660

Prep Date: 12/20/2012 Analysis Date: 12/20/2012

SeqNo: 222458

Units: mg/Kg

Analyte

%REC

HighLimit LowLimit

Qual

Chloride

Result

SPK value SPK Ref Val PQL

0

91.4

90

**RPDLimit** 

Client ID:

Prep Date:

14

1.5 15.00

110

Sample ID 1212907-001AMS SC-1

SampType: MS

TestCode: EPA Method 300.0: Anions Batch ID: 5385

RunNo: 7660 SeqNo: 222464

Units: mg/Kg

Analyte Chloride

12/20/2012

ND

Result

Result

ND

Analysis Date: 12/20/2012 PQL

30

SPK value SPK Ref Val 8.712

%REC LowLimit 83.6 64.4 HighLimit 117

%RPD **RPDLimit** 

%RPD

%RPD

Qual

Qual

Sample ID 1212907-001AMSD

Client ID: SC-1 SampType: MSD

SPK value SPK Ref Val

15.00

15.00

TestCode: EPA Method 300.0: Anions RunNo: 7660

%REC

79.8

64.4

LowLimit

Units: mg/Kg

117

Analyte Chloride

Prep Date:

12/20/2012

Batch ID: 5385

PQL

30

Analysis Date: 12/20/2012

8.712

SeqNo: 222465

HighLimit

%RPD

**RPDLimit** 20

Value exceeds Maximum Contaminant Level.

E Value above quantitation range

Analyte detected below quantitation limits

Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit

RPD outside accepted recovery limits

Page 2 of 3

Qualifiers:

P Sample pH greater than 2

#### **QC SUMMARY REPORT**

#### Hall Environmental Analysis Laboratory, Inc.

WO#:

1212907

26-Dec-12

Client:

Animas Environmental Services

Project:	CoP New	berry 9A									
Sample ID	5ML RB	SampT	уре: МЕ	BLK	Tes	tCode: E	PA Method	8021B: Vola	tiles		
Client ID:	PBS	Batch	ID: R7	641	F	RunNo: 7	641				
Prep Date:		Analysis D	ate: 12	2/20/2012	5	SeqNo: 2	21908	Units: mg/k	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene		ND	0.050	3.4.1.4.11							
Toluene		ND	0.050								
Ethylbenzene		ND	0.050								
Xylenes, Total		ND	0.10								
Surr: 4-Brom	ofluorobenzene	1.0		1.000		103	80	120			
Sample ID	100NG BTEX LCS	SampT	ype: LC	s	Tes	tCode: E	PA Method	8021B: Vola	tiles		
Client ID:	LCSS	Batch	ID: <b>R7</b>	641	F	RunNo: 7	641				
Prep Date:		Analysis D	ate: 12	2/20/2012	5	SeqNo: 2	21909	Units: mg/K	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene		0.96	0.050	1.000	0	96.4	80	120			
Toluene		0.98	0.050	1.000	0	98.1	80	120			
Ethylbenzene		0.97	0.050	1.000	0	97.2	80	120			
Xylenes, Total		2.9	0.10	3.000	0	96.9	80	120			
Surr: 4-Brom	ofluorobenzene	1.1		1.000		105	80	120			
Sample ID	1212907-001AMS	SampT	ype: MS	3	Tes	tCode: E	PA Method	8021B: Volat	tiles		
Client ID:	SC-1	Batch	ID: <b>R7</b>	641	F	RunNo: 7	641				
Prep Date:		Analysis D	ate: 12	2/20/2012	S	SeqNo: 2	22408	Units: mg/K	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene		1.0	0.050	1.000	0	102	67.2	113			
Toluene		1.0	0.050	1.000	0	101	62.1	116			
Ethylbenzene		1.0	0.050	1.000	0	103	67.9	127			
Xylenes, Total		3.1	0.10	3.000	0	102	60.6	134			
Surr: 4-Brom	ofluorobenzene	1.1		1.000		106	80	120			
Sample ID	1212907-001AMSE	SampT	уре: МS	SD	Tes	tCode: El	PA Method	8021B: Volat	tiles		
Client ID:	SC-1	Batch	ID: <b>R7</b>	641	F	RunNo: 7	641				
Prep Date:		Analysis D	ate: 12	2/20/2012	8	SeqNo: 2	22412	Units: mg/K	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual

#### Qualifiers:

Benzene

Toluene

Ethylbenzene

Xylenes, Total

Surr: 4-Bromofluorobenzene

Value exceeds Maximum Contaminant Level.

0.95

0.95

0.98

2.9

1.1

0.050

0.050

0.050

0.10

1.000

1.000

1.000

3.000

1.000

0

0

0

0

E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH greater than 2 Analyte detected in the associated Method Blank

Η Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

95.4

95.3

97.8

96.9

105

67.2

62.1

67.9

60.6

80

113

116 127

134

120

6.29

5.97

5.10

5.23

0

RPD outside accepted recovery limits

Page 3 of 3

14.3

15.9

14.4

12.6

0



TTOM THESE COMMONIAN THREE SERVINGEON 4901 Hawkins NE Albuquerque, NM 87105

TEL: 505-345-3975 FAX: 505-345-410; Website: www.hallenvironmental.com

#### Sample Log-In Check List

	nt Name:	Animas Env	vironmental	2 1/2	Work Or	der Nu	mber:	1212907		
Rec	eived by/date	: 11 Lg		20/12			2210			
Logg	ged By:	Michelle G	arcia	12/20/2012 10:20:0	MA 00		47	fürul Garui Jürul Garui	>	
Com	pleted By:	Michelle G	arcia	12/20/2012 10:42:5	52 AM		1	Jurus Garia	>	
Revi	iewed By:	MES		whol	V					
Cha	in of Cust	tody ()	1							
1.	Were seals i	intact?	1		Yes	$\square$ N	o 🗆	Not Pro	esent 🗹	
2.	Is Chain of C	Custody comp	lete?		Yes	✓ N	o 🗆	Not Pro	esent 🗌	
3.	How was the	sample deliv	rered?		Cour	<u>ier</u>				
<u>Log</u>	<u>In</u>									
4.	Coolers are	present? (see	19. for cooler sp	pecific information)	Yes	✓ N	o 🗆		na 🗆	
5.	Was an atte	mpt made to	cool the samples	?	Yes	<b>✓</b> N	o 🗆		NA □	
6	Were all san	nples received	d at a temperatur	re of >0° C to 6.0°C	Yes	<b>V</b> N	o 🗆		NA 🗆	
U.				*		3 <del>-3</del> , 200				
7.	Sample(s) in	proper conta	iner(s)?		Yes	<b>✓</b> N	o 🗆			
8.	Sufficient sa	mple volume	for indicated test	(s)?		<b>✓</b> N				
9.	Are samples	(except VOA	and ONG) prope	erly preserved?	Yes	✓ N	o 🗆			
10.	Was preserv	ative added to	o bottles?		Yes	□ N	o 🗸		NA 🗆	
11.	VOA vials ha	ave zero head	Ispace?		Yes	□ N	。 □	No VOA	Vials 🗹	
12.	Were any sa	mple contain	ers received brok	en?	Yes	□и	o 🗸			
		vork match bo			Yes	<b>✓</b> N	。 □		of preserved ttles checked	
			ain of custody)			[ A ] A)		for	r pH:	
			ntified on Chain o	of Custody?		V N V N			<pre>(</pre> Adjusted?	2 or >12 unless noted)
100			vere requested?			✓ N	0.000			<del></del>
HEWEST,		ding times abl customer for a	authorization.)		Yes	M IA	• 🗆		Checked by	:
•		ing (if app								
.00	201970-2000		iscrepancles with	this order?	Yes	□ N	o 🗆		NA 🗹	
	Person	Notified:		Date	e:				*	
	By Who	om:		Via:		ا أ	Phone	Fax	In Person	
	Regard	ing:		er en ein singen en en en			_			<del>-</del>
	Client I	nstructions:	1			-				
18.	Additional re	marks:								
										26/2
19.	Cooler Infor	mation								
. •	Cooler No	Temp ºC		eal Intact   Seal No	Seal Da	e	Sigr	ned By		
	1	1.4	Good Ye	S						

HALL ENVIRONMENTAL ANALYSIS LABORATORY www.hallenvironmental.com 4901 Hawkins NE - Albuquerque, NM 87109 Tel. 505-345-3975 Fax 505-345-4107 Analysis Request	TPH Method 8015B (Gas/Diesel) TPH (Method 8015B (Gas/Diesel) TPH (Method 418.1) EDB (Method 504.1) 8310 (PNA or PAH) Anions (F,Cl,NO <sub>3</sub> ,NO <sub>2</sub> ,PO <sub>4</sub> ,SO <sub>4</sub> ) 8081 Pesticides / 8082 PCB's 8260B (VOA) 8270 (Semi-VOA) 600 CMMAA	8	Inne   Remarks: Bull 10 (Innohullung Suprivisor: Itamy Dec   1264   Wo: 10342520   Suprivisor: Itamy Dec   Inne   Are: 1   Well 10: KGARCIA   CALCIA: C200   Ordunation: Jess Henson   as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.
Turn-Around Time:  Standard Rush Sawe day  Project Name:  CoP Newberry 9A  Project #:	mag # # # # # # # # # # # # # # # # # # #		Date    1/2
Client: Animes Environmental  Services 11 C  Mailing Address 24 E Comanche  Turn inch AM 87401  Phone #: 505 Stuf 2281	Other Sample Request ID	(2-19-12 1043 Soi 1 SC-1	1204 WWA With   Time: Relinquished by:   The Remaining of the Property of th



