For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office. For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

| Pit, Below-Grade Tank, or | RECEIVED By kcollins at 7:42 am, Jun 28, 2016 |
|--|--|
| Proposed Alternative Method Permit or Closure Plan Applicatio | |
| 15311 Type of action: Below grade tank registration Dermit of a pit or proposed alternative method Closure of a pit, below-grade tank, or proposed alternative method Modification to an existing permit/or registration Closure plan only submitted for an existing permitted or non-permitted pit, b or proposed alternative method Or proposed alternative method | |
| Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternat | ive request |
| Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface was environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's responsibility to comply with any other applicable governmental authority's responsibility to comply with any other applicable governmental authority's responsibility to comply with any other applicable governmental authority's responsibility to comply with any other applicable governmental authority's responsibility to comply with any other applicable governmental authority's responsibility to comply with any other applicable governmental authority's responsibility to comply with any other applicable governmental authority's responsibility to comply with any other applicable governmental authority's responsibility to comply with any other applicable governmental authority's responsibility to comply with any other applicable governmental authority's responsibility to comply with any other applicable governmental authority's responsibility to comply with any other applicable governmental authority's responsibility to comply with any other applicable governmental authority's responsibility to comply with any other applicable governmental authority's responsibility to comply with any other applicable governmental authority is responsible. | ater, ground water or the ules, regulations or ordinances. |
| I. Operator: Burlington Resources Oil & Gas Company, LP OGRID # 14538 | |
| Address: P.O. Box 4289, Farmington, New Mexico 87499 | |
| Facility or well name: <u>GRENIER 6A / GRENIER 13F</u> | |
| API Number: <u>30-045-22263 / 30-045-33901</u> OCD Permit Number: | |
| U/L or Qtr/Qtr Section Township 31N Range County: San Juan | |
| Center of Proposed Design: Latitude <u>36.888959</u> °N Longitude <u>- 108.018223 °W</u> NAD: 1927 [1983 [| |
| Surface Owner: 🛛 Federal 🗌 State 🗌 Private 🗌 Tribal Trust or Indian Allotment | |
| 2 | |
| Pit: Subsection F, G or J of 19.15.17.11 NMAC | |
| Temporary: Drilling Workover | |
| Permanent Emergency Cavitation P&A Multi-Well Fluid Management Low Chloride Drilling F | 53 |
| Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other | |
| String-Reinforced | |
| Liner Seams: Welded Factory Other Volume: bbl Dimensions: L | _x wx D |
| 3. Below-grade tank: Subsection I of 19.15.17.11 NMAC | |
| Volume: <u>Max 120 bbl</u> Type of fluid: <u>Produced Water</u> | |
| Tank Construction material: Metal | |
| Secondary containment with leak detection 🛛 Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off | |
| □ Visible sidewalls and liner □ Visible sidewalls only □ Other | |
| Liner type: Thicknessmil | |
| | |
| 4. Alternative Method: | |
| Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for o | consideration of approval. |
| | |
| Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) | an antical hermited |
| Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence institution or church) | ze, school, nospital, |
| Four foot height, four strands of barbed wire evenly spaced between one and four feet | |
| Alternate. Please specify 4' hog wire fence with a single strand of barbed wire on top | |

dro

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)

Screen Netting Other

Monthly inspections (If netting or screening is not physically feasible)

Signs: Subsection C of 19.15.17.11 NMAC

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.16.8 NMAC

Variances and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

- □ Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.
- Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

| ^{9.} Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acce material are provided below. Siting criteria does not apply to drying pads or above-grade tanks. | eptable source |
|---|--------------------|
| General siting | |
| Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank | ☐ Yes ☐ No ☐ NA |
| Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells | ☐ Yes ☐ No ☐ NA |
| Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) Written confirmation or verification from the municipality; Written approval obtained from the municipality | Yes No |
| Within the area overlying a subsurface mine. (Does not apply to below grade tanks) Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division | 🗌 Yes 🗌 No |
| Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map | 🗌 Yes 🗌 No |
| Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map | Yes 🗌 No |
| Below Grade Tanks | |
| Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site | Yes 🗌 No |
| Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site | Yes 🗌 No |
| Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter) | |
| Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) Topographic map; Visual inspection (certification) of the proposed site | 🗌 Yes 🗌 No |
| Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image | Yes 🗌 No |
| | |

Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site

| Within 100 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site | Yes No |
|---|---------------------------------------|
| Temporary Pit Non-low chloride drilling fluid | |
| Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site | 🗌 Yes 🗌 No |
| Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image | 🗌 Yes 🗌 No |
| Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site | 🗌 Yes 🗌 No |
| Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site | 🗌 Yes 🗌 No |
| Permanent Pit or Multi-Well Fluid Management Pit | |
| Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site | 🗌 Yes 🗌 No |
| Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image | 🗋 Yes 🗌 No |
| Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site | 🗌 Yes 🗌 No |
| Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site | 🗌 Yes 🗌 No |
| 10. Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 N Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the dot attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number: | cuments are 9 NMAC 15.17.9 NMAC |
| 11. | |
| Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the dot attached. | .15.17.9 NMAC |
| Previously Approved Design (attach copy of design) API Number: or Permit Number: | <u>.</u> |

| 12. Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Errosion Control Plan Erosion Control Plan Erosion Control Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC | documents are |
|---|-------------------------------------|
| 13. Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method | luid Management Pit |
| ^{14.} <u>Waste Excavation and Removal Closure Plan Checklist</u>: (19.15.17.13 NMAC) <i>Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached.</i> Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC | |
| ^{15.} <u>Siting Criteria (regarding on-site closure methods only)</u> : 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. F 19.15.17.10 NMAC for guidance. | rce material are Please refer to |
| Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells | ☐ Yes ☐ No ☐ NA |
| Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells | □ Yes □ No □ NA |
| Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells | □ Yes □ No □ NA |
| Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site | 🗌 Yes 🗌 No |
| Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image | 🗌 Yes 🗌 No |
| Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site | 🗌 Yes 🗌 No |
| Written confirmation or verification from the municipality; Written approval obtained from the municipality | 🗋 Yes 🗌 No |
| Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site | 🗌 Yes 🗌 No |
| Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance | |
| Form C-144 Oil Conservation Division Page 4 o | f 6 |

| | 🗌 Yes 🗌 No |
|---|---------------------------|
| Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division | 🗌 Yes 🗌 No |
| Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological | |
| Society; Topographic map Within a 100-year floodplain. | 🗌 Yes 🗌 No |
| - FEMA map | 🗌 Yes 🗌 No |
| 16. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17. Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cann Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC | .11 NMAC 15.17.11 NMAC |
| 17. Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and beli Name (Print): Crystal Walker Title: Staff Regulatory Technician Signature: Crystal Walker Date: 4/15/160 | ief. |
| e-mail address: <u>Crystal.Walker@conocophillip.com</u> Telephone: <u>505-326-9837</u> . | |
| | |
| 18. OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: | -2016 |
| OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) | -2016 |
| OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: | the closure report. |
| OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: | the closure report. |

| | with this closure report is true, accurate and complete to the best of my knowle e closure requirements and conditions specified in the approved closure plan. | edge and |
|-----------------|---|----------|
| Name (Print): | Title: | |
| Signature: | Date: | |
| e-mail address: | Telephone: | |

Burlington Resources Oil & Gas Company, LP BGT Modification

Burlington Resources is requesting to modify the below-grade tank permit for the GRENIER 13F to correct an administrative error.

Burlington Resources found that the GRENIER 13F shares a Below Grade Tank with the GRENIER 6A and requests to modify the permit for the twinned location and the latitude and longitude of the existing permit.