For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office. For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Proposed Alternative Method Permit or Closure Plan Application  15272 Type of action: Permit of a pit of proposed alternative method Closure of a pit, below-grade tank, rogistration Closure of a pit, below-grade tank, or proposed alternative method Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method Instructions: Please submitted of permitter activity in the state of the state permitter of the permitter activity in the state of the st	Pit, Below-Grade Tank, or	<b>RECEIVED</b> By kcollins at 9:32 am, Jun 01, 2016			
Provided of a pit or proposed alternative method Closure of a pit, below-grade tank, or proposed alternative method Modification to an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method Instructions: Please submit ane application (Form C-144) per individual pit, below-grade tank or alternative request Please be abried that approval of this request does not nike to be operator of this ity should permitsor request Please submit ane application (Form C-144) per individual pit, below-grade tank or alternative request Please be abried that approval of this request does not nike to be operator of this ity should permitsor request and the operator of the request does not nike to be operator of the operator operat	Proposed Alternative Method Permit or Closure Plan Application				
Please be advised that approval of his request does not relieve the operator of liability should operations result in pollution of surface water, ground vater or the anvironment. Nor does approval relieve the operator of its responsibility to compty with any other applicable governmental authority's roles, regulations or ordinances.  t  Oentor: Budington Resources Oil & Gas Company, LP OGRID # 14538 Address: P.O. Box 4289, Farmington, New Mexico 87499 Facility or well name: LESTER 1005 / ZELLA CALLOWAY 1 / ZELLA CALLOWAY 1 M API Number:	<ul> <li>Permit of a pit or proposed alternative method</li> <li>Closure of a pit, below-grade tank, or proposed alternative method</li> <li>Modification to an existing permit/or registration</li> <li>Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank,</li> </ul>				
avironment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.   C Doprator: Burlington Resources Oil & Gas Company, LP OGRID # 14538 Address: P.O. Box 4289, Farmington, New Mexico 87499 Facility or well name: LESTER 1008/ZELLA CALLOWAY 1/ ZELLA CALLOWAY 1M API Number:	Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternati	ve request			
Operator:       Burlington Resources Oil & Gas Company, LP       OGRID # 14538         Address:       P.O. Box 4289, Farmington, New Mexico 37499         Pacifiy or well name:	environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's running of the second s				
Address:       P.O. Box 4289, Parmington, New Mexico. 87499         Facility or well name:					
Facility or well name:LESTER 1005 / ZELLA CALLOWAY 11/ZELLA CALLOWAY 11/         API Number:3004554893 / 3004509977 / 3004534888OCD Permit Number:         U/L or Qtr/QtrA_Section _3Township30NRange11WCounty: SAN JUAN         Center of Proposed Design: Latitude36.845617ON Longitude107.972411OW NAD: 1927 [_1983 \Box]         Surface Owner: [] Federal [] State \Box] Private [] Tribal Trust or Indian Allotment         2         9         Pit: Subsection F, G or J of 19.15.17.11 NMAC         Temporary: [] Drilling [] Workover         [] Permanent [] Emergency [] Cavitation [] P&A [] Multi-Well Fluid Management Low Chloride Drilling Fluid [] yes [] no         [] Lined [] Unfined Liner type: Thicknessmil [] LLDPE [] PVC [] Otherbbl Dimensions: Lx Wx D         3.         3.         3.       Below-grade tank: Subsection 1 of 19.15.17.11 NMAC         Yolume:MAX 120 bblType of fluid:Produced Water         Tank Construction material: Metal         3.       Secondary containment with leak detection [] Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off         2.       Yisible sidewalls and line [] Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off         2.       Yisible sidewalls and line [] Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off         2.       Yisible sidewalls and line [] Visible sidewalls,					
API Number:					
U/L or Qtr/Qtr A Section 3 Township 30N Range 11W County: SAN JUAN   Center of Proposed Design: Latitude 36.845617 ^N Longitude -07.972411 °W NAD: 1927 1983   Surface Owner: Federal State Ø Private Tribal Trust or Indian Allotment     2					
Center of Proposed Design: Latitude 36.845617N LongitudeND: 1927 ] 1983    Surface Owner: Federal State  Private Tribal Trust or Indian Allotment     *					
Surface Owner:       Pederal       State       Private       Tribal Trust or Indian Allotment         2       Pit:       Subsection F, G or J of 19.15.17.11 NMAC         Temporary:       Drilling       Workover         Permanent       Energency       Cavitation       P&A       Multi-Well Fluid Management       Low Chloride Drilling Fluid       yes       no         Sting-Reinforced       Liner Seams:       Welded       Factory       Other		1083 🕅			
Temporary: Drilling Workover   Permanent Emergency Cavitation P&A Multi-Well Fluid Management Low Chloride Drilling Fluid yes no   Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other		1705			
Temporary: Drilling Workover   Permanent Emergency Cavitation P&A Multi-Well Fluid Management Low Chloride Drilling Fluid yes no   Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other	2.				
Permanent □ Emergency □ Cavitation □ P&A □ Multi-Well Fluid Management Low Chloride Drilling Fluid □ yes □ no     □ Lined □ Unlined Liner type: Thicknessmil □ LLDPE □ PVC □ Other String-Reinforced Liner Seams: □ Welded □ Factory □ Other Volume:bbl Dimensions: L x W x D					
Lined ☐ Unlined Liner type: Thicknessmil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other   String-Reinforced   Liner Seams: ☐ Welded ☐ Factory ☐ Other Volume:bbl Dimensions: L x W x D <b>* Below-grade tank:</b> Subsection I of 19.15.17.11 NMAC   Volume:Max 120 bbl Type of fluid:Produced Water   Tank Construction material:Metal   Gecondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off   Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other	Temporary: Drilling Workover	9am als (100 - 10			
□ String-Reinforced   Liner Seams:   □ Welded   □ Factory   □ Other					
Liner Seams: Welded Factory Other Volume: bbl Dimensions: Lx Wx D	Lined Unlined Liner type: Thickness mil ULDPE HDPE PVC Other				
3.	String-Reinforced				
☑ Below-grade tank:       Subsection I of 19.15.17.11 NMAC         Volume:       Max 120 bbl       Type of fluid:       Produced Water         Tank Construction material:       Metal       Image: Metal       Image: Metal         □       Secondary containment with leak detection       Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off       Image: Metal         ☑       Visible sidewalls and liner       Visible sidewalls only       Other       Image: Metal         Liner type:       Thickness	Liner Seams: Welded Factory Other Volume: bbl Dimensions: L	_x Wx D			
Volume:       Max 120 bbl       Type of fluid:       Produced Water         Tank Construction material:       Metal         Secondary containment with leak detection       Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off         Visible sidewalls and liner       Visible sidewalls only       Other         Visible sidewalls and liner       Visible sidewalls only       Other         Liner type:       Thickness       mil       HDPE         #       Alternative Method:       Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.         5.       Fencing:       Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)         Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)         Four foot height, four strands of barbed wire evenly spaced between one and four feet					
<ul> <li>Secondary containment with leak detection   Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off</li> <li>Visible sidewalls and liner   Visible sidewalls only   Other</li></ul>	Volume: Max 120 bbl Type of fluid: Produced Water				
Visible sidewalls and liner   Visible sidewalls only   Other	Tank Construction material: Metal				
Liner type: Thicknessmil  HDPE PVC Other Unspecified  4.  Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.  5.  Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet					
Liner type: Thicknessmil  HDPE PVC Other Unspecified  4.  Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.  5.  Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet	Visible sidewalls and liner Visible sidewalls only Other				
Alternative Method:         Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.         5.         Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)         □ Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)         □ Four foot height, four strands of barbed wire evenly spaced between one and four feet					
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.  5.  Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet					
<ul> <li>5.</li> <li>Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)</li> <li>Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)</li> <li>Four foot height, four strands of barbed wire evenly spaced between one and four feet</li> </ul>					
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet	Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for c	onsideration of approval.			
<ul> <li>Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)</li> <li>Four foot height, four strands of barbed wire evenly spaced between one and four feet</li> </ul>					
institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet					
Four foot height, four strands of barbed wire evenly spaced between one and four feet					
Alternate. Please specify					
	Alternate. Please specify				

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)

Screen Netting Other

Monthly inspections (If netting or screening is not physically feasible)

## Signs: Subsection C of 19.15.17.11 NMAC

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.16.8 NMAC

## Variances and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.

Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.

General siting	
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank	☐ Yes ☐ No ☐ NA
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	
<ul> <li>Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks)</li> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> </ul>	🗌 Yes 🗌 No
<ul> <li>Within the area overlying a subsurface mine. (Does not apply to below grade tanks)</li> <li>Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division</li> </ul>	🗌 Yes 🗌 No
<ul> <li>Within an unstable area. (Does not apply to below grade tanks)</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> </ul>	Yes No
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	Yes No
Below Grade Tanks	
<ul> <li>Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark).</li> <li>Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗌 No
<ul> <li>Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;.</li> <li>NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗌 No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
<ul> <li>Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.)</li> <li>Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗌 No
<ul> <li>Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application.</li> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> </ul>	🗆 Yes 🗌 No
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application.	🗌 Yes 🗌 No

NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site

<ul> <li>Within 100 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	Yes No		
Temporary Pit Non-low chloride drilling fluid			
<ul> <li>Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).</li> <li>Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗌 No		
<ul> <li>Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</li> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> </ul>	🗌 Yes 🗌 No		
<ul> <li>Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application;</li> <li>NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗌 No		
<ul> <li>Within 300 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗌 No		
Permanent Pit or Multi-Well Fluid Management Pit			
<ul> <li>Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).</li> <li>Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	Yes No		
<ul> <li>Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</li> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> </ul>	🗌 Yes 🗌 No		
<ul> <li>Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.</li> <li>NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗌 No		
<ul> <li>Within 500 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗌 No		
10.         Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC         Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. <ul> <li>Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC</li> <li>Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC</li> <li>Sting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC</li> <li>Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC</li> <li>Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC</li> <li>Previously Approved Design (attach copy of design) API Number: or Permit Number:</li> </ul>			
II.			
Multi-Well Fluid Management Pit Checklist:       Subsection B of 19.15.17.9 NMAC         Instructions:       Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are         attached.       Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC         Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC         A List of wells with approved application for permit to drill associated with the pit.         Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC         and 19.15.17.13 NMAC         Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC         Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC         Previously Approved Design (attach copy of design)       API Number: or Permit Number:			

<ul> <li>12.</li> <li>Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC</li> <li>Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the attached.</li> <li>Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC</li> </ul>	documents are		
<ul> <li>Information reprint the requirements of a langtph (1) of based of 19.15.17.10 NMAC</li> <li>Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC</li> <li>Climatological Factors Assessment</li> <li>Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC</li> <li>Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC</li> <li>Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC</li> <li>Quality Control/Quality Assurance Construction and Installation Plan</li> <li>Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC</li> <li>Inisance or Hazardous Odors, including H<sub>2</sub>S, Prevention Plan</li> <li>Emergency Response Plan</li> <li>Oil Field Waste Stream Characterization</li> <li>Monitoring and Inspection Plan</li> <li>Erosion Control Plan</li> <li>Closure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC</li> </ul>			
13. <u>Proposed Closure</u> : 19.15.17.13 NMAC			
<i>Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.</i> Type: □ Drilling □ Workover □ Emergency □ Cavitation □ P&A □ Permanent Pit ⊠ Below-grade Tank □ Multi-well F	luid Management Pit		
☐ Alternative Proposed Closure Method: ☑ Waste Excavation and Removal			
<ul> <li>Waste Removal (Closed-loop systems only)</li> <li>On-site Closure Method (Only for temporary pits and closed-loop systems)</li> </ul>			
In-place Burial On-site Trench Burial Alternative Closure Method			
<ul> <li>closure plan. Please indicate, by a check mark in the box, that the documents are attached.</li> <li>Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC</li> <li>Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC</li> <li>Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)</li> <li>Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC</li> <li>Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC</li> <li>Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC</li> </ul>			
15. <u>Siting Criteria (regarding on-site closure methods only)</u> : 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. Please refer to 19.15.17.10 NMAC for guidance.			
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ Yes □ No □ NA		
<ul> <li>Ground water is between 25-50 feet below the bottom of the buried waste</li> <li>NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells</li> </ul>	☐ Yes ☐ No ☐ NA		
<ul> <li>Ground water is more than 100 feet below the bottom of the buried waste.</li> <li>NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells</li> </ul>	☐ Yes ☐ No ☐ NA		
<ul> <li>Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).</li> <li>Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	🗋 Yes 🗌 No		
<ul> <li>Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</li> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> </ul>	🗋 Yes 🗌 No		
<ul> <li>Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application.</li> <li>NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗌 No		
Written confirmation or verification from the municipality; Written approval obtained from the municipality	🗌 Yes 🗌 No		
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	🗌 Yes 🗌 No		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance			
Form C-144 Oil Conservation Division Page 4 o	f 6		

- Written confirmation or verification from the municipality; Written approval obtained from the municipality	🗌 Yes 🗌 No			
<ul> <li>Within the area overlying a subsurface mine.</li> <li>Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division</li> </ul>				
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological</li> </ul>				
Society; Topographic map				
Within a 100-year floodplain. - FEMA map	🗌 Yes 🗌 No			
<ul> <li>16.</li> <li>On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.</li> <li>Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC</li> <li>Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC</li> <li>Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.11 NMAC</li> <li>Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC</li> <li>Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC</li> <li>Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC</li> <li>Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)</li> <li>Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC</li> <li>Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC</li> </ul>				
17.         Operator Application Certification:         I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.         Name (Print):       Crystal Walker         Title:       Regulatory Coordinator         Signature:       Date:         Signature:       Date:         Signature:       Crystal.walker@conocophillip.com         Telephone:       505-326-9837				
rephone. <u>505-520-7051</u>				
18. OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)				
18.       OCD Approval: Permit Application (including closure plan)       Closure Plan (only)       OCD Conditions (see attachment)         OCD Representative Signature:       Vanssa Fields       Approval Date: 12-22-2	2016			
18. OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)	2016			
18.       OCD Approval: Permit Application (including closure plan)       Closure Plan (only)       OCD Conditions (see attachment)         OCD Representative Signature:       Vanssa Fields       Approval Date: 12-22-2         Title:       Environmental Specialist       OCD Permit Number:         19.       Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC         Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed.	the closure report.			
18.       OCD Approval: Application (including closure plan) □ Closure Plan (only) □ OCD Conditions (see attachment)         OCD Representative Signature: Vanassa Fields       Approval Date: 12-22-2         Title: Environmental Specialist       OCD Permit Number:         19.       Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC         Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed.	the closure report.			
18.       OCD Approval: Permit Application (including closure plan)       Closure Plan (only)       OCD Conditions (see attachment)         OCD Representative Signature:       Vanssa Fields       Approval Date: 12-22-2         Title:       Environmental Specialist       OCD Permit Number:         19.       Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC         Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed.	the closure report. complete this			

## 22. Operator Closure Certification:

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.		
Name (Print):	Title:	
Signature:	Date:	
e-mail address:	Telephone:	

## Burlington Resources Oil & Gas Company, LP BGT Modification

Burlington Resources is requesting to modify the below-grade tank permit for LESTER 100S.

Burlington Resources found that the LESTER 100S shares a BGT with the ZELLA CALLOWAY 1 & ZELLA CALLOWAY 1M and would like to modify the existing permit.