Form C-144 July 21, 2008

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

<u>Pit, Closed-Loop System, Below-Grade Tank, or</u> <u>Proposed Alternative Method Permit or Closure Plan Application</u>

Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the nvironment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: BPX ENERGY INC. (formerly BP America Production Co.) OGRID #: 778
Address: 1199 Main Ave., Suite 101, Durango, CO 81301
Facility or well name: GALLEGOS CANYON UNIT 276
API Number: 3004522236 OCD Permit Number:
U/L or Qtr/Qtr I Section 25.0 Township 28.0N Range 13W County: San Juan County
Center of Proposed Design: Latitude <u>36.63058</u> Longitude <u>-108.16534</u> NAD: □1927 ▼ 1983
Surface Owner: ▼ Federal □ State □ Private □ Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other String-Reinforced Liner Seams: Welded Factory Other Volume: bbl Dimensions: L x W x D 3. Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other Liner Seams: Welded Factory Other Liner Seams: Welded Factory Other
Selow-grade tank: Subsection I of 19.15.17.11 NMAC Tank ID: A
5. Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.
Submittar of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Buleau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)	
Chain link, six feet in height, two strands of barbed wire at top (<i>Required if located within 1000 feet of a permanent residence, school, histitution or church</i>)	nospital,
Four foot height, four strands of barbed wire evenly spaced between one and four feet	
Alternate. Please specify	
7.	
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	
Screen Netting Other	
Monthly inspections (If netting or screening is not physically feasible)	
8. Signs: Subsection C of 19.15.17.11 NMAC	
☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
Signed in compliance with 19.15.16.8 NMAC	
Administrative Approvals and Exceptions:	
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank:	
Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau of	office for
consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
10.	
<u>Siting Criteria (regarding permitting)</u> : 19.15.17.10 NMAC <i>Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acception</i> .	table source
material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate the control of t	oriate district
office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying	
above-grade tanks associated with a closed-loop system.	
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	∐ Yes ∐ No
- Topographic map; Visual inspection (certification) of the proposed site	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	☐ Yes ☐ No ☐ NA
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	□ NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No
 (Applies to permanent pits) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	∐ NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock	☐ Yes ☐ No
watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yes ☐ No
adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	
Within 500 feet of a wetland.	☐ Yes ☐ No
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area.	☐ Yes ☐ No
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	
Within a 100-year floodplain FEMA map	Yes No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are
attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC ☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:
12. Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are
attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
13.
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

16. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground S	Steel Tanks or Haul-off Bins Only: (19.15.17.13.	O NMAC)		
Instructions: Please indentify the facility or facilities for the disposal of liquids, a facilities are required.	rilling fluids and drill cuttings. Use attachment if n	nore than two		
	Disposal Facility Permit Number:			
Disposal Facility Name:	Disposal Facility Permit Number:			
Will any of the proposed closed-loop system operations and associated activities oc ☐ Yes (If yes, please provide the information below) ☐ No	cur on or in areas that will not be used for future serv	vice and operations?		
Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	requirements of Subsection H of 19.15.17.13 NMAC I of 19.15.17.13 NMAC	C		
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the oprovided below. Requests regarding changes to certain siting criteria may require considered an exception which must be submitted to the Santa Fe Environmental demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for	e administrative approval from the appropriate distr Bureau office for consideration of approval. Justij	rict office or may be		
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from nearby wells	☐ Yes ☐ No ☐ NA		
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from nearby wells	☐ Yes ☐ No ☐ NA		
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from nearby wells	☐ Yes ☐ No ☐ NA		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sign lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	nificant watercourse or lakebed, sinkhole, or playa	☐ Yes ☐ No		
Within 300 feet from a permanent residence, school, hospital, institution, or church - Visual inspection (certification) of the proposed site; Aerial photo; Satellite		☐ Yes ☐ No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less watering purposes, or within 1000 horizontal feet of any other fresh water well or spring that less watering purposes, or within 1000 horizontal feet of any other fresh water well or spring that less watering purposes, or within 1000 horizontal feet of any other fresh water well or spring that less watering purposes, or within 1000 horizontal feet of any other fresh water well or spring that less watering purposes, or within 1000 horizontal feet of any other fresh water well or spring that less watering purposes, or within 1000 horizontal feet of any other fresh water well or spring that less watering purposes, or within 1000 horizontal feet of any other fresh water well or spring that less watering purposes, or within 1000 horizontal feet of any other fresh water well or spring that less watering purposes is a spring that less water well or spring that less wat	pring, in existence at the time of initial application.	☐ Yes ☐ No		
Within incorporated municipal boundaries or within a defined municipal fresh wate adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approve	-	☐ Yes ☐ No		
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visua	l inspection (certification) of the proposed site	☐ Yes ☐ No		
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining	and Mineral Division	☐ Yes ☐ No		
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology Society; Topographic map	& Mineral Resources; USGS; NM Geological	Yes No		
Within a 100-year floodplain FEMA map		☐ Yes ☐ No		
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Operator Application Certification: I hereby certify that the information submitted with this application is true, accura	ate and complete to the best of my knowledge and belief.
Name (Print):	Title:
Signature:	Date:
e-mail address:	Telephone:
OCD Approval: ☐ Permit Application (including closure plan) ☒ Closure Plan	an (only) OCD Conditions (see attachment)
OCD Representative Signature:	Approval Date: 8/26/19
Title: _ Environmental Specalist	OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection Instructions: Operators are required to obtain an approved closure plan prior to The closure report is required to be submitted to the division within 60 days of the section of the form until an approved closure plan has been obtained and the closure plan plan has bear plan has been obtained and the closure plan has been obtained	o implementing any closure activities and submitting the closure report. he completion of the closure activities. Please do not complete this
	<u> </u>
Closure Method: Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alterna ☐ If different from approved plan, please explain.	tive Closure Method Waste Removal (Closed-loop systems only)
Closure Report Regarding Waste Removal Closure For Closed-loop Systems Instructions: Please indentify the facility or facilities for where the liquids, drill two facilities were utilized. Disposal Facility Name:	ling fluids and drill cuttings were disposed. Use attachment if more than
Disposal Facility Name:	Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or Yes (If yes, please demonstrate compliance to the items below) No	in areas that will not be used for future service and operations?
Required for impacted areas which will not be used for future service and operation Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	ons:
24. Closure Report Attachment Checklist: Instructions: Each of the following ite	ems must be attached to the closure report. Please indicate, by a check
mark in the box, that the documents are attached. □ Proof of Closure Notice (surface owner and division) □ Proof of Deed Notice (required for on-site closure) □ Plot Plan (for on-site closures and temporary pits) ☑ Confirmation Sampling Analytical Results (if applicable) □ Waste Material Sampling Analytical Results (required for on-site closure) ☑ Disposal Facility Name and Permit Number ☑ Soil Backfilling and Cover Installation □ Re-vegetation Application Rates and Seeding Technique ☑ Site Reclamation (Photo Documentation)	
On-site Closure Location: Latitude 36.63058 Longitude	ude108.16534 NAD: □1927 🗷 1983
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure rebelief. I also certify that the closure complies with all applicable closure requirements.	nents and conditions specified in the approved closure plan.
Name (Print): Erin Dunman	Title: Field Environmental Coordinator
Signature: Crin Dunman	August 13, 2019 Date:
e-mail address: Erin.Dunman@bpx.com	Telephone: 832-609-7048

22.	
Operator Closure Certification:	
I hereby certify that the information and attachments submitted with this closure report belief. I also certify that the closure complies with all applicable closure requirements	
Name (Print):	Title:
Signature:	Date:
e-mail address:	Telephone:

BPX ENERGY

(formally BP America Production Company) SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

Gallegos Canyon Unit # 276 – Tank ID: A

API #: 3004522236

Unit Letter I, Section 25, T28N, R13W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BPX Energy (BPX) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BPX shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BPX shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BPX's NMOCD approved BGT design attached to the BPX Design and Construction Plan. BPX shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BPX's NMOCD approve BGT Design attached to the BPX Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BPX shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

1. BPX shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.

Notice is attached.

2. BPX shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.

Notice was provided and documented in the attached email.

- 3. BPX shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BPX Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)
 - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
 - e. BPX Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)
 - f. BPX Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
 - g. BPX Operated GCU 259 SWD, API 30-045-20006 (Liquids)
 - h. BPX Operated GCU 306 SWD, API 30-045-24286 (Liquids)
 - i. BPX Operated GCU 307 SWD, API 30-045-24248 (Liquids)
 - i. BPX Operated GCU 328 SWD, API 30-045-24735 (Liquids)
 - k. BPX Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and/or sludge within the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BPX shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported for recycling.

5. BPX shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BPX shall test the soils beneath the BGT to determine whether a release has occurred. BPX shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample
		(mg/Kg)	Results
Benzene	US EPA Method SW-846 8021B or 8260B	0.2	< 0.017
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	< 0.068
TPH	US EPA Method SW-846 418.1	100	<47
Chlorides	US EPA Method 300.0 or 4500B	250 or background	<60

Notes:

mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

<u>Soil beneath the BGT was sampled for TPH, BTEX, and chloride. All test parameters</u> were below the stated limits. A field and laboratory reports are attached.

7. BPX shall notify the division District III office of its results on form C-141. C-141 is attached.

8. If it is determined that a release has occurred, then BPX will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.

Sampling results reveal no evidence of a release has occurred.

9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BPX shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area

Sampling results reveal no evidence of a release has occurred. Area was backfilled with clean, earthen material and is within the active well pad.

10. BPX shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BPX shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The BGT area has been backfilled with clean, earthen material and is within the active well pad. Reclamation will be completed within the allowable timeframe and will meet the specified requirements of 19.15.17.13 NMAC.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The BGT area has been backfilled with clean, earthen material and is within the active well pad. Reclamation will be completed within the allowable timeframe and will meet the specified requirements of 19.15.17.13 NMAC.

12. BPX shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The BGT area has been backfilled with clean, earthen material and is within the active well pad. Reclamation will be completed within the allowable timeframe and will meet the specified requirements of 19.15.17.13 NMAC.

13. BPX shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

The BGT area has been backfilled with clean, earthen material and is within the active well pad. Reclamation will be completed within the allowable timeframe and will meet the specified requirements of 19.15.17.13 NMAC.

- 14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BPX shall notify the NMOCD when it has seeded or planted and when it successfully achieves re-vegetation.

 BPX will notify NMOCD when re-vegetation is successfully completed.
- 15. Within 60 days of closure completion, BPX shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation.

<u>Closure report on C-144 form is included & contains a photo of the current reclamation</u> requirements completed.

16. BPX shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

BP Pit Closure Notification - Gallegos Canyon Unit 276

From: Patti Campbell (Patti.Campbell@bpx.com)

To: Smith, Cory, EMNRD, Sabre Beebe (BPX), Erin Dunman, Steve Moskal, Adeloye Abiodun, I1thomas@blm.gov, Nelson Velez,

Jeffery Blagg

Date: Monday, June 17, 2019 10:34 AM MDT

SENT VIA E-MAIL TO: CORY.SMITH@STATE.NM.US

June 17, 2019

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

Gallegos Canyon Unit 276 API 30-045-22236 (I) Section 25 – T28N – R13W San Juan County, New Mexico

Dear Mr. Cory Smith,

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close a 95bbl BGT that will no longer be operational at this well site. We anticipate this work to start on or around June 21, 2019.

Should you have any questions, please feel free to contact BP.

Sincerely,

Patti Campbell

Regulatory Analyst
BP America Production Company
BPX Energy Inc.
(970) 712-5997
patti.campbell@bpx.com



This email and any attachments are intended only for the addressee(s) listed above and may contain confidential, proprietary, and/or privileged information. If you are not an intended recipient, please immediately advise the sender by return email, delete this email and any attachments, and destroy any copies of same. Any unauthorized review, use, copying, disclosure or distribution of this email and any attachments is prohibited.

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

Incident ID	
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Contact Name	E . E			-	778		
Contact Name Erin Dunman					Telephone (832) 609-7048		
Contact email Erin.Dunman@bpx.com					# (assigned by OCD)		
Contact mailin	ng address	1199 Main Av	e., Suite 101, D	ourango, CO	81301		
			Location (of Release S	Source		
atitude	36.	.63058		Longitude	-108.16534		
			(NAD 83 in deci	imal degrees to 5 dec	imal places)		
Site Name G	ALLEGO	OS CANYON I	U NIT 276	Site Type	Natural Gas Well		
Date Release D	Discovered			API# (if ap	pplicable) 30-045-22236		
Unit Letter	Section	Township	Range	Cou	-		
I	25	28N	13W	San .	Juan		
Crude Oil	Materia	ıl(s) Released (Select al Volume Release			ic justification for the volumes provided below) Volume Recovered (bbls)		
	Water				Volume Recovered (bbls)		
Produced Water Volume Released (bbls) Is the concentration of dissolved chloride produced water >10,000 mg/l?		loride in the	Yes No				
Condensate	e	Volume Release			Volume Recovered (bbls)		
☐ Natural Gas Volume Released (Mcf)			Volume Recovered (Mcf)				
Other (describe) Volume/Weight Released (provide units)		units)	Volume/Weight Recovered (provide units)				
		1					
Cause of Ralas	асе ТРН	RTEX & chl	ride all helow	helow-grada	tank (BGT) permit closure standards.		

Form C-141 Page 2

State of New Mexico Oil Conservation Division

Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major release as defined by	If YES, for what reason(s) does the respon	sible party consider this a major release?
19.15.29.7(A) NMAC?		
☐ Yes ⊠ No		
If YES, was immediate no	otice given to the OCD? By whom? To wh	om? When and by what means (phone, email, etc)?
Not required.		
	Initial Re	esponse
The responsible p	party must undertake the following actions immediately	unless they could create a safety hazard that would result in injury
☐ The source of the rele	ease has been stopped.	
	s been secured to protect human health and	the environment.
	•	ikes, absorbent pads, or other containment devices.
All free liquids and re	ecoverable materials have been removed and	managed appropriately.
If all the actions described	d above have <u>not</u> been undertaken, explain w	vhy:
has begun, please attach a	a narrative of actions to date. If remedial e	emediation immediately after discovery of a release. If remediation efforts have been successfully completed or if the release occurred lease attach all information needed for closure evaluation.
regulations all operators are a public health or the environm failed to adequately investiga	required to report and/or file certain release notified. The acceptance of a C-141 report by the Oate and remediate contamination that pose a threat	best of my knowledge and understand that pursuant to OCD rules and fications and perform corrective actions for releases which may endanger CD does not relieve the operator of liability should their operations have at to groundwater, surface water, human health or the environment. In responsibility for compliance with any other federal, state, or local laws
Printed Name: Erin	Dunman	Title: Field Environmental Coordinator
Signature: Cin Oun	man	August 13, 2019 Date:
email: Erin.Dunma	un@bpx.com	Telephone:(832) 609-7048
OCD Only		
Received by:		Date:

CLIENT: BPX	BLAGG ENGINEERING, INC.		API#: 3004522236		
CLIENT: DI A	P.O. BOX 87, BLOOMFIELD, NM 87413			TANK ID	٨
	(505)	632-1199		(if applicble):	Α
FIELD REPORT:	(circle one): BGT CONFIRMATION / REL	EASE INVESTIGATION / OTHER:		PAGE #: 1	of 1
SITE INFORMATION	: SITE NAME: GCU # 270	3		DATE STARTED: 0	6/21/19
QUAD/UNIT: SEC: 25 TWP:		NM CNTY: SJ ST	: NM	DATE FINISHED:	
1/4 -1/4/FOOTAGE: 1,650'S / 1,0	90'E NE/SE LEASE TYPE:	FEDERAL / STATE / FEE	INDIAN	ENVIRONMENTAL	
		KELLEY O.F.S. RACTOR: BPX - S. BEEB		SPECIALIST(S):	NJV
REFERENCE POINT	- WELL HEAD (W.H.) GPS COO	ORD.: 36.63049 X 1	08.16545	GL ELEV.:_	5,799'
1) 95 BGT (DW/DB)	GPS COORD.: 36.63 ()58 X 108.16534	_ DISTANCE/BEA	RING FROM W.H.: 54',	N37.5E
2)	GPS COORD.:		_ DISTANCE/BEA	RING FROM W.H.:	
3)	GPS COORD.:		_ DISTANCE/BEA	RING FROM W.H.:	
4)	GPS COORD.:		_ DISTANCE/BEA	RING FROM W.H.:	
SAMPLING DATA:	CHAIN OF CUSTODY RECORD(S) # OR LA				OVM READING (ppm)
1) SAMPLE ID: 5PC - TB @ 5'				15B/8021B/300.0 (CI)	NA
2) SAMPLE ID:					
SAMPLE ID: SAMPLE ID:					
	SAMPLE DATE:				
SOIL DESCRIPTION	SOIL TYPE: SAND SILTY SAND SILT /	SILTY CLAY / CLAY / GRAVEL / OTH	HER		
		STICITY (CLAYS): NON PLASTIC / SLIGH		OHESIVE / MEDIUM PLASTIC /	HIGHLY PLASTIC
COHESION (ALL OTHERS): NON COHESIVE SLIGHTLY		ISITY (COHESIVE CLAYS & SILTS):	SOFT / FIRM /	STIFF / VERY STIFF / HARI	D
CONSISTENCY (NON COHESIVE SOILS): LC		DOOR DETECTED: YES NO EXPLAI	Nation		
MOISTURE: DRY SLIGHTLY MOIST MOIST / W SAMPLE TYPE: GRAB (COMPOSITE) #	I —	ADEAO DIODI AVINO METNEGO AVE		NATION	
DISCOLORATION/STAINING OBSERVED: YES		AREAS DISPLAYING WETNESS: YES	S NO EXPLAI	NATION -	
SITE OBSERVATION	-	NO EXPLANATION -			
APPARENT EVIDENCE OF A RELEASE OBSERVE					
EQUIPMENT SET OVER RECLAIMED AREA:	YES NO EXPLANATION -				
OTHER: BGT MODIFICATION COMPLETE	tara da la companya	•	NMOCD OR	R BLM REPS. NOT PRES	ENT TO
WITNESS CONFIRMATION SAMPLING EXCAVATION DIMENSION ESTIMATION:			CAVATION EST	TIMATION (Cubic Yards)	: NA
DEPTH TO GROUNDWATER: >100'	NEAREST WATER SOURCE: >1,000' N			` ,	
SITE SKETCH	BGT Located: off on site	PLOT PLAN circle: a	ttached	1 CALIB. READ. = NA	nnm
	201 200died : 011 / 011 0110	T LOTT LATE SHOLE. U			ppm RF =1.00
	FENCE <			1 CALIB. GAS = NA E: NA am/pm DATE:	ppm NA
			N TIME	'	
	PBGT	1	•	MISCELL. N	OTES
	(x x x) < // T.B. ~	5'	<u>P</u>	0#: 430107357	2
	BERM B.G.		<u> </u>	AFE#: X7-00780-E	E:REST
	DERIVI —		<u>s</u>	sio #: 190040007	672
	·		I -	SL#: 745277	
		FORMER COMPRESSOR	₹ 1-		6/03/10
FORMER		LOCATION	0	OCD Appr. date(s): 10	0/12/11 or Meter
PUMP JACKLOCATION			<u> </u>	D ppm = parts per mill	lion
	P&A MARKER		^	-	$\overline{}$
		X - S		BGT Sidewalls Visible: BGT Sidewalls Visible:	
	OW-GRADE TANK LOCATION; SPD = SAMPLE POINT [DESIGNATION; R.W. = RETAINING WALL; N		Magnetic declination:	
APPLICABLE OR NOT AVAILABLE; SW - SINGL	EWALL; DW - DOUBLE WALL; SB - SINGLE BOTTOM; [ERY DATE: 4/6/2019.	ONSITE: 06/21/19			

revised: 11/26/13 BEI1005E-6.SKF

Lab Order **1906C16**

Date Reported: 6/25/2019

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Blagg Engineering Client Sample ID: 5PC-TB@5'(95)

 Project:
 GCU 276
 Collection Date: 6/21/2019 10:00:00 AM

 Lab ID:
 1906C16-001
 Matrix: MEOH (SOIL)
 Received Date: 6/22/2019 8:00:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	: CJS
Chloride	ND	60	mg/Kg	20	6/23/2019 5:13:25 PM	45747
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst	BRM
Diesel Range Organics (DRO)	ND	9.4	mg/Kg	1	6/24/2019 11:56:24 AM	45756
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	6/24/2019 11:56:24 AM	45756
Surr: DNOP	102	70-130	%Rec	1	6/24/2019 11:56:24 AM	45756
EPA METHOD 8015D: GASOLINE RANGE					Analyst	: NSB
Gasoline Range Organics (GRO)	ND	3.4	mg/Kg	1	6/24/2019 1:01:53 PM	45738
Surr: BFB	108	73.8-119	%Rec	1	6/24/2019 1:01:53 PM	45738
EPA METHOD 8021B: VOLATILES					Analyst	: NSB
Benzene	ND	0.017	mg/Kg	1	6/24/2019 1:01:53 PM	45738
Toluene	ND	0.034	mg/Kg	1	6/24/2019 1:01:53 PM	45738
Ethylbenzene	ND	0.034	mg/Kg	1	6/24/2019 1:01:53 PM	45738
Xylenes, Total	ND	0.068	mg/Kg	1	6/24/2019 1:01:53 PM	45738
Surr: 4-Bromofluorobenzene	99.4	80-120	%Rec	1	6/24/2019 1:01:53 PM	45738

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

С	hain-	of-Cus	stody Record	Turn-Around	Time:	SAME	7						_		,							
Client:	BLAG	G ENGR	. / BPX ENERGY	Standard Project Name	Rush _	DAY					N	AL	Y	SI	S L	_A	ВО	R	AT(
Mailing A	ddress:	P.O. BO	X 87	1	GCU # 27	16		49	01 F	lawk							l.com		a			
		BLOOM	FIELD, NM 87413	Project #:						05-3							-410		-			
Phone #:		(505) 63	32-1199	7								SOLUTE.	anna B	ysis	10000	Total Control	No.			1	2 23	
email or	Fax#:			Project Manag	ger:		Г							-	Г	-		-		П	T	
QA/QC Package: Standard Level 4 (Full Validation)		SABRE BEEBE			WE's (8021B)	only)	/ MRO)			IS)		05,50	PCB's			er - 300.			0			
Accredita	tion:			Sampler: NELSON VELEZ				TPH (Gas	DRO /	1)	1)	SIN		02,5	3082			wat			mpk	
□ NELA	0	□ Other		On Ice: Yes 🗆 No 77			1	PH	-	118	90	3270	100.00	3,N	8/8		F	0.0			e sa	Î
□ EDD (Type)		Sample Temperature: 37 °] [+	GRC	po 7	bo	org	tals	Ĭ,	cide	F	9-	1-30		au l	osite	Yor		
Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	HEAL NO.	BTEX ←MFB	BTEX + MTBE	TPH 8015B (GRO	TPH (Method 418.1)	EDB (Method 504.1)	PAH (8310 or 8270SIMS)	RCRA 8 Metals	Anions (F,Cl,NO3,NO2,PO4,SO4)	8081 Pesticides / 8082 PCB's	8260B (VOA)	8270 (Semi-VOA)	Chloride (soil - 300.0 / water - 300.1)		Grab sample	5 pt. composite sample	Air Bubbles (Y or N)
6/21/19	1000	SOIL	5PC-TB@ 5 / (95)	4 oz 1	Cool	-001	٧		٧									٧			٧	
-																					_	
							Ш												\perp		\perp	
							Ш												_		_	
							Ш												\perp	4	4	
										_	_	_						4	\perp	_	4	
							\square				_			_				_	\dashv	4	4	
										\perp	_							_	_	_	4	
							Н												\dashv	4	4	
Date:	Time:	Relinquishe	ed by:	Received by:		Date Time	Rem	arks		BILLE	MRECT	TLY TO	BDY	USIM	G THE	CON	TACTO	S) PEI	OW F	O DE	IIVE	ED
4/21/19	1550	90	401	Mad	Lhet !	Kilis 1550				VIAE	MAIL	ECTLY TO BPX USING THE CONTACT(S) BELOW. PO DELIVERED ALL OR IS PENDING. BEEBE / STEVE MOSKAL										
Date:	Time: 186V	Reling@isho	est Wall	Received by:	der .	Date Time						8	8).T									

Hall Environmental Analysis Laboratory, Inc.

WO#: 1906C16

25-Jun-19

Client: Blagg Engineering

Project: GCU 276

Sample ID MB-45747 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 45747 RunNo: 60849

Prep Date: 6/23/2019 Analysis Date: 6/23/2019 SeqNo: 2059938 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID LCS-45747 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 45747 RunNo: 60849

Prep Date: 6/23/2019 Analysis Date: 6/23/2019 SeqNo: 2059939 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 93.1 90 110

Qualifiers:

* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

WO#: 1906C16

25-Jun-19

Client: Blagg Engineering

Project: GCU 276

Sample ID MB-45756 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: PBS Batch ID: 45756 RunNo: 60854 Prep Date: 6/24/2019 Analysis Date: 6/24/2019 SeqNo: 2060436 Units: mg/Kg Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) ND 10 Motor Oil Range Organics (MRO) ND 50 Surr: DNOP 92.8 70 9.3 10.00 130

Sample ID LCS-45756 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: LCSS Batch ID: 45756 RunNo: 60854 Prep Date: 6/24/2019 Analysis Date: 6/24/2019 SeqNo: 2060559 Units: mg/Kg Analyte **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual

 Diesel Range Organics (DRO)
 48
 10
 50.00
 0
 96.7
 63.9
 124

 Surr: DNOP
 4.5
 5.000
 89.1
 70
 130

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

WO#: 1906C16

25-Jun-19

Client: Blagg Engineering

Project: GCU 276

Surr: BFB

Sample ID MB-45738 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range

Client ID: PBS Batch ID: 45738 RunNo: 60864

Prep Date: 6/21/2019 Analysis Date: 6/24/2019 SeqNo: 2060870 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Gasoline Range Organics (GRO) ND 5.0

Surr: BFB 980 1000 98.5 73.8 119

Sample ID LCS-45738 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range

Client ID: LCSS Batch ID: 45738 RunNo: 60864

1200

Prep Date: 6/21/2019 Analysis Date: 6/24/2019 SeqNo: 2060871 Units: mg/Kg

1000

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual Gasoline Range Organics (GRO) 24 5.0 25.00 0 96.5 80.1 123

73.8

119

116

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

0.99

WO#: 1906C16

25-Jun-19

Client: Blagg Engineering

Project: GCU 276

Surr: 4-Bromofluorobenzene

Sample ID MB-45738 SampType: MBLK TestCode: EPA Method 8021B: Volatiles Client ID: PBS Batch ID: 45738 RunNo: 60864 Prep Date: 6/21/2019 Analysis Date: 6/24/2019 SeqNo: 2060887 Units: mg/Kg Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Benzene ND 0.025 Toluene ND 0.050 ND 0.050 Ethylbenzene ND Xylenes, Total 0.10

98.7

80

120

1.000

Sample ID LCS-45738	Sampl	Гуре: LC	s	TestCode: EPA Method 8021B: Volatiles						
Client ID: LCSS	Batcl	h ID: 45	738	F	RunNo: 6	0864				
Prep Date: 6/21/2019	Analysis D	Date: 6/	24/2019	S	SeqNo: 2	060888	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.0	0.025	1.000	0	101	80	120			
Toluene	1.0	0.050	1.000	0	102	80	120			
Ethylbenzene	1.0	0.050	1.000	0	102	80	120			
Xylenes, Total	3.0	0.10	3.000	0	99.7	80	120			
Surr: 4-Bromofluorobenzene	1.1		1.000		107	80	120			

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit



Hali Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hailenvironmental.com

Sample Log-In Check List

Client Name: BLAGG	Work Order N	umber: 1906C16		RcptNo	1
Received By: Andy Free Completed By: Yazmine C			andyl		
Reviewed By: Yazmine C	6/22/2019 9:14:	50-04094	nfaquina bifensasii		
Chain of Custody					
1, Is Chain of Custody compl	ete?	Yes 🗹	No 🗆	Not Present	
2. How was the sample delive	ered?	<u>FedEx</u>			
Log In					
3. Was an attempt made to o	ool the samples?	Yes 🔽	No 🗆	NA \square	
4. Were all samples received	at a temperature of >0° C to 6.0°C	Yes 🗸	No 🗆	NA 🗆	
5. Sample(s) in proper contain	ner(s)?	Yes 🔽	No 🗆		
6. Sufficient sample volume for	or indicated test(s)?	Yes 🗸	No 🗆		
7, Are samples (except VOA a	and ONG) properly preserved?	Yes 🗹	No 🗆		
8. Was preservative added to	bottles?	Yes	No 🗹	NA 🗆	/
9. VOA vials have zero heads	pace?	Yes	No 🗆	No VOA Vials	/
0, Were any sample containe	rs received broken?	Yes	No 🗹	# of preserved bottles checked	
 Does paperwork match bott (Note discrepancies on cha 		Yes 🗸	No 🗆	for pH:	>12 unless noted)
2. Are matrices correctly ident	ified on Chain of Custody?	Yes 🗸	No 🗆	Adjusted? /	
3. Is it clear what analyses we		Yes 🗹	No 🗆	/	VI.
 Were all holding times able (If no, notify customer for a) 		Yes 🗹	No 🗆	Checked by:	10 6/2
Special Handling (if app	licable)			/	
15, Was client notified of all dis	crepancies with this order?	Yes	No 🗆	NA 🗹	
Person Notified:	Di Di	ate [
By Whom:	Vi	•	hone Fax	☐ In Person	
Regarding:					
Client Instructions:					
16. Additional remarks:					
17. Cooler Information					
Cooler No Temp °C	Condition Seal Intact Seal No.	o Seal Date	Signed By		

GALLEGOS CANYON UNIT 276



