Michelle Lujan Grisham Governor

Sarah Cottrell Propst Cabinet Secretary

Todd E. Leahy, JD, PhD Deputy Secretary Adrienne Sandoval, Division Director Oll Conservation Division



New Mexico Oil Conservation Division approval and conditions listed below are made in accordance with OCD Rule 19.15.7.11 and are in addition to the actions approved by BLM on the following <u>3160-5</u> form.

Operator Signature Date: Original APD 3/18/14 Sundry Extension Date 2/25/2019

WELL INFORMATION: DJR OPERATING, LLC 30-043-21218 NORTH ALAMITO UNIT #331H

Conditions of Approval: (See the below checked and handwritten conditions)

Notify Aztec OCD 24hrs prior to casing & cement.

Hold C-104 for directional survey & "As Drilled" Plat

O Hold C-104 for NSL, NSP, DHC,

O Spacing rule violation. Operator must follow up with change of status notification on other well to be shut in or abandoned

Regarding the use of a pit, closed loop system or below grade tank, the operator must comply with the following as applicable:

A pit requires a complete C-144 be submitted and approved prior to the construction or use of the pit, pursuant to 19.15.17.8.A

A closed loop system requires notification prior to use, pursuant to 19.15.17.9.A

A below grade tank requires a registration be filed prior to the construction or use of the below grade tank, pursuant to 19.15.17.8.C

Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string

Submit Gas Capture Plan form prior to spudding or initiating recompletions operations.

Regarding Hydraulic Fracturing, review EPA Underground Injection Control Guidance 84

Oil base muds are not to be used until fresh water zones are cased and cemented providing isolation from the oil or diesel. This includes synthetic oils. Oil based mud, drilling fluids and solids must be contained in a steel closed loop system.

Well-bore communication is regulated under 19.15.29 NMAC. This requires well-bore Communication to be reported in accordance with 19.15.29.8.

Comply with current regulations at time of spud Prior to production operator needs to be in compliance with RULE 19.15.5.9

Operator change and name change not official until well is spud.

Ketheric Park

NMOCD Approved by Signature

<u>10/18/19</u> Date

DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals. SUBMIT IN TRIPLICATE – Other instructions on page 2. Type of Well	5. Lease Serial No. NM LG-9090, BIA NO-G-1 6. If Indian, Allottee or Tribe N/A 7. If Unit of CA/Agreement, N/A 9. API Well No. 30-043-21218 10. Field and Pool or Explora Basin Mancos Gas 11. County or Parish, State Sandoval County, NM OTICE, REPORT OR OTHER DA ACTION Production (Start/Resume) Reclamation Recomplete Temporarily Abandon Water Disposal ng date of any proposed work and a red and true vertical depths of all pc	Name and/or No. 29 X Jorth Hamito Unit # 331H atory Area TA Water Shut-Off Well Integrity Other APD Extension
I. Type of Well Image: Construct the second sec	N/A M/M/M/3522 8. Well Name and No. Lybrook G31-2307 03H 9. API Well No. 30-043-21218 10. Field and Pool or Explore Basin Mancos Gas 11. County or Parish, State Sandoval County, NM OTICE, REPORT OR OTHER DA ACTION Production (Start/Resume) Reclamation Recomplete ✓ Temporarily Abandon Water Disposal ng date of any proposed work and a red and true vertical depths of all position	29 X Jack Alamito Unit # 33/H atory Area ATA Water Shut-Off Well Integrity Other APD Extension pproximate duration thereof. If
Oil Well Gas Well Other 2. Name of Operator DJR Operating LLC. 3b. Phone No. (include area code) 3a. Address 3b. Phone No. (include area code) 1 Road 3263 505-632-3476 Aztee, New Mexico 87410 505-632-3476 4. Location of Well (Footage, Sec., T.R.M., or Survey Description) SHL: 1401' FNL and 2380' FEL Section 31, T23N, RTW SHL: 1401' FNL and 2380' FEL Section 31, T23N, RTW BHL: 2248' FNL and 330' FWL Section 36, T23N, R8W 12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF N TYPE OF SUBMISSION TYPE OF Operating Acidize Deepen Visco of Intent Acidize Deepen Alter Casing Fracture Treat Casing Repair Subsequent Report Casing Repair New Construction Final Abandonment Notice Convert to Injection Plug Back Dillow on file with BLM/B following completion of the involved operations. If the operation results in a multiple completion or results in a multiple com	8. Well Name and No. Lybrook G31-2307 03H 9. API Well No. 30-043-21218 10. Field and Pool or Explora Basin Mancos Gas 11. County or Parish, State Sandoval County, NM OTICE, REPORT OR OTHER DA ACTION Production (Start/Resume) Reclamation Recomplete Temporarily Abandon Water Disposal ng date of any proposed work and a red and true vertical depths of all po	TA Water Shut-Off Well Integrity Other APD Extension
DJR Operating LLC. 3a. Address 3b. Phone No. (include area code) 1 Road 3283 505-632-3476 4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) 505-632-3476 5HL: 1401' FNL and 2380' FEL Section 31, T23N, R7W BHL: 2248' FNL and 330' FWL Section 36, T23N, R8W I2. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF N TYPE OF SUBMISSION TYPE OF Subsequent Report Acidize Subsequent Report Casing Repair Subsequent Report Change Plans Final Abandonment Notice Convert to Injection Plug Back Plug Back Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/B following completion of the involved operations. If the operation results in a multiple completion or results in a multiple completion or results in a multiple completion. DJR Operating LLC. was issued an approved APD for this well on 4/29/14. DJR Operating is requirements, includetermined that the site is ready for final inspection.)	9. API Well No. 30-043-21218 10. Field and Pool or Explora Basin Mancos Gas 11. County or Parish, State Sandoval County, NM OTICE, REPORT OR OTHER DA ACTION Production (Start/Resume) Reclamation Recomplete Temporarily Abandon Water Disposal ng date of any proposed work and a red and true vertical depths of all period	TA Water Shut-Off Well Integrity Other APD Extension
1 Road 3283 Aztec, New Mexico 87410 505-632-3476 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) SHL: 1401' FNL and 2380' FEL Section 31, T23N, R7W BHL: 2248' FNL and 330' FWL Section 36, T23N, R8W 12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF N TYPE OF SUBMISSION TYPE OF SUBMISSION TYPE OF Image: Antiper of Intent Acidize Deepen Image: Acid acid acid acid acid acid acid acid a	Basin Mancos Gas 11. County or Parish, State Sandoval County, NM OTICE, REPORT OR OTHER DA ACTION Production (Start/Resume) Reclamation Recomplete Temporarily Abandon Water Disposal ng date of any proposed work and a red and true vertical depths of all period	TA Water Shut-Off Well Integrity Other APD Extension
12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF N TYPE OF SUBMISSION TYPE OF Notice of Intent Acidize Deepen Alter Casing Fracture Treat Deepen Subsequent Report Casing Repair New Construction Final Abandonment Notice Convert to Injection Plug Back 13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated startif the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measure Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/B following completion of the involved operations. If the operation results in a multiple completion or results in a multiple completi	Sandoval County, NM OTICE, REPORT OR OTHER DA ACTION Production (Start/Resume) Reclamation Recomplete Temporarily Abandon Water Disposal ng date of any proposed work and a red and true vertical depths of all pe	Water Shut-Off Well Integrity Other APD Extension
TYPE OF SUBMISSION TYPE OF Notice of Intent Acidize Deepen Image: Casing Repair Deepen Image: Casing Repair New Construction Subsequent Report Casing Repair New Construction Image: Casing Repair New Construction Image: Casing Repair New Construction Final Abandonment Notice Convert to Injection Plug and Abandon Image: Casing Repair New Construction 13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measure Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/B following completion of the involved operations. If the operation results in a multiple completion or results in a multiple completion or results in a multiple completion or results in a been completed. Final Abandonment Notices must be filed only after all requirements, includetermined that the site is ready for final inspection.) DJR Operating LLC. was issued an approved APD for this well on 4/29/14. DJR Operating is requirements, includetermined that the site is ready for final inspection.) DJR Operating LLC. was issued an approved APD for this well on 4/29/14. DJR Operating is requirements, includetermined that the site is ready for final inspection.)	ACTION Production (Start/Resume) Reclamation Recomplete Temporarily Abandon Water Disposal ng date of any proposed work and a red and true vertical depths of all pe	Water Shut-Off Well Integrity Other APD Extension
Notice of Intent Acidize Deepen Alter Casing Fracture Treat Subsequent Report Casing Repair New Construction Change Plans Plug and Abandon Plug and Abandon Final Abandonment Notice Convert to Injection Plug Back I3. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measure Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/B following completion of the involved operations. If the operation results in a multiple completion or results in a been completed. Final Abandonment Notices must be filed only after all requirements, includetermined that the site is ready for final inspection.) DJR Operating LLC. was issued an approved APD for this well on 4/29/14. DJR Operating is requirements, includetermined that the site is ready for final inspection.) DJR Operating LLC. was issued an approved APD for this well on 4/29/14. DJR Operating is requirements, includetermined that the site is ready for final inspection.)	Production (Start/Resume)	Well Integrity Other APD Extension
Notice of Intent Alter Casing Fracture Treat Subsequent Report Casing Repair New Construction Final Abandonment Notice Change Plans Plug and Abandon I3. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measu Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/B following completion of the involved operations. If the operation results in a multiple completion or results in a been completed. Final Abandonment Notices must be filed only after all requirements, includetermined that the site is ready for final inspection.) DJR Operating LLC. was issued an approved APD for this well on 4/29/14. DJR Operating is requirements, includent the Lybrook G31-2307 031+ well (API 30-043-21218).	Reclamation Recomplete Imporarily Abandon Water Disposal ang date of any proposed work and a red and true vertical depths of all periods and the second seco	Well Integrity Other APD Extension
Final Abandonment Notice Convert to Injection Plug Back 13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measure Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/B following completion of the involved operations. If the operation results in a multiple completion or results in a been completed. Final Abandonment Notices must be filed only after all requirements, includetermined that the site is ready for final inspection.) DJR Operating LLC. was issued an approved APD for this well on 4/29/14. DJR Operating is requirements, includence C31-2307-031+ well (API 30-043-21218).	Water Disposal ng date of any proposed work and a red and true vertical depths of all pe	pproximate duration thereof. If
 the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measu Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/B following completion of the involved operations. If the operation results in a multiple completion or retesting has been completed. Final Abandonment Notices must be filed only after all requirements, incl determined that the site is ready for final inspection.) DJR Operating LLC. was issued an approved APD for this well on 4/29/14. DJR Operating is requirements, here here here here here here here her	red and true vertical depths of all pe	pproximate duration thereof. If
	4/28/2020	NOCD
	MAR	1 2 2019
		CT 111
14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed) Steven Merrell Title Regulatory Sp	ecialist	
Signature Stun Norsell Date 02/25/2019	ecialist	
THIS SPACE FOR FEDERAL OR STATE	OFFICE USE	
Approved by Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would office Fight	1-Minerals Date	3-5-19
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and will fictitious or fraudulent statements or representations as to any matter within its jurisdiction. (Instructions on page 2)	Ð	ency of the United States any false,

