State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505

Form C-144 Revised April 3, 2017

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.
For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Santa Pe, 1414 87303 to the appropriate Nivoed District Office.					
Pit, Below-Grade Tank, or BGT 1 Proposed Alternative Method Permit or Closure Plan Application					
Type of action: Below grade tank registration Permit of a pit or proposed alternative method Closure of a pit, below-grade tank, or proposed alternative method Modification to an existing permit/or registration Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method					
Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request					
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.					
1. Operator:Coleman Oil & Gas In OGRID #:4838					
Address:P.O Drawer 3337 Farmington, NM 87499					
Facility or well name:Taliaferro #005M					
API Number:30-045-24746 OCD Permit Number:					
U/L or Qtr/QtrI Section30 Township31N Range12W County:San Juan					
Center of Proposed Design: Latitude36.8678932 Longitude108.1326523 NAD83					
Surface Owner: ☑ Federal ☐ State ☐ Private ☐ Tribal Trust or Indian Allotment					
2.					
☐ Pit: Subsection F, G or J of 19.15.17.11 NMAC Impacts Below Table 1 Limits,					
Temporary: Drilling Workover No Further Action required.					
☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A ☐ Multi-Well Fluid Management ☐ Low Chloride Drilling Fluid ☐ yes ☐ no					
☐ Lined ☐ Unlined Liner type: Thicknessmil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other					
☐ String-Reinforced					
Liner Seams: Welded Factory Other Volume: bbl Dimensions: Lx Wx D					
3.					
Below-grade tank: Subsection I of 19.15.17.11 NMAC					
Volume:120bbl Type of fluid:produced water					
Tank Construction material:fiberglass					
☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off					
☐ Visible sidewalls and liner ☑ Visible sidewalls only ☐ Other					
Liner type: Thicknessmil					
4.					
Alternative Method:					
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					
5. Forming: Subsection D of 10.15.17.11 NIMAC (Applies to a supercurvat site town organization and details)					
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)					
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)					
Four foot height, four strands of barbed wire evenly spaced between one and four feet					
☐ Alternate. Please specify					

10		
Page	Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	
L		
	5. Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers □ Signed in compliance with 19.15.16.8 NMAC	
	Variances and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
	9. Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accematerial are provided below. Siting criteria does not apply to drying pads or above-grade tanks.	ptable source
	General siting	
	Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank. - ☑ NM Office of the State Engineer - iWATERS database search; ☐ USGS; ☐ Data obtained from nearby wells	☐ Yes ☑ No ☐ NA
	Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
	Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
	Within the area overlying a subsurface mine. (Does not apply to below grade tanks) - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
	 Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No
	Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	Yes No
	Below Grade Tanks	
	Within 100 feet of a continuously flowing watercourse, significant watercourse, lakebed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ⊠ No
7	Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ⊠ No
40	Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
2/10/2020 8.44	Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
- 4	application.	☐ Yes ☐ No
DCD.	- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
Jud borrior	Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Da	Form C-144 Oil Conservation Division Page 2 of	6

Form C-144 Oil Conservation Division Page 2 of 6

Within 100 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
Temporary Pit Non-low chloride drilling fluid				
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	— 1000 — 150			
- Topographic map; Visual inspection (certification) of the proposed site	Yes No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No			
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
 Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	☐ Yes ☐ No			
Permanent Pit or Multi-Well Fluid Management Pit				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No			
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.	☐ Yes ☐ No			
 NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	☐ Yes ☐ No			
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC				
☐ Previously Approved Design (attach copy of design) API Number: or Permit Number:				
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the deattached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of Pland 19.15.17.13 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:	9.15.17.9 NMAC			
Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:				
Form C-144 Oil Conservation Division Page 3 of	/			

CJU	5 H2.	
Dago	Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the d	ocuments are
	 attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC 	
	 □ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC □ Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC □ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC □ Quality Control/Quality Assurance Construction and Installation Plan □ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC □ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC □ Nuisance or Hazardous Odors, including H₂S, Prevention Plan 	
	Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan	
	Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
	Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
	Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well Floral Alternative	uid Management Pit
	Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only)	
	On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method	
	Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be a closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	ittached to the
	Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. P. 19.15.17.10 NMAC for guidance.	
	Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☑ No ☐ NA
	Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☑ No ☐ NA
	Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes ☐ NoNA
16-42 43	Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☒ No
200	Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☒ No
2/10/26	Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☑ No
40	Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☒ No
and how	Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ⊠ No
oron	Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	(
2	Form C-144 Oil Conservation Division Page 4 of	f 6

adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ⊠ No					
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division ☐ Yes ☑ No						
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map □ Yes ☑ No						
Society; Topographic map Within a 100-year floodplain.						
- FEMA map	☐ Yes ⊠ No					
16. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC						
Operator Application Certification:						
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and believes	ief.					
Name (Print): Title:						
Signature: Date:						
0.5						
e-mail address: Telephone:	,					
e-mail address: Telephone:						
e-mail address: Telephone:						
e-mail address: Telephone:						
e-mail address: Telephone:	020 g the closure report.					
e-mail address: Telephone:	020 g the closure report.					
e-mail address:	O20 g the closure report. t complete this					
Closure Report (required within 60 days of closure completion): 19. Closure Report (required within 60 days of closure completion): 19. Closure Report (required within 60 days of closure completion): 19. Closure Report (required within 60 days of closure completion): 19. Closure Report (required within 60 days of closure completion): 19. Closure Report (required within 60 days of closure completion): 19. Closure Report (required within 60 days of closure plan prior to implementing any closure activities and submitting the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please in mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure for private land only) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)	oop systems only)					

Form C-144 Oil Conservation Division Page 5 of 6

L.
~
-
1
- 1
_ ~
C
Sec.
1
0
1
4
90
~
C
_
O
\
0
_
00
12
٠.
()
\sim
_
- 2
_
-
Property.
- 0
0.7
- 9
~
_ O
೦
0.7
~~
2
-

22.
Operator Closure Certification:
hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and
belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print):Vanessa FieldsTitle:Agent Regulatory Compliance Manager
Signature: Date:
e-mail address:vanessa@walsheng.net Telephone:505-787-9100

Form C-144 Oil Conservation Division Page 6 of 6

Vanessa Fields

From:

Mike Hanson < mhanson@cog-fmn.com>

Sent:

Wednesday, November 13, 2019 4:38 PM

To:

Vanessa Fields

Subject:

FW: BGT Removals

Attachments:

Taliaferro BGT Email Notice November 2019.docx

Vanessa,

See below email sent Monday November 11, 2019, for your records.

Sent from Mail for Windows 10

From: Mike Hanson <mhanson@cog-fmn.com> Sent: Monday, November 11, 2019 4:16:25 PM

To: jkillina@blm.gov < jkillina@blm.gov>; Smith, Cory, EMNRD < Cory.Smith@state.nm.us>; Powell, Brandon, EMNRD

<Brandon.Powell@state.nm.us>

Cc: Bruce Taylor <blt5@earthlink.net>

Subject: RE: BGT Removals

Joe & Cory,

Per the attached BGT removal plan Coleman Oil & Gas, Inc. plans to remove the BGT on Thursday November 14, 2019, see times below.

Taliaferro 5M API# 30-045-24746

Thursday November 14, 2019

9:00 AM

Taliaferro 5

API# 30-045-10354

Thursday November 14, 2019

11:00 AM

Taliaferro 6

API# 30-045-24453

Thursday November 14, 2019

1:00 PM

Let us know if you require additional information.

cory.smith@state.nm.us <cory.smith@state.nm.us>;
jkillina@blm.gov <jkillina@blm.gov>;

Thanks Michael T Hanson Operations Engineer Office (505)566-1996 Mobile (505)330-2903

Sent from Mail for Windows 10

From: Mike Hanson <mhanson@cog-fmn.com> Sent: Monday, November 11, 2019 4:16:25 PM

To: jkillina@blm.gov <jkillina@blm.gov>; Smith, Cory, EMNRD <Cory.Smith@state.nm.us>; Powell,

Brandon, EMNRD < Brandon. Powell@state.nm.us>

Cc: Bruce Taylor
blt5@earthlink.net>

Subject: RE: BGT Removals

Joe & Cory,

Per the attached BGT removal plan Coleman Oil & Gas, Inc. plans to remove the BGT on Thursday November 14, 2019, see times below.

Taliaferro 5M	API# 30-045-24746	Thursday November 14, 2019	9:00 AM
A STATE OF THE STA		Thursday November 14, 2019	11:00 AM
Taliaferro 6	API# 30-045-24453	Thursday November 14, 2019	1:00 PM

Let us know if you require additional information.

cory.smith@state.nm.us <cory.smith@state.nm.us>; jkillina@blm.gov <jkillina@blm.gov>;

Thanks Michael T Hanson Operations Engineer Office (505)566-1996 Mobile (505)330-2903

Sent from Mail for Windows 10

From: Mike Hanson

Sent: Monday, November 11, 2019 4:27:15 PM

To: jkillins@blm.gov < jkillins@blm.gov>

Subject: BGT Removal

Joe,

Per NMOCD regulations we are suppose to submit email to land owner 72 hours prior to removal, who would these go to? Sundries have been submitted and approved with BLM.

Michael Hanson Office (505) 566-1996 Mobile (505) 330-2903

Sent from Mail for Windows 10

Received by OCD: 3/10/2020 8:46:42 AM

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

Incident ID	
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party Coleman Oil & Gas In.				OGRID 48	338	
Contact Name Vanessa Fields				Contact Te	elephone 505-787-9100	
Contact emai	il vanessa@v	walsheng.net			Incident #	(assigned by OCD)
Contact mail	ing address	P.O. Box 3337 Far	rmington, NM 87	7499		
			Location	ı of R		
Latitude 36.8	8678932		(NAD 83 in d	lecimal de	Longitude grees to 5 decin	-108.1326523 nal places)
Site Name	Taliaferro #0	005M			Site Type (Gas
Date Release	Discovered:				API# (if app	olicable) N/A 30-045-24746
Unit Letter	Section	Township	Range		Cour	nty
I	30	31N	12W	Sar	1 Juan	
Surface Owner: State Federal Tribal Private (Name: Nature and Volume of Release Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)						
Crude Oi		Volume Release				Volume Recovered (bbls) Volume Recovered (bbls)
Produced	Produced Water Volume Released (bbls) Is the concentration of dissolved chloride produced water >10,000 mg/l?			e in the	Youtille Recovered (bbis)	
Condensa	ate	Volume Release				Volume Recovered (bbls)
☐ Natural Gas Volume Released (Mcf)				Volume Recovered (Mcf)		
Other (describe) Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)		
referenced i	in Sampling	Table Below, Al	though a release	e occurr timating	ed it is belo	val of the Below Grade Tank came back as w the regulatory standard. A Five-point composite five feet below ground surface. An OCD nor BLM



State of New Mexico Oil Conservation Division

Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major release as defined by	If YES, for what reason(s) does the respon No	sible party consider this a major release?		
19.15.29.7(A) NMAC?				
☐ Yes ☒ No		*		
TOTALO :	distributed of the OCDS Providence To other	2.00 When and his what means (whome amail ato)?		
If YES, was immediate no	otice given to the OCD? By whom? To wh	om? When and by what means (phone, email, etc)?		
	Initial Re	esponse		
The responsible	party must undertake the following actions immediately	unless they could create a safety hazard that would result in injury		
The source of the rele	ease has been stopped.			
	is been secured to protect human health and	the environment.		
		ikes, absorbent pads, or other containment devices.		
	ecoverable materials have been removed and			
If all the actions describe	d above have <u>not</u> been undertaken, explain v	vhy:		
		·		
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.				
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.				
Printed Name:Vane	ssa Fields	Title: _ Agent _Regulatory Compliance Manager		
Signature:	2	Date:2/28/2019		
email:vanessa@wals	sheng.net	Telephone: _505-787-9100		
OCD Only		at .		
Received by:		Date:		

Received by OCD: 3/10/2020 8:46:42 AM



State of New Mexico Oil Conservation Division

Incident ID	
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following items must be included in the closure report.
☐ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
☐ Description of remediation activities
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete. Printed Name:
OCD Only
Received by: Date:
losure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible arty of compliance with any other federal, state, or local laws and/or regulations.
losure Approved by: Date:
Printed Name: Title:



Analytical Report

Report Summary

Client: Coleman Oil & Gas

Samples Received: 11/15/2019 Job Number: 05206-0001 Work Order: P911067

Project Name/Location: Taliaferro 5M

Report Reviewed By:	Waltet Himburn	Date:	11/21/19	
	Walter Hinchman, Laboratory Director			



Envirotech Inc. certifies the test results meet all requirements of TNI unless footnoted otherwise.

Statement of Data Authenticity: Envirotech, Inc, attests the data reported has not been altered in any way.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

Envirotech, Inc, holds the Utah TNI certification NM009792018-1 for the data reported.

Envirotech, Inc, holds the Texas TNI certification T104704557-19-2 for the data reported.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotect-inc.com



Coleman Oil & Gas P.O. Box 3337 Farmington NM, 87499 Project Name: Project Number: Taliaferro 5M

Project Manager:

05206-0001 Mike Hanson Reported: 11/21/19 08:55

Analytical Report for Samples

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container	
Soil Taliferro 5m BGT	P911067-01A	Soil	11/15/19	11/15/19	Glass Jar, 4 oz.	
	P911067-01B	Soil	11/15/19	11/15/19	Glass Jar, 4 oz.	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Coleman Oil & Gas P.O. Box 3337

Farmington NM, 87499

Project Name:

Taliaferro 5M

Project Number: Project Manager: 05206-0001 Mike Hanson Reported: 11/21/19 08:55

Soil Taliferro 5m BGT P911067-01 (Solid)

		Reporting	07-01 (50						
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	1947010	11/18/19	11/19/19	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	1947010	11/18/19	11/19/19	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	1947010	11/18/19	11/19/19	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	1947010	11/18/19	11/19/19	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	1947010	11/18/19	11/19/19	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	1947010	11/18/19	11/19/19	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		103 %	50	-150	1947010	11/18/19	11/19/19	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/OR	0								
Diesel Range Organics (C10-C28)	290	25.0	mg/kg	1	1946050	11/18/19	11/19/19	EPA 8015D	
Oil Range Organics (C28-C40)	209	50.0	mg/kg	1	1946050	11/18/19	11/19/19	EPA 8015D	
Surrogate: n-Nonane		123 %	50	-200	1946050	11/18/19	11/19/19	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO		÷							
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	I .	1947010	11/18/19	11/19/19	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		84.0 %	50	150	1947010	11/18/19	11/19/19	EPA 8015D	
Anions by 300.0/9056A									
Chloride	1700	100	mg/kg	5	1947002	11/18/19	11/18/19	EPA 300.0/9056A	
Total Petroleum Hydrocarbons by 418.1	5								
Total Petroleum Hydrocarbons	488	40.0	mg/kg	1	1947003	11/18/19	11/19/19	EPA 418.1	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Coleman Oil & Gas P.O. Box 3337

Farmington NM, 87499

Project Name:

Taliaferro 5M

Project Number: Project Manager: 05206-0001 Mike Hanson Reported: 11/21/19 08:55

Volatile Organics by EPA 8021 - Quality Control

Envirotech Analytical Laboratory

	Matter	Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 1947010 - Purge and Trap EPA 5030A										
Blank (1947010-BLK1)				Prepared:	11/18/19 1 A	nalyzed: 1	1/20/19 0			
Benzene	ND	0.0250	mg/kg							
Toluene	ND	0.0250	(H)							
Ethylbenzene	ND	0.0250	п							
p,m-Xylene	ND	0.0500								
o-Xylene	ND	0.0250								
Total Xylenes	ND	0.0250								
Surrogate: 4-Bromochlorobenzene-PID	8.34			8.00		104	50-150			
LCS (1947010-BS1)				Prepared:	11/18/19 1 A	nalyzed: 1	1/20/19 0			
Benzene	4.99	0.0250	mg/kg	5.00		99.8	70-130			
Toluene	5.18	0.0250	"	5.00		104	70-130			
Ethylbenzene	5.16	0.0250		5.00		103	70-130			
p,m-Xylene	10.3	0.0500	*	10.0		103	70-130			
o-Xylene	5.16	0.0250	*	5.00		103	70-130			
Total Xylenes	15.4	0.0250	*	15.0		103	70-130			
Surrogate: 4-Bromochlorobenzene-PID	8.25	*	,,	8.00		103	50-150			
Matrix Spike (1947010-MS1)	Sou	rce: P911066-	01	Prepared:	11/18/19 1 A	malyzed: 1	1/20/19 1			
Benzene	5.01	0.0250	mg/kg	5.00	ND	100	54.3-133			
Toluene	5.29	0.0250	"	5.00	ND	106	61.4-130			
Ethylbenzene	5.22	0.0250	*	5.00	ND	104	61.4-133			
p,m-Xylene	10.4	0.0500	*	10.0	ND	104	63.3-131			
o-Xylene	5.19	0.0250	**	5.00	ND	104	63.3-131			
Total Xylenes	15.6	0.0250	26	15.0	ND	104	63.3-131			
Surrogate: 4-Bromochlorobenzene-PID	8.21	0.0250		8.00	1,12	103	50-150			
N-1-6-9- Day (1047010 MCD1)	C	rce: P911066-	0.1	Drangradi	11/18/19 1 <i>A</i>	naluzadi	11/20/10 1			
Matrix Spike Dup (1947010-MSD1)								221	20	
Benzene	4.90	0.0250	mg/kg	5.00	ND	98.1	54.3-133	2.21	20	
Toluene	5.12	0.0250	*	5,00	ND	102	61.4-130	3.36	20	
Ethylbenzene	5.09	0.0250	,,	5.00	ND	102	61.4-133	2.68	20	
p,m-Xylene	10.1	0.0500	.,	10.0	ND	101	63.3-131	2.53	20	
o-Xylene	5.07	0.0250	26	5.00	ND	101	63.3-131	2.40	20	
Total Xylenes	15.2	0.0250	n	15.0	ND	101	63.3-131	2.49	20	
Surrogate: 4-Bromochlorobenzene-PID	8.32		m.	8.00		104	50-150			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com

Labadmin@envirotech-inc.com



Coleman Oil & Gas

Farmington NM, 87499

Project Name:

Taliaferro 5M

P.O. Box 3337

Project Number: Project Manager: 05206-0001 Mike Hanson Reported: 11/21/19 08:55

Nonhalogenated Organics by 8015 - DRO/ORO - Quality Control

Envirotech Analytical Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1946050 - DRO Extraction EPA 3570										
Blank (1946050-BLK1)				Prepared &	& Analyzed:	11/18/19 1				
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg							
Oil Range Organics (C28-C40)	ND	50.0	n							
Surrogate: n-Nonane	51.3		ier	50.0		103	50-200			
LCS (1946050-BS1)				Prepared &	& Analyzed:	11/18/19 1				
Diesel Range Organics (C10-C28)	484	25.0	mg/kg	500		96.8	38-132			
Surrogate: n-Nonane	47.8		n.	50.0		95.7	50-200			
Matrix Spike (1946050-MS1)	Sou	rce: P911079-	01	Prepared &	& Analyzed:	: 11/18/19 1				
Diesel Range Organics (C10-C28)	493	25.0	mg/kg	500	ND	98.6	38-132			
Surrogate: n-Nonane	51.0			50.0	·	102	50-200			
Matrix Spike Dup (1946050-MSD1)	Sou	rce: P911079-	01	Prepared &	& Analyzed	: 11/18/19 1				
Diesel Range Organics (C10-C28)	557	25.0	mg/kg	500	ND	111	38-132	12.2	20	
Surrogate: n-Nonane	51.5			50.0		103	50-200			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Coleman Oil & Gas

P.O. Box 3337 Farmington NM, 87499 Project Name:

Taliaferro 5M

Project Number:

05206-0001

Project Manager:

Mike Hanson

Reported: 11/21/19 08:55

Nonhalogenated Organics by 8015 - GRO - Quality Control

Envirotech Analytical Laboratory

	Reporting		Spike	Source		%REC	100000	RPD	
Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
			Prepared:	11/18/19 17	Analyzed: 1	1/20/19 0			
ND	20.0	mg/kg							
6.74		"	8.00		84.2	50-150			
			Prepared:	11/18/19 1 2	Analyzed: 1	1/20/19 1			
48.4	20.0	mg/kg	50.0		96.9	70-130			
6.86			8.00		85.8	50-150			
Sou	rce: P911066-	01	Prepared:	11/18/19 1	Analyzed: 1	1/20/19 1			
48.1	20.0	mg/kg	50.0	ND	96.1	70-130			
6.75	,		8.00		84.4	50-150			
Sou	rce: P911066-	01	Prepared:	11/18/19 1	Analyzed: 1	1/20/19 1			
46.2	20.0	mg/kg	50.0	ND	92.3	70-130	4.07	20	
6.80		"	8.00		85.0	50-150			
	ND 6.74 48.4 6.86 Sour 48.1 6.75 Sour 46.2	Result Limit ND 20.0 6.74 48.4 20.0 6.86 Source: P911066- 48.1 20.0 6.75 Source: P911066- 46.2 20.0	ND 20.0 mg/kg 6.74	Result Limit Units Level Prepared: ND 20.0 mg/kg 6.74 " 8.00 Prepared: 48.4 20.0 mg/kg 50.0 6.86 " 8.00 8.00 Source: P911066-01 Prepared: 48.1 20.0 mg/kg 50.0 6.75 " 8.00 Source: P911066-01 Prepared: 46.2 20.0 mg/kg 50.0	Result Limit Units Level Result	Result Limit Units Level Result %REC Prepared: 11/18/19 1 Analyzed: 1 ND 20.0 mg/kg 6.74 " 8.00 84.2 Prepared: 11/18/19 1 Analyzed: 1 48.4 20.0 mg/kg 50.0 96.9 6.86 " 8.00 85.8 Source: P911066-01 Prepared: 11/18/19 1 Analyzed: 1 48.1 20.0 mg/kg 50.0 ND 96.1 6.75 " 8.00 84.4 Source: P911066-01 Prepared: 11/18/19 1 Analyzed: 1 Analyzed: 146.2 20.0 mg/kg 50.0 ND 92.3	Result Limit Units Level Result %REC Limits ND 20.0 mg/kg Prepared: 11/18/19 1 Analyzed: 11/20/19 0 6.74 " 8.00 84.2 50-150 48.4 20.0 mg/kg 50.0 96.9 70-130 6.86 " 8.00 85.8 50-150 Source: P911066-01 Prepared: 11/18/19 1 Analyzed: 11/20/19 1 48.1 20.0 mg/kg 50.0 ND 96.1 70-130 6.75 " 8.00 84.4 50-150 Source: P911066-01 Prepared: 11/18/19 1 Analyzed: 11/20/19 1 46.2 20.0 mg/kg 50.0 ND 92.3 70-130	Result Limit Units Level Result %REC Limits RPD Prepared: 11/18/19 1 Analyzed: 11/20/19 0 ND 20.0 mg/kg 84.2 50-150 Prepared: 11/18/19 1 Analyzed: 11/20/19 1 48.4 20.0 mg/kg 50.0 96.9 70-130 6.86 " 8.00 85.8 50-150 Source: P911066-01 Prepared: 11/18/19 1 Analyzed: 11/20/19 1 48.1 20.0 mg/kg 50.0 ND 96.1 70-130 6.75 " 8.00 84.4 50-150 Source: P911066-01 Prepared: 11/18/19 1 Analyzed: 11/20/19 1 46.2 20.0 mg/kg 50.0 ND 92.3 70-130 4.07	Result Limit Units Level Result %REC Limits RPD Limit

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Coleman Oil & Gas P.O. Box 3337 Farmington NM, 87499 Project Name:

Taliaferro 5M

Project Number: Project Manager: 05206-0001 Mike Hanson Reported: 11/21/19 08:55

Anions by 300.0/9056A - Quality Control

Envirotech Analytical Laboratory

		Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 1947002 - Anion Extraction EPA 30	00.0/9056A									
Blank (1947002-BLK1)				Prepared:	11/18/19 0 /	Analyzed: 1	1/18/19 1			
Chloride	ND	20.0	mg/kg							
LCS (1947002-BS1)				Prepared:	11/18/19 0	Analyzed: 1	1/18/19 1			
Chloride	252	20.0	mg/kg	250		101	90-110			
Matrix Spike (1947002-MS1)	Sour	ce: P911065-	01	Prepared:	11/18/19 0	Analyzed: I	1/18/19 1			
Chloride	7270	100	mg/kg	250	7980	NR	80-120			M4
Matrix Spike Dup (1947002-MSD1)	Sour	ce: P911065-	01	Prepared:	11/18/19 0	Analyzed: 1	1/18/19 1			
Chloride	7670	100	mg/kg	250	7980	NR	80-120	5.29	20	M4

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Coleman Oil & Gas P.O. Box 3337 Farmington NM, 87499 Project Name:

Taliaferro 5M

Project Number:

05206-0001

Reported: 11/21/19 08:55

Project Manager:

Mike Hanson

Total Petroleum Hydrocarbons by 418.1 - Quality Control

Envirotech Analytical Laboratory

Analyte	Result	Reporting Limit	Unîts	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1947003 - 418 Freon Solid Extraction										
Blank (1947003-BLK1)				Prepared:	11/18/19 0 /	Analyzed: 1	1/19/19 1			
Total Petroleum Hydrocarbons	ND	40.0	mg/kg							
LCS (1947003-BS1)				Prepared:	11/18/19 0	Analyzed: 1	1/19/19 1			
Total Petroleum Hydrocarbons	974	40.0	mg/kg	1000		97.4	80-120			
Matrix Spike (1947003-MS1)	Sou	rce: P911066-	01	Prepared:	11/18/19 0	Analyzed: 1	1/19/19 1			
Total Petroleum Hydrocarbons	1070	40.0	mg/kg	1000	182	88.6	70-130			
Matrix Spike Dup (1947003-MSD1)	Sou	rce: P911066-	01	Prepared:	11/18/19 0	Analyzed: 1	11/19/19 1			
Total Petroleum Hydrocarbons	1010	40.0	mg/kg	1000	182	82.8	70-130	5.58	30	

QC Summary Report

Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures. Therefore, hand calculated values my differ slightly.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Coleman Oil & Gas

Project Name:

Taliaferro 5M

P.O. Box 3337

Project Number:

05206-0001

Reported: 11/21/19 08:55

Farmington NM, 87499

Project Manager:

Mike Hanson

Notes and Definitions

M4

Matrix spike recovery value is suspect since the analyte concentration in the sample is disproportionate to the spike level. The

associated LCS spike recovery was acceptable.

ND

Analyte NOT DETECTED at or above the reporting limit

NR

Not Reported

RPD

Relative Percent Difference

Methods marked with ** are non-accredited methods.

Soil data is reported on an "as received" weight basis, unless reported otherwise.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Labadmin@envirotech-inc.com

Page 10 of 11

Project Information

Chain of Custody

Client: (pleman U.L	+6HILL	7.	Report Attention			Lab Us	Lab Use Only	TAT		EPA Program
Project: 12/12/2/10	SM		Report due by:		#OM ge7		Job Number	1D 3D	RCRA	CWA SDWA
Nanager: ///	# 1200 T	- Att	Attention:		0116	40	0520Lo-000	10		╁
Address: 4.0. Draw	7555	Adi	Address:				Analysis and Method	po		State
Phone: 505 566-	1996 BR	(S)	City, State, Zip Phone:				0	9		NM CO UT AZ
Email: MAGASON CO	1.00- mo-201	EIII EIII	Email:		_		0.008	1.6.1		Σ Š
Date N	. <u>ഗ്</u>	.Ω Ω		The same	080/08 080/08	EX ph 8	00 slete E obitol Stot Ot	717		Remarks
-	4	10 beco	1/A 63	Number	- V	-	09 43 ,			
1001.1	7	oran in				1	``	_		
				1 22)						
		,								
Additional Instructions:			11/1/							
1, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally high time of collection is gongleded fraud and may be grounds for legal action. Sampled by:	henticity of this sample. I y be grounds for legal actic	am aware that tamperi on. Sampled by:	ng with or intentionally histophellipithe sample	March 1		8 -	Samples requiring thermal preservation must be received on ice the day they are sampled or received packed in ice at an avg temp above 0 but less than 6C on subsequent days.	servation must be g temp above 0 b	e received on ice that less than 6C on	he day they are sampled or subsequent days.
Relinquished W: (Signature)	102/5///	Time ///7	Received by: (Signature)	Date	Time	1+	Received on ice.	Lab Use	Lab Use Only	
Relinquished by: (Signature)	Dáte '	Time	Received by: (Signature)	Date	Time			.))		
Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time			7		
							AVG Temp °C	7	contraction of	
Sample Matrix: S - Soil, Sd - Soild, Sg - Sludge, A - Aqueous, O - Other	udge, A - Aqueous, O - C	Other		Container Ty	pe: g - gla	ss, p - po	Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA	er glass, v	- VOA	
Note: Samples are discarded so days are	r results are reported u	nless other arrangem	Note: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the dients. The report for the analysis of the above sam	urned to client or	disposed of	at the client	evnence. The report for	r the analysis	of the shore	amelian is an ilantita

only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.



5795 US Highway 64, Farmington, NM 37401

Ph (505) 632-1881 Fx (505) 632-1865

envirotech-inc.com

labadmin@envirotech-inc.com

1	
2	
A	
1	
C	
6:4	
1	
7	
00	
0	
CI	
0	
51	
0/2020	
-	
1,23	
	C
	.0
	H
0	10
	=
	ō
-	if.
2	=
5	+
-5	S
6	je
2	0
2	0
-	-

Page 23 of 25

Page 1 of

Page 11 of 11

Chain of Custody

Manage M	Project Tol 10 Loco	10 KN		Report Attention			Lab Use Only	TAT	EPA	- I	
	pioct Manager Mr.	To the second		port due by:	1	#0M;	Job Number	1D 3D	RCRA	_	
	dideci /	1000		tention:	실 	4001	15 200 - 00	o lo			
Some Control of the same in the second by (Signature) 1. Second of the second of the second by (Signature) 1. Second of the second of the second by (Signature) 1. Second of the second of the second by (Signature) 1. Second of the second of the second by (Signature) 1. Second of the second of the second by (Signature) 1. Second of the second of the second by (Signature) 1. Second of the second of the second by (Signature) 1. Second of the second of the second by (Signature) 1. Second of the second of the second by (Signature) 1. Second of the second of the second by (Signature) 1. Second of the second of the second by (Signature) 1. Second of the second of the second by (Signature) 1. Second of the second of the second by (Signature) 1. Second of the second of the second by (Signature) 1. Second of the second	4:0.1	255/	N N	idress:			Analysis and Met	poq		State	
The ASS & USBS LCDs - VCT Sample Matrix Sample Matrix Sample Matrix Sample Matrix Sample Do Sample D	v, State, Zip farm) og far one: 505 566 - 1	996 878	를 등 6	ty, State, Zip	S	S	0	8	2	TU 00	NI
Sample Matrix to Consumers Sample ID	Mhan		(.	nail:	108 yd O	1208	0.000	7-64			I I
Interpretations: Interpretati	Date Matrix Sampled		7,0		usassayyri	үд ХЭТӨ	Metals 6	H.		Remarks	
ditional instructions: discharate Systematics of this ample, I am some the tampening with the intensional High Apple (APP) discharate Systematics of the ample, I am some the tampening with the intensional High Apple (APP) discharate Systematics of the ample, I am some the tampening with the intensional High Apple (APP) discharate Systematics of the ample, I am some the tampening with the intensional High Apple (APP) discharate Systematics of the ample, I am some the tampening with the intensional High Apple (APP) discharate Systematics of the ample, I am some the tampening with the intensional High Apple (APP) discharate Systematics of the ample, I am some the tampening with the intensional APP) discharate Systematics of the ample of the ample of the tampening that the apple of the ample of t	11/4/2011 mass	7 Tal	lapero			X	X	X			_
ditional instructions: Chief Chie					Ā	er .					
ditional Instructions: disconal Instructions: discon					2	1 -	1				_
ditional Instructions: disconal Instructions: discon											
ditional instructions: distinct and instructions are instructions and instructions and instructions are instructed and instructions are instructe											4
ditional Instructions: disconal instructions: discon											-
ditional Instructions: distinct in structions: distinct in the following the struction is amplied. It is amplied by: distinct in the following the struction is amplied by: distinct in the following the struction is amplied by: distinct in the following the struction is amplied by: distinct in the following the struction is amplied by: distinct in the following the struction is amplied by: distinct in the following the struction is amplied by: distinct in the following the struction of the str											_
ditional Instructions: disampler), attest to the pallish and authenticity of this sample. I am aware that tampering with or intentionally confidence in the control of the sample of th											
ditional Instructions: disampler), attent to the parallelity and authenticity of this sample. I am aware that tampering with or intentionally high-bell plane and may be grounds for legal action. Sampled by: of collection is parallelity and authenticity of this sample. I am aware that tampering with or intentionally high-bell plane. disampler), attent to the parallelity and authenticity of this sample. I am aware that tampering with or intentionally high-bell plane. of collections: of collections: of collections: Interpreted by: (Signature) Date Time Received by: (Signature) Date Time Avi G Temp °C Avi G Te											
ditional Instructions: Contained by: (Signature) Date Time Received by: (Signature) Date Time T											-
In state to the palleting and authenticity of this sample. I am aware that tampering with or intentionally high-elling the Sampler, attest to the palleting and authenticity of this sample. I am aware that tampering with or intentionally high-elling the Sampler requiring thermal preservation must be received on the standard or received packed in feat at an ang temp above 0 but less than 6°C on subsequent days. Container Type: g - Soil, Sg - Soilde, Sg - Soilde, A - Aqueous, O - Other. Container Type: g - Soil, Sg - Soilde, Sg -	ditional Instructions:	1-14		11/1/1							
It Comparison Date Time Proceived by: (Signature) Date Time Date Time Date Date Time Date Date	eld sampler), attest to the validity and authors of collection is gongleded fraud and may be	nticity of this sample, 1: e grounds for legal actio	am aware that tamper on. Sampled by:	ring with or intentionally hydrocilled the sand	DON (Samples requiring thermal pr received packed in ice at an a	eservation must be rec ivg temp above 0 but le	eived on ice the day	y they are sampled or oquent days.	
nquished by: (Signature) Date Time Received by: (Signature) Date Time T2 T3 nquished by: (Signature) Date Time T2 T3 ple Matrix: S - Soil, Sd - Soild, Sg - Sindge, A - Aqueous, O - Other Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA	A. A.	-VIJSZOP	Time 11.17	by: (Signature)	2	Time 1:17	Received on ice.		Only		Toronto
nquished by: (Signature) Date Time Received by: (Signature) Date Time AVG Temp °C AVG Temp °C AVG Temp °C Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA	nquishe <mark>k bý: (</mark> Signature)	Dete	Time	Received by: (Signature)	Date	Time	1				-
ole Matrix: S-Soil, SgSludge, A-Aqueous, O-Other Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA	nquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time	AVG Temp °C	 -	2		
	ple Matrix: S - Soil, Sd - Solid, Sg - Slud,	ce, A - Aqueous, O - C	Other		Container Type	: g - glass, p - po	oly/plastic, ag - am	ber glass, v - V	OA		
			and the farmer of the farmer o	the state of the s	c scholc.		THE RESERVE THE PERSON NAMED IN	The second second			Ĺ

Ph (505) 632-1881 Fx (505) 632-1865

labadmin@envirotech-inc.com envirotech-inc.com


Senvirotech Analytical Laboratory

5795 US Highway 64, Familington, NM 87401 24 Hour Emergency Response Phone (800) 352-1879

COLEMAN OIL & GAS, INC.

LEASE # SF-078244/ ELEV. # 5978 SAN JUAN COUNTY, NEW MEXICO UNIT I SEC 30 T31N R12W BLANCO MV/BASIN DK **LONGITUDE 108.13266** 1730' FSL 820' FEL LATITUDE 36.86790 API#30-045-24746 TALI AFERRO #5 M (505) 327-0356 •

CONTACT



iants were installed Above ande &