Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCD Received 5/11/2020

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

5. Lease Serial No. STATE

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an
abandoned well. Use form 3160-3 (APD) for such proposals.

abandoned we	6. If Indian, Allottee or Tribe Name EASTERN NAVAJO						
SUBMIT IN	7. If Unit or CA/Agreement, Name and/or No. NMNM135229A						
1. Type of Well	8. Well Name and No. NORTH ALAMITO UNIT 404H						
Oil Well ☐ Gas Well ☐ Oth 2. Name of Operator	9. API Well No.						
DJR OPÉRATING LLC E-Mail: sford@djrllc.com					30-045-38188-00-X1		
3a. Address 1 ROAD 3263 AZTEC, NM 87410	(include area code) -3476 10. Field and Pool or Exploratory Are N ALAMITO UNIT MANCOS						
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)				11. County or Parish, State			
Sec 36 T23N R8W SESE 432FSL 635FEL 36.177235 N Lat, 107.626512 W Lon					SAN JUAN COUNTY, NM		
12. CHECK THE AF	PPROPRIATE BOX(ES)	TO INDICA	ΓE NATURE O	F NOTICE,	REPORT, OR OTH	IER DATA	
TYPE OF SUBMISSION							
☐ Notice of Intent	☐ Acidize	☐ Acidize ☐ Dee		☐ Product	ion (Start/Resume)	☐ Water Shut-Off	
_			raulic Fracturing	☐ Reclamation		☐ Well Integrity	
Subsequent Report	Casing Repair	_			olete		
☐ Final Abandonment Notice	☐ Change Plans☐ Convert to Injection	☐ Plug ☐ Plug	and Abandon	☐ Temporarily Abandon☐ Water Disposal		8 1	
determined that the site is ready for five Liner Casing & Cement ? AME 4/22/20: MIRU ad 920. NU 11 TIW 250 low 5 min. 1500 high Kelly, choke manifold and valvation with the second seco	ENDED Bottom of Cementinch 3K BOP with installe 10 min. PT blind rams, Hives, full opening safety valid casing to 1500 high 30 or regulatory agencies ons 0 9430 ftKB. 14820 ftKB. 15049 ftKB TD. TOOH. 222 jts, 4 pups, 5 marker	ed 11 inch 5K CR, pipe ram lve and inside min. All teste site to witness	Cameron wellhes, kill valves, che BOP valve 250d good & records. Drill 6.125 inch	eck valve, lo low 5 min, ed on chart hole to	ower set		
	Electronic Submission #5	ERATING LL¢	, sent to the Fari OE KILLINS on 0	nington	JK0266SE)		
Signature (Electronic S	Submission)		Date 05/11/20	020			
	THIS SPACE FO	R FEDERA	L OR STATE	OFFICE U	SE		
Approved By ACCEPTED			JOE KILLII _{Title} PETROLE	NS UM ENGINI	EER	Date 05/11/2020	
Conditions of approval, if any, are attache ertify that the applicant holds legal or equal which would entitle the applicant to condu-	Office Farming	ton					

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Additional data for EC transaction #514782 that would not fit on the form

32. Additional remarks, continued

BJ cement crew. PT 6500 psi on lines. Test good & recorded on chart. Cement with 40% excess as follows: 233 bbls (839 sx), at 13.3 ppg, 1.56 yield, 7.70 gps. Drop plug. Bump plug at 3600 psi & hold for 5 min. Check floats. Floats held. 60 bbls good cement back to surface. TOC: 5134 ftKB BOC: 15040 ftKB. Install packoff, PT to 5000 psi. Test good & recorded on chart. ND BOP. Install back PV & well cover.

Rig Released 4/26/20 at 18:00

Revisions to Operator-Submitted EC Data for Sundry Notice #514782

Operator Submitted BLM Revised (AFMSS)

DRG SR Sundry Type: DRG SR

STATE Lease: NMNM117143

Agreement: NMNM135229A NMNM135229A (NMNM135229A)

Operator: DJR OPERATING LLC DJR OPERATING LLC 1 ROAD 3263 AZTEC, NM 87410 Ph: 505-632-3476 1 ROAD 3263

AZTEC, NM 87410 Ph: 505-632-3476

SHAW-MARIE FORD SHAW-MARIE FORD Admin Contact:

REGULATORY SPECIALIST REGULATORY SPECIALIST E-Mail: sford@djrllc.com E-Mail: sford@djrllc.com

Ph: 505-632-3476 Ph: 505-632-3476

SHAW-MARIE FORD REGULATORY SPECIALIST SHAW-MARIE FORD REGULATORY SPECIALIST Tech Contact:

E-Mail: sford@djrllc.com E-Mail: sford@djrllc.com

Ph: 505-632-3476 Ph: 505-632-3476

Location: State:

NM SAN JUAN SAN JUAN County:

Field/Pool: **BASIN MANCOS** N ALAMITO UNIT MANCOS OIL POOL

NORTH ALAMITO UNIT 404H Sec 36 T23N R8W SESE 432FSL 635FEL NORTH ALAMITO UNIT 404H Well/Facility:

Sec 36 T23N R8W SESE 432FSL 635FEL 36.177235 N Lat, 107.626512 W Lon 36.177235 N Lat, 107.626512 W Lon